



**FINANCIAL INFORMATION  
EXCHANGE PROTOCOL  
(FIX)**

**Version 5.0 Service Pack 2 - Errata**

***VOLUME 6 – FIX DATA DICTIONARY***

~~April 2009~~ August 18, 2011

## **DISCLAIMER**

THE INFORMATION CONTAINED HEREIN AND THE FINANCIAL INFORMATION EXCHANGE PROTOCOL (COLLECTIVELY, THE "FIX PROTOCOL") ARE PROVIDED "AS IS" AND NO PERSON OR ENTITY ASSOCIATED WITH THE FIX PROTOCOL MAKES ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AS TO THE FIX PROTOCOL (OR THE RESULTS TO BE OBTAINED BY THE USE THEREOF) OR ANY OTHER MATTER AND EACH SUCH PERSON AND ENTITY SPECIFICALLY DISCLAIMS ANY WARRANTY OF ORIGINALITY, ACCURACY, COMPLETENESS, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SUCH PERSONS AND ENTITIES DO NOT WARRANT THAT THE FIX PROTOCOL WILL CONFORM TO ANY DESCRIPTION THEREOF OR BE FREE OF ERRORS. THE ENTIRE RISK OF ANY USE OF THE FIX PROTOCOL IS ASSUMED BY THE USER.

NO PERSON OR ENTITY ASSOCIATED WITH THE FIX PROTOCOL SHALL HAVE ANY LIABILITY FOR DAMAGES OF ANY KIND ARISING IN ANY MANNER OUT OF OR IN CONNECTION WITH ANY USER'S USE OF (OR ANY INABILITY TO USE) THE FIX PROTOCOL, WHETHER DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL (INCLUDING, WITHOUT LIMITATION, LOSS OF DATA, LOSS OF USE, CLAIMS OF THIRD PARTIES OR LOST PROFITS OR REVENUES OR OTHER ECONOMIC LOSS), WHETHER IN TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY), CONTRACT OR OTHERWISE, WHETHER OR NOT ANY SUCH PERSON OR ENTITY HAS BEEN ADVISED OF, OR OTHERWISE MIGHT HAVE ANTICIPATED THE POSSIBILITY OF, SUCH DAMAGES.

No proprietary or ownership interest of any kind is granted with respect to the FIX Protocol (or any rights therein), except as expressly set out in FIX Protocol Limited's Copyright and Acceptable Use Policy..

© Copyright 2003-~~2009~~2011 FIX Protocol Limited, all rights reserved

## **REPRODUCTION**

FIX Protocol Limited grants permission to print in hard copy form or reproduce the FIX Protocol specification in its entirety provided that the duplicated pages retain the "Copyright FIX Protocol Limited" statement at the bottom of the page.

Portions of the FIX Protocol specification may be extracted or cited in other documents (such as a document which describes one's implementation of the FIX Protocol) provided that one reference the origin of the FIX Protocol specification (<http://www.fixprotocol.org>) and that the specification itself is "Copyright FIX Protocol Limited".

FIX Protocol Limited claims no intellectual property over one's implementation (programming code) of an application which implements the behavior and details from the FIX Protocol specification.

## Contents – Volume 6

<b><u>DISCLAIMER</u></b> .....	<b>2</b>
<b>REPRODUCTION</b> .....	<b>2</b>
<b>FIELD DEFINITIONS</b> .....	<b>6</b>
FIX FIELD INDEX SORTED BY TAG NUMBER: .....	368
FIX FIELD INDEX SORTED BY FIELD NAME: .....	391
<b>APPENDIX 6-A</b> .....	<b>414</b>
VALID CURRENCY CODES .....	414
<b>APPENDIX 6-B</b> .....	<b>415</b>
FIX FIELDS BASED UPON OTHER STANDARDS .....	415
<i>ISO Standards used by the FIX Protocol Specification</i> .....	415
<b>APPENDIX 6-C</b> .....	<b>420</b>
EXCHANGE CODES - ISO 10383 MARKET IDENTIFIER CODE (MIC) .....	420
<b>APPENDIX 6-D</b> .....	<b>443</b>
CFICODE USAGE - ISO 10962 CLASSIFICATION OF FINANCIAL INSTRUMENTS (CFI CODE) .....	443
<i>High-level subset of possible values applicable to FIX usage:</i> .....	443
<i>Detailed, granular subset of possible values applicable to FIX usage:</i> .....	444
Options: .....	444
Futures:.....	445
<b>APPENDIX 6-E</b> .....	<b>448</b>
DEPRECATED (PHASED-OUT) FEATURES AND SUPPORTED APPROACH .....	448
1. <i>Deprecated Field: TotalAccruedInterestAmt (tag 540) [deprecated in FIX 4.4]</i> .....	448
2. <i>Deprecated the use of SettlCurrAmt (119) and SettlCurrency (120) fields within Allocation messaging NoAllocs repeating group [deprecated in FIX 4.4]</i> .....	448
3. <i>Deprecated Instrument-affiliated "RedemptionDate" Fields: RedemptionDate (240), UnderlyingRedemptionDate (247), and LegRedemptionDate (254). [deprecated in FIX 4.4]</i> .....	448
4. <i>Deprecated usage of the Settlement Instruction message where used to refer to an allocation message [deprecated in FIX 4.4]</i> .....	449
5. <i>Deprecated various FIX 4.3-introduced "Repo" Fields [deprecated in FIX 4.4]</i> .....	449
6. <i>Deprecated "UST" and "USTB" values from the SecurityType (tag 167) field [deprecated in FIX 4.4]</i> .....	449
7. <i>Deprecated LegQty (tag 687) from certain message types [deprecated in FIX 5.0]</i> .....	449

8. <i>Deprecated TargetStrategyParameters (848) and ParticipationRate (849) [deprecated in FIX 5.0]</i> .....	450
9. <i>Deprecated SecondaryTradeReportID (818) and SecondaryTradeReportRefID (881) [deprecated in FIX 5.0]</i> .....	450
10. <i>Deprecated MaxFloor (111) and MaxShow (210) [deprecated in FIX 5.0]</i> .....	450
11. <i>Deprecated OddLot (575) [deprecated in FIX 5.0]</i> .....	450
12. <i>Deprecated enum values from ExecInst (18) [deprecated in FIX 5.0]</i> .....	450
13. <i>Deprecated OrderQty2 (192), SettlDate2 (193), Price2 (640), LastForwardPoints2 (641), BidForwardPoints2 (642), and OfferForwardPoints2 (643) [deprecated in FIX 5.0]</i> .....	451
14. <i>Deprecated QuoteType (537) from QuoteResponse message only [deprecated in FIX 5.0]</i> .....	452
15. <i>Deprecated MDEntryOriginator (282), MDMkt (275) [deprecated in FIX 5.0]</i> .....	452
16. <i>Deprecated LocationID (283) and DeskID (284) from Market Data messages only [deprecated in FIX 5.0]</i> .....	452
17. <i>Deprecated LegQty (tag 687) from the specification [deprecated in FIX 5.0 SP1]</i> .....	452
18. <i>Deprecated PublishTrdIndicator (tag 852) from the specification [deprecated in FIX 5.0 SP1]</i> .....	452
19. <i>Deprecated OrderID (tag 37) and SecondaryOrderID (tag 198) from OrderMassCancelReport message only [deprecated in FIX 5.0 SP1]</i> .....	452
20. <i>Deprecated the fields Signature (89), SecureDataLen (90), SecureData (91), SignatureLength (93) [deprecated in FIX 5.0 SP1]</i> .....	452
21. <i>Deprecated the following enumerations from SecurityRequestType (321)</i> .....	453
22. <i>Deprecated the following enumeration from SecurityResponseType (323)</i> .....	453
23. <i>Deprecated the following enumeration from UnitOfMeasure (996), UnderlyingUnitOfMeasure (998), LegUnitOfMeasure (999), PriceUnitOfMeasure (1191), DerivativeUnitOfMeasure (1269), DerivativePriceUnitOfMeasure (1315), LegPriceUnitOfMeasure (1421), UnderlyingPriceUnitOfMeasure (1424)</i> .....	453
24. <i>Deprecated from SecurityType (167) the enumeration FOR [deprecated in FIX 5.0 SP2]</i> .....	453
<b>APPENDIX 6-F</b> .....	<b>454</b>
REPLACED FEATURES AND SUPPORTED APPROACH.....	454
1. <i>Replaced Field: ExecTransType (tag 20) and values in ExecType and OrdStatus fields [Replaced in FIX 4.3]</i> .....	454
2. <i>Replaced Fields: MaturityDay (tag 205) and UnderlyingMaturityDay (tag 314) [Replaced in FIX 4.3]</i> .....	455
3. <i>Replaced Fields: ExecBroker (tag 76), BrokerOfCredit (tag 92), ClientID (tag 109), ClearingFirm (tag 439), ClearingAccount (tag 440), and SettlLocation (tag 166) [Replaced in FIX 4.3]</i> .....	455
4. <i>Replaced Field Enumerations for Futures and Options for SecurityType (tag 167) with CFICode (tag 461) [Replaced in FIX 4.3]</i> .....	456
5. <i>Replaced Field: PutOrCall (tag 201) and UnderlyingPutOrCall (tag 315) with CFICode (tag 461) [Replaced in FIX 4.3]</i> .....	457
6. <i>Replaced Field: CustomerOrFirm (tag 204) with OrderCapacity (tag 528) [Replaced in FIX 4.3]</i> .....	457
7. <i>Replaced values: OptAttribute (tag 206) with values in CFICode (tag 461) [Replaced in FIX 4.3]</i> .....	457
8. <i>Replaced values: AllocTransType (tag 71) with values in AllocType (tag 626) [Replaced in FIX 4.3]</i> .....	458
9. <i>Replaced Field: RelatdSym (tag 46) with Symbol (tag 55) [Replaced in FIX 4.3]</i> .....	459
10. <i>Removed Deprecated Field: Benchmark (tag 219) [Deprecated in FIX 4.3, Removed in FIX 4.4]</i> .....	460
11. <i>Removed Deprecated "On Close"-related Values for OrdType Field [Deprecated in FIX 4.3, Removed in FIX 4.4]</i> .....	460
12. <i>Removed Deprecated Field: Rule80A (tag 47) [Deprecated and Replaced in FIX 4.3, Removed in FIX 4.4]</i> .....	461
13. <i>Removed Deprecated Field: OnBehalfOfSendingTime (tag 370) [Deprecated and Replaced in FIX 4.3, Removed in FIX 4.4]</i> .....	464
14. <i>Removed three Deprecated "Forex -"-related Values for OrdType Field [Deprecated and Replaced in FIX 4.3, Removed in FIX 4.4]</i> .....	464
15. <i>Replaced value: "A = T+1" with value with "2 = Next Day (T+1)" in SettlmntTyp (tag 63) field [Replaced in FIX 4.4]</i> .....	464

16. Replaced "Fixed Peg to Local best bid or offer at time of order" value from ExecInst (tag 18) Field [Replaced in FIX 4.4].....	465
17. Removed unused field: RatioQty (tag 319) [Replaced in FIX 4.4].....	465
18. Removed unused field: SecDefStatus (tag 653) [Replaced in FIX 4.4] .....	465
19. Removed TotalVolumeTradedDate (tag 449) and TotalVolumeTradedTime (tag 450) fields [Replaced in FIX 4.4] .....	465
20. Removed various Settlement Instructions-related fields [Replaced in FIX 4.4] .....	465
21. Removed "Default", "Specific Allocation Account Overriding", and "Specific Allocation Account Standing" values from SettlInstMode (tag 160) field [Replaced in FIX 4.4] .....	466
22. Removed several values from AllocType (tag 626) field [Replaced in FIX 4.4].....	466
23. Removed several values from YieldType (tag 235) field [Replaced in FIX 4.4] .....	466
24. Removed AsgnReqID (831) from Data Dictionary [Removed in FIX 5.0 SP2].....	466
25. Removed ExecRefID (19) from TrdCapRptSideGrp component [Removed in FIX 5.0 SP2].....	466
<b>APPENDIX 6-G .....</b>	<b>467</b>
USE OF <PARTIES> COMPONENT BLOCK: PARTYROLE, PARTYIDSOURCE, PARTYID, AND PARTYSUBID .....	467
<b>APPENDIX 6-H .....</b>	<b>476</b>
USE OF <SETTLINSTRUCTIONS> COMPONENT BLOCK .....	476
Introduction.....	476
Delivery Instruction Formatting & Structure.....	477
Parties & Party Sub-IDs .....	477
Mapping FIX to ISO15022.....	478
Notes on CSD Identifiers.....	479
Registration Details & Investor IDs.....	481
Notes on use of Settlement Location (PSET) and Trade Matching .....	481
Notes on Relational Integrity and Compatibility with ISO15022.....	482

## Field Definitions

The following is a catalog of fields used to define the application and session protocol messages.

Please refer to Volume 1 “Data Types” section for the definition and format of values within the “Format” column as well. Note that Tags themselves are of data type *TagNum*.

<i>Tag</i>	<i>FieldName</i>	<i>Data Type</i>	<i>Description</i>	<i>FIXMLName</i>
1	Account	String	Account mnemonic as agreed between buy and sell sides, e.g. broker and institution or investor/intermediary and fund manager.	Acct
2	AdvId	String	Unique identifier of advertisement message. (Prior to FIX 4.1 this field was of type int)	AdvId
3	AdvRefID	String	Reference identifier used with CANCEL and REPLACE transaction types. (Prior to FIX 4.1 this field was of type int)	AdvRefID
4	AdvSide	char	Broker's side of advertised trade  Valid values: B - Buy S - Sell T - Trade X - Cross	AdvSide
5	AdvTransType	String	Identifies advertisement message transaction type  Valid values: N - New C - Cancel R - Replace	AdvTransTyp
6	AvgPx	Price	Calculated average price of all fills on this order. For Fixed Income trades AvgPx is always expressed as percent-of-par, regardless of the PriceType (423) of LastPx (31). I.e., AvgPx will contain an average of percent-of-par values (see LastParPx (669)) for issues	AvgPx

			traded in Yield, Spread or Discount.	
7	BeginSeqNo	SeqNum	Message sequence number of first message in range to be resent	
8	BeginString	String	Identifies beginning of new message and protocol version. ALWAYS FIRST FIELD IN MESSAGE. (Always unencrypted) Valid values: FIXT.1.1	
9	BodyLength	Length	Message length, in bytes, forward to the CheckSum field. ALWAYS SECOND FIELD IN MESSAGE. (Always unencrypted)	
10	CheckSum	String	Three byte, simple checksum (see Volume 2: "Checksum Calculation" for description). ALWAYS LAST FIELD IN MESSAGE; i.e. serves, with the trailing <SOH>, as the end-of-message delimiter. Always defined as three characters. (Always unencrypted)	
11	ClOrdID	String	Unique identifier for Order as assigned by the buy-side (institution, broker, intermediary etc.) (identified by SenderCompID (49) or OnBehalfOfCompID (5) as appropriate). Uniqueness must be guaranteed within a single trading day. Firms, particularly those which electronically submit multi-day orders, trade globally or throughout market close periods, should ensure uniqueness across days, for example by embedding a date within the ClOrdID field.	ClOrdID ID in SingleGeneralOrderHandling category messages
12	Commission	Amt	Commission. Note if CommType (13) is percentage, Commission of 5% should be represented as .05.	Comm
13	CommType	char	Commission type Valid values: 1 - Per Unit (implying shares, par, currency, etc.) 2 - Percent 3 - Absolute (total monetary amount) 4 - Percentage waived - cash discount (for CIV buy	CommTyp

			orders) 5 - Percentage waived -= enhanced units (for CIV buy orders) 6 - Points per bond or contract (supply ContractMultiplier (231) in the <Instrument> component block if the object security is denominated in a size other than the industry default - 1000 par for bonds)	
14	CumQty	Qty	Total quantity (e.g. number of shares) filled. (Prior to FIX 4.2 this field was of type int)	CumQty
15	Currency	Currency	Identifies currency used for price. Absence of this field is interpreted as the default for the security. It is recommended that systems provide the currency value whenever possible. See "Appendix 6-A: Valid Currency Codes" for information on obtaining valid values.	Ccy
16	EndSeqNo	SeqNum	Message sequence number of last message in range to be resent. If request is for a single message BeginSeqNo (7) = EndSeqNo. If request is for all messages subsequent to a particular message, EndSeqNo = "0" (representing infinity).	
17	ExecID	String	Unique identifier of execution message as assigned by sell-side (broker, exchange, ECN) (will be 0 (zero) for ExecType (150)=I (Order Status)). Uniqueness must be guaranteed within a single trading day or the life of a multi-day order. Firms which accept multi-day orders should consider embedding a date within the ExecID field to assure uniqueness across days. (Prior to FIX 4.1 this field was of type int).	ExecID
18	ExecInst	MultipleCharacterValue	Instructions for order handling on exchange trading floor. If more than one instruction is applicable to an order, this field can contain multiple instructions separated by space. *** SOME VALUES HAVE BEEN REPLACED - See "Replaced Features and Supported Approach" *** (see Volume : "Glossary" for	ExecInst

			<p>value definitions)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Stay on offer side</li> <li>1 - Not held</li> <li>2 - Work</li> <li>3 - Go along</li> <li>4 - Over the day</li> <li>5 - Held</li> <li>6 - <del>Participant</del><u>Participate</u> don't initiate</li> <li>7 - Strict scale</li> <li>8 - Try to scale</li> <li>9 - Stay on bid side</li> <li>A - No cross (cross is forbidden)</li> <li>B - OK to cross</li> <li>C - Call first</li> <li>D - Percent of volume (indicates that the sender does not want to be all of the volume on the floor vs. a specific percentage)</li> <li>E - Do not increase - DNI</li> <li>F - Do not reduce - DNR</li> <li>G - All or none - AON</li> <li>H - Reinstate on system failure (mutually exclusive with Q and l)</li> <li>I - Institutions only</li> <li>J - Reinstate on Trading Halt (mutually exclusive with K and m)</li> <li>K - Cancel on Trading Halt (mutually exclusive with J and m)</li> <li>L - Last peg (last sale) ( Deprecated in FIX_5.0 )</li> <li>M - Mid-price peg (midprice of inside quote) ( Deprecated in FIX_5.0 )</li> <li>N - Non-negotiable</li> <li>O - Opening peg ( Deprecated in FIX_5.0 )</li> <li>P - Market peg ( Deprecated in FIX_5.0 )</li> <li>Q - Cancel on system failure (mutually exclusive with H and l)</li> <li>R - Primary peg (primary market - buy at bid/sell at offer) ( Deprecated in FIX_5.0 )</li> </ul>	
--	--	--	--	--

			<ul style="list-style-type: none"> <li>S - Suspend</li> <li>T - Fixed Peg to Local best bid or offer at time of order ( Deprecated in FIX.5.0 )</li> <li>U - Customer Display Instruction (Rule 11Ac1-1/4)</li> <li>V - Netting (for Forex)</li> <li>W - Peg to VWAP ( Deprecated in FIX.5.0 )</li> <li>X - Trade Along</li> <li>Y - Try To Stop</li> <li>Z - Cancel if not best</li> <li>a - Trailing Stop Peg ( Deprecated in FIX.5.0 )</li> <li>b - Strict Limit (No price improvement)</li> <li>c - Ignore Price Validity Checks</li> <li>d - Peg to Limit Price ( Deprecated in FIX.5.0 )</li> <li>e - Work to Target Strategy</li> <li>f - Intermarket Sweep</li> <li>g - External Routing Allowed</li> <li>h - External Routing Not Allowed</li> <li>i - Imbalance Only</li> <li>j - Single execution requested for block trade</li> <li>k - Best Execution</li> <li>l - Suspend on system failure (mutually exclusive with H and Q)</li> <li>m - Suspend on Trading Halt (mutually exclusive with J and K)</li> <li>n - Reinstate on connection loss (mutually exclusive with o and p)</li> <li>o - Cancel on connection loss (mutually exclusive with n and p)</li> <li>p - Suspend on connection loss (mutually exclusive with n and o)</li> <li>q - Release from suspension (mutually exclusive with S)</li> <li>r - Execute as delta neutral using volatility provided</li> <li>s - Execute as duration neutral</li> <li>t - Execute as FX neutral</li> </ul>	
19	ExecRefID	String	Reference identifier used with Trade, Trade Cancel and	ExecRefID

			Trade Correct execution types. (Prior to FIX 4.1 this field was of type int)	
20	<del>ExecTransType</del>	<del>char</del>	<del>Identifies transaction type</del>  <del>Valid values:</del> <del>— 0 - New</del> <del>— 1 - Cancel</del> <del>— 2 - Correct</del> <del>— 3 - Status</del>	
21	HandlInst	char	Instructions for order handling on Broker trading floor  Valid values: 1 - Automated execution order, private, no Broker intervention 2 - Automated execution order, public, Broker intervention OK 3 - Manual order, best execution	HandlInst
22	SecurityIDSource	String	Identifies class or source of the SecurityID (48) value. Required if SecurityID is specified. 100+ are reserved for private security identifications  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian	Src

			G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	
23	IOIID	String	Unique identifier of IOI message. (Prior to FIX 4.1 this field was of type int)	IOIID ID in Indication category messages
<del>24</del>	<del>IOIOthSvc (no longer used)</del>	<del>char</del>	<del>Deprecated in FIX 4.1</del>	
25	IOIQltyInd	char	Relative quality of indication  Valid values: H - High L - Low M - Medium	QtyInd
26	IOIRefID	String	Reference identifier used with CANCEL and REPLACE, transaction types. (Prior to FIX 4.1 this field was of type int)	RefID
27	IOIQty	String	Quantity (e.g. number of shares) in numeric form or relative size.  Valid values: <del>0-1000000000</del> <del>S</del> - Small M - Medium L - Large U - Undisclosed Quantity  <u>or any value conforming to the data type Qty</u>	Qty
28	IOITransType	char	Identifies IOI message transaction type	TransTyp

			Valid values: N - New C - Cancel R - Replace	
29	LastCapacity	char	Broker capacity in order execution  Valid values: 1 - Agent 2 - Cross as agent 3 - Cross as principal 4 - Principal	LastCpcty
30	LastMkt	Exchange	Market of execution for last fill, or an indication of the market where an order was routed  Valid values: See "Appendix 6-C"	LastMkt
31	LastPx	Price	Price of this (last) fill.	LastPx
32	LastQty	Qty	Quantity (e.g. shares) bought/sold on this (last) fill. (Prior to FIX 4.2 this field was of type int)	LastQty
33	NoLinesOfText	NumInGroup	Identifies number of lines of text body	
34	MsgSeqNum	SeqNum	Integer message sequence number.	<del>SeqNum</del>
35	MsgType	String	Defines message type ALWAYS THIRD FIELD IN MESSAGE. (Always unencrypted) Note: A "U" as the first character in the MsgType field (i.e. U, U2, etc) indicates that the message format is privately defined between the sender and receiver. *** Note the use of lower case letters ***  Valid values: 0 - Heartbeat 1 - TestRequest 2 - ResendRequest 3 - Reject 4 - SequenceReset 5 - Logout	<del>MsgTyp</del>

			6 - IOI 7 - Advertisement 8 - ExecutionReport 9 - OrderCancelReject A - Logon AA - DerivativeSecurityList AB - NewOrderMultileg AC - MultilegOrderCancelReplace AD - TradeCaptureReportRequest AE - TradeCaptureReport AF - OrderMassStatusRequest AG - QuoteRequestReject AH - RFQRequest AI - QuoteStatusReport AJ - QuoteResponse AK - Confirmation AL - PositionMaintenanceRequest AM - PositionMaintenanceReport AN - RequestForPositions AO - RequestForPositionsAck AP - PositionReport AQ - TradeCaptureReportRequestAck AR - TradeCaptureReportAck AS - AllocationReport AT - AllocationReportAck AU - <del>ConfirmationAck</del> <u>ConfirmationAck</u> AV - SettlementInstructionRequest AW - AssignmentReport AX - CollateralRequest AY - CollateralAssignment AZ - CollateralResponse B - News BA - CollateralReport BB - CollateralInquiry BC - NetworkCounterpartySystemStatusRequest BD - NetworkCounterpartySystemStatusResponse BE - UserRequest BF - UserResponse BG - CollateralInquiryAck	
--	--	--	--	--

			BH - ConfirmationRequest BI - TradingSessionListRequest BJ - TradingSessionList BK - SecurityListUpdateReport BL - AdjustedPositionReport BM - AllocationInstructionAlert BN - ExecutionAcknowledgement BO - ContraryIntentionReport BP - SecurityDefinitionUpdateReport BQ - SettlementObligationReport BR - DerivativeSecurityListUpdateReport BS - TradingSessionListUpdateReport BT - MarketDefinitionRequest BU - MarketDefinition BV - MarketDefinitionUpdateReport BW - ApplicationMessageRequest BX - ApplicationMessageRequestAck BY - ApplicationMessageReport BZ - OrderMassActionReport C - Email CA - OrderMassActionRequest CB - UserNotification CC - StreamAssignmentRequest CD - StreamAssignmentReport CE - StreamAssignmentReportACK <del>CF - PartyDetailsListRequest</del> <del>CG - PartyDetailsListReport</del> <del>D - NewOrderSingle</del> E - NewOrderList F - OrderCancelRequest G - OrderCancelReplaceRequest H - OrderStatusRequest J - AllocationInstruction K - ListCancelRequest L - ListExecute M - ListStatusRequest N - ListStatus P - AllocationInstructionAck Q - <del>DontKnowTradeDKDontKnowTrade</del>	
--	--	--	---	--

			R - QuoteRequest S - Quote T - SettlementInstructions V - MarketDataRequest W - MarketDataSnapshotFullRefresh X - MarketDataIncrementalRefresh Y - MarketDataRequestReject Z - QuoteCancel a - QuoteStatusRequest b - MassQuoteAcknowledgement c - SecurityDefinitionRequest d - SecurityDefinition e - SecurityStatusRequest f - SecurityStatus g - TradingSessionStatusRequest h - TradingSessionStatus i - MassQuote j - BusinessMessageReject k - BidRequest l - BidResponse m - ListStrikePrice n - <del>XMLnonFIX</del> o - RegistrationInstructions p - RegistrationInstructionsResponse q - OrderMassCancelRequest r - OrderMassCancelReport s - NewOrderCross t - CrossOrderCancelReplaceRequest u - CrossOrderCancelRequest v - SecurityTypeRequest w - SecurityTypes x - SecurityListRequest y - SecurityList z - DerivativeSecurityListRequest	
36	NewSeqNo	SeqNum	New sequence number	
37	OrderID	String	Unique identifier for Order as assigned by sell-side (broker, exchange, ECN). Uniqueness must be	OrdID

			guaranteed within a single trading day. Firms which accept multi-day orders should consider embedding a date within the OrderID field to assure uniqueness across days.	
38	OrderQty	Qty	Quantity ordered. This represents the number of shares for equities or par, face or nominal value for FI instruments. (Prior to FIX 4.2 this field was of type int)	Qty
39	OrdStatus	char	Identifies current status of order. *** SOME VALUES HAVE BEEN REPLACED - See "Replaced Features and Supported Approach" *** (see Volume : "Glossary" for value definitions)  Valid values: 0 - New 1 - Partially filled 2 - Filled 3 - Done for day 4 - Canceled 5 - Replaced (No longer used) ( Deprecated in FIX.4.3 ) 6 - Pending Cancel (i.e. result of Order Cancel Request) 7 - Stopped 8 - Rejected 9 - Suspended A - Pending New B - Calculated C - Expired D - Accepted for Bidding E - Pending Replace (i.e. result of Order Cancel/Replace Request)	OrdStat  Stat in SingleGeneralOrderHandling category messages
40	OrdType	char	Order type. *** SOME VALUES ARE NO LONGER USED - See "Deprecated (Phased-out) Features and Supported Approach" *** (see Volume : "Glossary" for value definitions)  Valid values:	OrdTyp  Typ in SingleGeneralOrderHandling category messages

			<ul style="list-style-type: none"> <li>1 - Market</li> <li>2 - Limit</li> <li>3 - Stop / Stop Loss</li> <li>4 - Stop Limit</li> <li>5 - Market On Close (No longer used)</li> <li>( Deprecated in <a href="#">FIX.4.3</a> )</li> <li>6 - With Or Without</li> <li>7 - Limit Or Better ( Deprecated in <a href="#">FIX.4.4</a> )</li> <li>8 - Limit With Or Without</li> <li>9 - On Basis</li> <li>A - On Close (No longer used) ( Deprecated in <a href="#">FIX.4.3</a> )</li> <li>B - Limit On Close (No longer used) ( Deprecated in <a href="#">FIX.4.3</a> )</li> <li>C - Forex Market (No longer used) ( Deprecated in <a href="#">FIX.4.3</a> )</li> <li>D - Previously Quoted</li> <li>E - Previously Indicated</li> <li>F - Forex Limit (No longer used) ( Deprecated in <a href="#">FIX.4.3</a> )</li> <li>G - Forex Swap</li> <li>H - Forex Previously Quoted (No longer used)</li> <li>( Deprecated in <a href="#">FIX.4.3</a> )</li> <li>I - Funari (Limit day order with unexecuted portion handles as Market On Close. E.g. Japan)</li> <li>J - Market If Touched (MIT)</li> <li>K - Market With Left Over as Limit (market order with unexecuted quantity becoming limit order at last price)</li> <li>L - Previous Fund Valuation Point (Historic pricing; for CIV)</li> <li>M - Next Fund Valuation Point (Forward pricing; for CIV)</li> <li>P - Pegged</li> <li>Q - Counter-order selection</li> </ul>	
41	OrigClOrdID	String	ClOrdID (11) of the previous order (NOT the initial order of the day) as assigned by the institution, used to identify the previous order in cancel and cancel/replace	OrigClOrdID OrigID in SingleGeneralOrderHandling category

			requests.	messages
42	OrigTime	UTCTime stamp	Time of message origination (always expressed in UTC (Universal Time Coordinated, also known as "GMT"))	OrigTm
43	PossDupFlag	Boolean	Indicates possible retransmission of message with this sequence number  Valid values: N - Original transmission Y - Possible duplicate	PosDup
44	Price	Price	Price per unit of quantity (e.g. per share)	Px
45	RefSeqNum	SeqNum	Reference message sequence number	RefSeqNum
46	<del>RelatdSym (no longer used)</del>	<del>String</del>	<del>Deprecated in FIX.4.1</del>	
47	<del>Rule80A(No Longer Used)</del>	<del>char</del>	<del>Deprecated in FIX.4.3 Note that the name of this field is changing to 'OrderCapacity' as Rule80A is a very US market specific term. Other world markets need to convey similar information, however, often a subset of the US values. See the 'Rule80A (aka OrderCapacity) Usage by Market' appendix for market specific usage of this field.  Valid values: — A — Agency single order — B — Short exempt transaction (refer to A type) — C — Proprietary, Non Algorithmic Program Trade (non-index arbitrage) — D — Program order, index arb, for Member firm/org — E — Short Exempt Transaction for Principal (was incorrectly identified in the FIX spec as "Registered Equity Market Maker trades") — F — Short exempt transaction (refer to W type) — H — Short exempt transaction (refer to I type) — I — Individual Investor, single order — J — Proprietary, Algorithmic Program Trading (non-index arbitrage) — K — Agency, Algorithmic Program Trading (non-</del>	

			<del>index arbitrage)  — L Short exempt transaction for member competing market maker affiliated with the firm clearing the trade (refer to P and O types)  — M Program Order, index arb, for other member  — N Agent for other Member, Non Algorithmic Program Trade (non-index arbitrage)  — O Proprietary transactions for competing market maker that is affiliated with the clearing member (was incorrectly identified in the FIX spec as "Competing dealer trades")  — P Principal  — R Transactions for the account of a non member competing market maker (was incorrectly identified in the FIX spec as "Competing dealer trades")  — S Specialist trades  — T Transactions for the account of an unaffiliated member's competing market maker (was incorrectly identified in the FIX spec as "Competing dealer trades")  — U Agency, Index Arbitrage (includes Individual, Index Arbitrage trades)  — W All other orders as agent for other member  — X Short exempt transaction for member competing market maker not affiliated with the firm clearing the trade (refer to W and T types)  — Y Agency, Non Algorithmic Program Trade (non-index arbitrage)  — Z Short exempt transaction for non member competing market maker (refer to A and R types)</del>	
48	SecurityID	String	Security identifier value of SecurityIDSource (22) type (e.g. CUSIP, SEDOL, ISIN, etc). Requires SecurityIDSource.	ID
49	SenderCompID	String	Assigned value used to identify firm sending message.	SID
50	SenderSubID	String	Assigned value used to identify specific message originator (desk, trader, etc.)	SSub

51	<del>SendingDate</del> (no longer used)	LocalMkt Date	Deprecated in FIX.4.3	
52	SendingTime	UTCTime stamp	Time of message transmission (always expressed in UTC (Universal Time Coordinated, also known as "GMT"))	Snt
53	Quantity	Qty	Overall/total quantity (e.g. number of shares) (Prior to FIX 4.2 this field was of type int)	Qty
54	Side	char	Side of order (see Volume : "Glossary" for value definitions)  Valid values: 1 - Buy 2 - Sell 3 - Buy minus 4 - Sell plus 5 - Sell short 6 - Sell short exempt 7 - Undisclosed (valid for IOI and List Order messages only) 8 - Cross (orders where counterparty is an exchange, valid for all messages except IOIs) 9 - Cross short A - Cross short exempt B - "As Defined" (for use with multileg instruments) C - "Opposite" (for use with multileg instruments) D - Subscribe (e.g. CIV) E - Redeem (e.g. CIV) F - Lend (FINANCING - identifies direction of collateral) G - Borrow (FINANCING - identifies direction of collateral)	Side
55	Symbol	String	Ticker symbol. Common, "human understood" representation of the security. SecurityID (48) value can be specified if no symbol exists (e.g. non-exchange traded Collective Investment Vehicles)	Sym

			Use "[N/A]" for products which do not have a symbol.	
56	TargetCompID	String	Assigned value used to identify receiving firm.	TID
57	TargetSubID	String	Assigned value used to identify specific individual or unit intended to receive message. "ADMIN" reserved for administrative messages not intended for a specific user.	TSub
58	Text	String	Free format text string (Note: this field does not have a specified maximum length)	Txt
59	TimeInForce	char	Specifies how long the order remains in effect. Absence of this field is interpreted as DAY. NOTE not applicable to CIV Orders. (see Volume : "Glossary" for value definitions)  Valid values: 0 - Day (or session) 1 - Good Till Cancel (GTC) 2 - At the Opening (OPG) 3 - Immediate Or Cancel (IOC) 4 - Fill Or Kill (FOK) 5 - Good Till Crossing (GTX) 6 - Good Till Date (GTD) 7 - At the Close 8 - Good Through Crossing 9 - At Crossing	TmInForce
60	TransactTime	UTCTime stamp	Timestamp when the business transaction represented by the message occurred.	TxnTm
61	Urgency	char	Urgency flag  Valid values: 0 - Normal 1 - Flash 2 - Background	Urgency
62	ValidUntilTime	UTCTime stamp	Indicates expiration time of indication message (always expressed in UTC (Universal Time Coordinated, also known as "GMT"))	ValidUntilTm

63	SettlType	String	<p>Indicates order settlement period. If present, SettlDate (64) overrides this field. If both SettlType (63) and SettlDate (64) are omitted, the default for SettlType (63) is 0 (Regular)</p> <p>Regular is defined as the default settlement period for the particular security on the exchange of execution. In Fixed Income the contents of this field may influence the instrument definition if the SecurityID (48) is ambiguous. In the US an active Treasury offering may be re-opened, and for a time one CUSIP will apply to both the current and "when-issued" securities. Supplying a value of "7" clarifies the instrument description; any other value or the absence of this field should cause the respondent to default to the active issue.</p> <p>Additionally the following patterns may be uses as well as enum values</p> <p>Dx = FX tenor expression for "days", e.g. "D5", where "x" is any integer &gt; 0</p> <p>Mx = FX tenor expression for "months", e.g. "M3", where "x" is any integer &gt; 0</p> <p>Wx = FX tenor expression for "weeks", e.g. "W13", where "x" is any integer &gt; 0</p> <p>Yx = FX tenor expression for "years", e.g. "Y1", where "x" is any integer &gt; 0</p> <p>Noted that for FX the tenors expressed using Dx, Mx, Wx, and Yx values do not denote business days, but calendar days.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Regular / FX Spot settlement (T+1 or T+2 depending on currency)</li> <li>1 - Cash (TOD / T+0)</li> <li>2 - Next Day (TOM / T+1)</li> <li>3 - T+2</li> <li>4 - T+3</li> <li>5 - T+4</li> <li>6 - Future</li> <li>7 - When And If Issued</li> </ul>	SettlTyp
----	-----------	--------	---	----------

			<p>8 - Sellers Option  9 - T+5  B - Broken date - for FX expressing non-standard tenor, SettlDate (64) must be specified  C - FX Spot Next settlement (Spot+1, aka next day)</p> <p>or any value conforming to the data type Tenor</p>	
64	SettlDate	LocalMkt Date	<p>Specific date of trade settlement (SettlementDate) in YYYYMMDD format.  If present, this field overrides SettlType (63). This field is required if the value of SettlType (63) is 6 (Future) or 8 (Sellers Option). This field must be omitted if the value of SettlType (63) is 7 (When and If Issued) (expressed in local time at place of settlement)</p>	SettlDt
65	SymbolSfx	String	<p>Additional information about the security (e.g. preferred, warrants, etc.). Note also see SecurityType (167).  As defined in the NYSE Stock and bond Symbol Directory and in the AMEX Fitch Directory.</p> <p>Valid values:  For Fixed Income  CD - EUCP with lump-sum interest rather than discount price  WI - "When Issued" for a security to be reissued under an old CUSIP or ISIN</p>	Sfx
66	ListID	String	<p>Unique identifier for list as assigned by institution, used to associate multiple individual orders. Uniqueness must be guaranteed within a single trading day. Firms which generate multi-day orders should consider embedding a date within the ListID field to assure uniqueness across days.</p>	ListID ID in ProgramTrading category messages
67	ListSeqNo	int	<p>Sequence of individual order within list (i.e. ListSeqNo of TotNoOrders (68), 2 of 25, 3 of 25, . . . )</p>	ListSeqNo SeqNo in ProgramTrading category messages

68	TotNoOrders	int	Total number of list order entries across all messages. Should be the sum of all NoOrders (73) in each message that has repeating list order entries related to the same ListID (66). Used to support fragmentation. (Prior to FIX 4.2 this field was named "ListNoOrds")	TotNoOrds
69	ListExecInst	String	Free format text message containing list handling and execution instructions.	ListExecInst
70	AllocID	String	Unique identifier for allocation message. (Prior to FIX 4.1 this field was of type int)	AllocID ID in Allocation category messages
71	AllocTransType	char	Identifies allocation transaction type *** SOME VALUES HAVE BEEN REPLACED - See "Replaced Features and Supported Approach" ***  Valid values: 0 - New 1 - Replace 2 - Cancel 3 - Preliminary (without MiscFees and NetMoney) (Removed/Replaced) ( Deprecated in FIX_4.2 ) 4 - Calculated (includes MiscFees and NetMoney) (Removed/Replaced) ( Deprecated in FIX_4.2 ) 5 - Calculated without Preliminary (sent unsolicited by broker, includes MiscFees and NetMoney) (Removed/Replaced) ( Deprecated in FIX_4.2 ) 6 - Reversal	TransTyp
72	RefAllocID	String	Reference identifier to be used with AllocTransType (71) = Replace or Cancel. (Prior to FIX 4.1 this field was of type int)	RefAllocID RefID in Allocation category messages
73	NoOrders	NumInGroup	Indicates number of orders to be combined for average pricing and allocation.	
74	AvgPxPrecision	int	Indicates number of decimal places to be used for average pricing. Absence of this field indicates that default precision arranged by the broker/institution is to be used.	AvgPxPrctn

75	TradeDate	LocalMkt Date	Indicates date of trade referenced in this message in YYYYMMDD format. Absence of this field indicates current day (expressed in local time at place of trade).	TrdDt
76	<del>ExecBroker</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Identifies executing / give up broker. Standard NASD market maker mnemonic is preferred.</del>	
77	PositionEffect	char	Indicates whether the resulting position after a trade should be an opening position or closing position. Used for omnibus accounting - where accounts are held on a gross basis instead of being netted together.  Valid values: C - Close F - FIFO O - Open R - Rolled N - Close but notify on open D - Default	PosEfct
78	NoAllocs	NumInGroup	Number of repeating AllocAccount (79)/AllocPrice (366) entries.	
79	AllocAccount	String	Sub-account mnemonic	Acct
80	AllocQty	Qty	Quantity to be allocated to specific sub-account (Prior to FIX 4.2 this field was of type int)	Qty
81	ProcessCode	char	Processing code for sub-account. Absence of this field in AllocAccount (79) / AllocPrice (366) / AllocQty (80) / ProcessCode instance indicates regular trade.  Valid values: 0 - Regular 1 - Soft Dollar 2 - Step-In 3 - Step-Out 4 - Soft-dollar Step-In 5 - Soft-dollar Step-Out 6 - Plan Sponsor	ProcCode

82	NoRpts	int	Total number of reports within series.	NoRpts
83	RptSeq	int	Sequence number of message within report series. Used to carry reporting sequence number of the fill as represented on the Trade Report Side.	RptSeq
84	CxlQty	Qty	Total quantity canceled for this order. (Prior to FIX 4.2 this field was of type int)	CxlQty
85	NoDlvyInst	NumInGroup	<a href="#">Deprecated in FIX.4.1</a> Number of delivery instruction fields in repeating group. Note this field was removed in FIX 4.1 and reinstated in FIX 4.4.	
<del>86</del>	<del>DlvyInst</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Free format text field to indicate delivery instructions</del>	
87	AllocStatus	int	Identifies status of allocation.  Valid values: 0 - accepted (successfully processed) 1 - block level reject 2 - account level reject 3 - received (received, not yet processed) 4 - incomplete 5 - rejected by intermediary 6 - allocation pending 7 - reversed	Stat  Stat in Allocation category messages
88	AllocRejCode	int	Identifies reason for rejection.  Valid values: 99 - Other 0 - Unknown account(s) 1 - Incorrect quantity 2 - Incorrect average price 3 - Unknown executing broker mnemonic 4 - Commission difference 5 - Unknown OrderID (37) 6 - Unknown ListID (66) 7 - Other (further in Text (58)) 8 - Incorrect allocated quantity	RejCode

			9 - Calculation difference 10 - Unknown or stale ExecID 11 - Mismatched data 12 - Unknown ClOrdID 13 - Warehouse request rejected  or any value conforming to the data type Reserved100Plus	
89	Signature	data	Deprecated in FIXT.1.1 Electronic signature	
90	SecureDataLen	Length	Deprecated in FIXT.1.1 Length of encrypted message	
91	SecureData	data	Deprecated in FIXT.1.1 Actual encrypted data stream	
<del>92</del>	<del>BrokerOfCredit</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Broker to receive trade credit.</del>	
93	SignatureLength	Length	Deprecated in FIXT.1.1 Number of bytes in signature field	
94	EmailType	char	Email message type.  Valid values: 0 - New 1 - Reply 2 - Admin Reply	EmailTyp
95	RawDataLength	Length	Number of bytes in raw data field.	RawDataLength
96	RawData	data	Unformatted raw data, can include bitmaps, word processor documents, etc.	RawData
97	PossResend	Boolean	Indicates that message may contain information that has been sent under another sequence number.  Valid values: N - Original Transmission Y - Possible Resend	PosRsnd
98	EncryptMethod	int	Method of encryption.  Valid values: 0 - None / Other	

			<ul style="list-style-type: none"> <li>1 - PKCS (Proprietary)</li> <li>2 - DES (ECB Mode)</li> <li>3 - PKCS / DES (Proprietary)</li> <li>4 - PGP / DES (Defunct)</li> <li>5 - PGP / DES-MD5 (See app note on FIX web site)</li> <li>6 - PEM / DES-MD5 (see app note on FIX web site)</li> </ul>	
99	StopPx	Price	Price per unit of quantity (e.g. per share)	StopPx
100	ExDestination	Exchange	Execution destination as defined by institution when order is entered. Valid values: See "Appendix 6-C"	ExDest
<del>101</del>	<del>(Not Defined)</del>	<del>n/a</del>	<del>This field has not been defined.</del>	
102	CxlRejReason	int	<p>Code to identify reason for cancel rejection.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Too late to cancel</li> <li>1 - Unknown order</li> <li>2 - Broker / Exchange Option</li> <li>3 - Order already in Pending Cancel or Pending</li> </ul> <p>Replace status</p> <ul style="list-style-type: none"> <li>4 - Unable to process Order Mass Cancel Request</li> <li>5 - OrigOrdModTime (586) did not match last TransactTime (60) of order</li> </ul> <ul style="list-style-type: none"> <li>6 - Duplicate ClOrdID (11) received</li> <li>7 - Price exceeds current price</li> <li>8 - Price exceeds current price band</li> <li>18 - Invalid price increment</li> <li>99 - Other</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	CxlRejRsn
103	OrdRejReason	int	Code to identify reason for order rejection. Note: Values 3, 4, and 5 will be used when rejecting an order	RejRsn

			<p>due to pre-allocation information errors.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Broker / Exchange option</li> <li>1 - Unknown symbol</li> <li>2 - Exchange closed</li> <li>3 - Order exceeds limit</li> <li>4 - Too late to enter</li> <li>5 - Unknown order</li> <li>6 - Duplicate Order (e.g. dupe ClOrdID)</li> <li>7 - Duplicate of a verbally communicated order</li> <li>8 - Stale order</li> <li>9 - Trade along required</li> <li>10 - Invalid Investor ID</li> <li>11 - Unsupported order characteristic</li> <li>12 - Surveillance Option</li> <li>13 - Incorrect quantity</li> <li>14 - Incorrect allocated quantity</li> <li>15 - Unknown account(s)</li> <li>16 - Price exceeds current price band</li> <li>18 - Invalid price increment</li> <li>99 - Other</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	
104	IOIQualifier	char	<p>Code to qualify IOI use. (see Volume : "Glossary" for value definitions)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>A - All or None (AON)</li> <li>B - Market On Close (MOC) (held to close)</li> <li>C - At the close (around/not held to close)</li> <li>D - VWAP (Volume Weighted Average Price)</li> <li>I - In touch with</li> <li>L - Limit</li> <li>M - More Behind</li> <li>O - At the Open</li> <li>P - Taking a Position</li> </ul>	Qual

			Q - At the Market (previously called Current Quote) R - Ready to Trade S - Portfolio Shown T - Through the Day V - Versus W - Indication - Working Away X - Crossing Opportunity Y - At the Midpoint Z - Pre-open	
<del>105</del>	<del>WaveNo</del>	<del>String</del>	<del>Deprecated in FIX.4.2</del>	
106	Issuer	String	Name of security issuer (e.g. International Business Machines, GNMA). see also Volume 7: "PRODUCT: FIXED INCOME - Euro Issuer Values"	Issr
107	SecurityDesc	String	Can be used to provide an optional textual description for a financial instrument.	Desc
108	HeartBtInt	int	Heartbeat interval (seconds)	
<del>109</del>	<del>ClientID</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Firm identifier used in third party transactions (should not be a substitute for OnBehalfOfCompID/DeliverToCompID).</del>	
110	MinQty	Qty	Minimum quantity of an order to be executed. (Prior to FIX 4.2 this field was of type int)	MinQty
111	MaxFloor	Qty	Deprecated in FIX.5.0 The quantity to be displayed . Required for reserve orders. On orders specifies the qty to be displayed, on execution reports the currently displayed quantity.	MaxFloor
112	TestReqID	String	Identifier included in Test Request message to be returned in resulting Heartbeat	
113	ReportToExch	Boolean	Identifies party of trade responsible for exchange reporting.  Valid values: N - Indicates the party sending message will report	RptToExch

			trade Y - Indicates the party receiving message must report trade	
114	LocateReqd	Boolean	Indicates whether the broker is to locate the stock in conjunction with a short sell order.  Valid values: N - Indicates the broker is not required to locate Y - Indicates the broker is responsible for locating the stock	LocReqd
115	OnBehalfOfCompID	String	Assigned value used to identify firm originating message if the message was delivered by a third party i.e. the third party firm identifier would be delivered in the SenderCompID field and the firm originating the message in this field.	OBID
116	OnBehalfOfSubID	String	Assigned value used to identify specific message originator (i.e. trader) if the message was delivered by a third party	OBSub
117	QuoteID	String	Unique identifier for quote	QID
118	NetMoney	Amt	Total amount due as the result of the transaction (e.g. for Buy order - principal + commission + fees) reported in currency of execution.	NetMny
119	SettlCurrAmt	Amt	Total amount due expressed in settlement currency (includes the effect of the forex transaction)	SettlCurrAmt
120	SettlCurrency	Currency	Currency code of settlement denomination.	SettlCcy
121	ForexReq	Boolean	Indicates request for forex accommodation trade to be executed along with security transaction.  Valid values: N - Do Not Execute Forex After Security Trade Y - Execute Forex After Security Trade	ForexReq
122	OrigSendingTime	UTCTime stamp	Original time of message transmission (always expressed in UTC (Universal Time Coordinated, also known as "GMT") when transmitting orders as the	OrigSnt

			result of a resend request.	
123	GapFillFlag	Boolean	Indicates that the Sequence Reset message is replacing administrative or application messages which will not be resent.  Valid values: N - Sequence Reset, Ignore Msg Seq Num (N/A For FIXML - Not Used) Y - Gap Fill Message, Msg Seq Num Field Valid	
124	NoExecs	NumInGroup	No of execution repeating group entries to follow.	
<del>125</del>	<del>ExlType</del>	<del>char</del>	<del>Deprecated in FIX.4.2</del>	
126	ExpireTime	UTCTime stamp	Time/Date of order expiration (always expressed in UTC (Universal Time Coordinated, also known as "GMT") The meaning of expiration is specific to the context where the field is used. For orders, this is the expiration time of a Good Til Date TimeInForce. For Quotes - this is the expiration of the quote. Expiration time is provided across the quote message dialog to control the length of time of the overall quoting process. For collateral requests, this is the time by which collateral must be assigned. For collateral assignments, this is the time by which a response to the assignment is expected.	ExpireTm
127	DKReason	char	Reason for execution rejection.  Valid values: A - Unknown Symbol B - Wrong Side C - Quantity Exceeds Order D - No Matching Order E - Price Exceeds Limit F - Calculation Difference Z - Other	DkRsn

128	DeliverToCompID	String	Assigned value used to identify the firm targeted to receive the message if the message is delivered by a third party i.e. the third party firm identifier would be delivered in the TargetCompID (56) field and the ultimate receiver firm ID in this field.	D2ID
129	DeliverToSubID	String	Assigned value used to identify specific message recipient (i.e. trader) if the message is delivered by a third party	D2Sub
130	IOINaturalFlag	Boolean	Indicates that IOI is the result of an existing agency order or a facilitation position resulting from an agency order, not from principal trading or order solicitation activity.  Valid values: N - Not Natural Y - Natural	NatFlag
131	QuoteReqID	String	Unique identifier for quote request	ReqID
132	BidPx	Price	Bid price/rate	BidPx
133	OfferPx	Price	Offer price/rate	OfrPx
134	BidSize	Qty	Quantity of bid (Prior to FIX 4.2 this field was of type int)	BidSz
135	OfferSize	Qty	Quantity of offer (Prior to FIX 4.2 this field was of type int)	OfrSz
136	NoMiscFees	NumInGroup	Number of repeating groups of miscellaneous fees	
137	MiscFeeAmt	Amt	Miscellaneous fee value	Amt
138	MiscFeeCurr	Currency	Currency of miscellaneous fee	Curr
139	MiscFeeType	String	Indicates type of miscellaneous fee.  Valid values: 1 - Regulatory (e.g. SEC) 2 - Tax 3 - Local Commission	Typ

			<ul style="list-style-type: none"> <li>4 - Exchange Fees</li> <li>5 - Stamp</li> <li>6 - Levy</li> <li>7 - Other</li> <li>8 - Markup</li> <li>9 - Consumption Tax</li> <li>10 - Per transaction</li> <li>11 - Conversion</li> <li>12 - Agent</li> <li>13 - Transfer Fee</li> <li>14 - Security Lending</li> </ul>	
140	PrevClosePx	Price	Previous closing price of security.	PrevClsPx
141	ResetSeqNumFlag	Boolean	<p>Indicates that the both sides of the FIX session should reset sequence numbers.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>N - No</li> <li>Y - Yes, reset sequence numbers</li> </ul>	
142	SenderLocationID	String	Assigned value used to identify specific message originator's location (i.e. geographic location and/or desk, trader)	SLoc
143	TargetLocationID	String	Assigned value used to identify specific message destination's location (i.e. geographic location and/or desk, trader)	TLoc
144	OnBehalfOfLocationID	String	Assigned value used to identify specific message originator's location (i.e. geographic location and/or desk, trader) if the message was delivered by a third party	OBLoc
145	DeliverToLocationID	String	Assigned value used to identify specific message recipient's location (i.e. geographic location and/or desk, trader) if the message was delivered by a third party	D2Loc
146	NoRelatedSym	NumInGroup	Specifies the number of repeating symbols specified.	
147	Subject	String	The subject of an Email message	Subject

148	Headline	String	The headline of a News message	Headline
149	URLLink	String	A URI (Uniform Resource Identifier) or URL (Uniform Resource Locator) link to additional information (i.e. <a href="http://www.XYZ.com/research.html">http://www.XYZ.com/research.html</a> ) See "Appendix 6-B FIX Fields Based Upon Other Standards"	URL
150	ExecType	char	Describes the specific ExecutionRpt (i.e. Pending Cancel) while OrdStatus (39) will always identify the current order status (i.e. Partially Filled) *** SOME VALUES HAVE BEEN REPLACED - See "Replaced Features and Supported Approach" ***  Valid values: 0 - New 3 - Done for day 4 - Canceled 5 - Replaced 6 - Pending Cancel (e.g. result of Order Cancel Request) 7 - Stopped 8 - Rejected 9 - Suspended A - Pending New B - Calculated C - Expired D - Restated (Execution Report sent unsolicited by sellside, with ExecRestatementReason (378) set) E - Pending Replace (e.g. result of Order Cancel/Replace Request) F - Trade (partial fill or fill) G - Trade Correct H - Trade Cancel I - Order Status J - Trade in a Clearing Hold K - Trade has been released to Clearing L - Triggered or Activated by System	ExecTyp
151	LeavesQty	Qty	Quantity open for further execution. If the OrdStatus	LeavesQty

			(39) is Canceled, DoneForTheDay, Expired, Calculated, or Rejected (in which case the order is no longer active) then LeavesQty could be 0, otherwise LeavesQty = OrderQty (38) - CumQty (14). (Prior to FIX 4.2 this field was of type int)	
152	CashOrderQty	Qty	Specifies the approximate order quantity desired in total monetary units vs. as tradeable units (e.g. number of shares). The broker or fund manager (for CIV orders) would be responsible for converting and calculating a tradeable unit (e.g. share) quantity (OrderQty (38)) based upon this amount to be used for the actual order and subsequent messages.	Cash
153	AllocAvgPx	Price	AvgPx (6) for a specific AllocAccount (79) For Fixed Income this is always expressed as "percent of par" price type.	AvgPx
154	AllocNetMoney	Amt	NetMoney (8) for a specific AllocAccount (79)	NetMny
155	SettlCurrFxRate	float	Foreign exchange rate used to compute SettlCurrAmt (9) from Currency (5) to SettlCurrency (20)	SettlCurrFxRt
156	SettlCurrFxRateCalc	char	Specifies whether or not SettlCurrFxRate (55) should be multiplied or divided.  Valid values: M - Multiply D - Divide	SettlCurrFxRtCalc
157	NumDaysInterest	int	Number of Days of Interest for convertible bonds and fixed income. Note value may be negative.	NumDaysInt
158	AccruedInterestRate	Percentage	The amount the buyer compensates the seller for the portion of the next coupon interest payment the seller has earned but will not receive from the issuer because the issuer will send the next coupon payment to the buyer. Accrued Interest Rate is the annualized Accrued Interest amount divided by the purchase price of the bond.	AcrdIntRt
159	AccruedInterestAmt	Amt	Amount of Accrued Interest for convertible bonds and fixed income	AcrdIntAmt

160	SettlInstMode	char	Indicates mode used for Settlement Instructions message. *** SOME VALUES HAVE BEEN REPLACED - See "Replaced Features and Supported Approach" ***  Valid values: 0 - Default (Replaced) 1 - Standing Instructions Provided 2 - Specific Allocation Account Overriding (Replaced) 3 - Specific Allocation Account Standing (Replaced) 4 - Specific Order for a single account (for CIV) 5 - Request reject	SettlInstMode
161	AllocText	String	Free format text related to a specific AllocAccount (79).	Txt
162	SettlInstID	String	Unique identifier for Settlement Instruction.	SettlInstID
163	SettlInstTransType	char	Settlement Instructions message transaction type  Valid values: N - New C - Cancel R - Replace T - Restate	SettlInstTransTyp
164	EmailThreadID	String	Unique identifier for an email thread (new and chain of replies)	EmailThreadID
165	SettlInstSource	char	Indicates source of Settlement Instructions  Valid values: 1 - Broker's Instructions 2 - Institution's Instructions 3 - Investor (e.g. CIV use)	InstSrc
<del>166</del>	<del>SettlLocation</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Identifies Settlement Depository or Country Code, ISITC spec</del>  <del>Valid values:</del> <del>— CED — CEDEL</del>	

			<del>— DTC — Depository Trust Company</del> <del>— EUR — Euro-clear</del> <del>— FED — Federal Book Entry</del> <del>— ISO_Country_Code — Local Market Settle Location</del> <del>— PNY — Physical</del> <del>— PTC — Participant Trust Company</del>	
167	SecurityType	String	<p>Indicates type of security. Security type enumerations are grouped by Product(460) field value. NOTE: Additional values may be used by mutual agreement of the counterparties.</p> <p>Valid values:</p> <p>UST - US Treasury Note (Deprecated Value Use TNOTE) ( Deprecated in FIX.4.4 )</p> <p>USTB - US Treasury Bill (Deprecated Value Use TBILL) ( Deprecated in FIX.4.4 )</p> <p>Agency</p> <p>EUSUPRA - Euro Supranational Coupons *</p> <p>FAC - Federal Agency Coupon</p> <p>FADN - Federal Agency Discount Note</p> <p>PEF - Private Export Funding *</p> <p>SUPRA - USD Supranational Coupons *</p> <p>Corporate</p> <p>CORP - Corporate Bond</p> <p>CPP - Corporate Private Placement</p> <p>CB - Convertible Bond</p> <p>DUAL - Dual Currency</p> <p>EUCORP - Euro Corporate Bond</p> <p>EUFRN - Euro Corporate Floating Rate Notes</p> <p>FRN - US Corporate Floating Rate Notes</p> <p>XLINKD - Indexed Linked</p> <p>STRUCT - Structured Notes</p> <p>YANK - Yankee Corporate Bond</p> <p>Currency</p> <p>FOR - Foreign Exchange Contract ( Deprecated in FIX.5.0SP20SP1 )</p> <p>FXNDF - Non-deliverable forward</p> <p>FXSPOT - FX Spot</p>	SecTyp

			<p> FXFWD - FX Forward  FXSWAP - FX Swap  Derivatives  CDS - Credit Default Swap  FUT - Future  OPT - Option  OOF - Options on Futures  OOP - Options on Physical - use not recommended  IRS - Interest Rate Swap  OOC - Options on Combo  Equity  CS - Common Stock  PS - Preferred Stock  Financing  REPO - Repurchase  FORWARD - Forward  BUYSELL - Buy Sellback  SECLOAN - Securities Loan  SECPLEDGE - Securities Pledge  Government  BRADY - Brady Bond  CAN - Canadian Treasury Notes  CTB - Canadian Treasury Bills  EUSOV - Euro Sovereigns *  PROV - Canadian Provincial Bonds  TB - Treasury Bill - non US  TBOND - US Treasury Bond  TINT - Interest Strip From Any Bond Or Note  TBILL - US Treasury Bill  TIPS - Treasury Inflation Protected Securities  TCAL - Principal Strip Of A Callable Bond Or  Note  TPRN - Principal Strip From A Non-Callable  Bond Or Note  TNOTE - US Treasury Note  Loan  TERM - Term Loan  RVLV - Revolver Loan  RVLVTRM - Revolver/Term Loan </p>	
--	--	--	---	--

			BRIDGE - Bridge Loan LOFC - Letter Of Credit SWING - Swing Line Facility DINP - Debtor In Possession DEFLTED - Defaulted WITHDRN - Withdrawn REPLACD - Replaced MATURED - Matured AMENDED - Amended & Restated RETIRED - Retired Money Market BA - Bankers Acceptance BDN - Bank Depository Note BN - Bank Notes BOX - Bill Of Exchanges CAMM - Canadian Money Markets CD - Certificate Of Deposit CL - Call Loans CP - Commercial Paper DN - Deposit Notes EUCD - Euro Certificate Of Deposit EUCP - Euro Commercial Paper LQN - Liquidity Note MTN - Medium Term Notes ONITE - Overnight PN - Promissory Note STN - Short Term Loan Note PZPJ - Plazos Fijos SLQN - Secured Liquidity Note TD - Time Deposit TLQN - Term Liquidity Note XCN - Extended Comm Note YCD - Yankee Certificate Of Deposit Mortgage ABS - Asset-backed Securities CMB - Canadian Mortgage Bonds CMBS - Corp. Mortgage-backed Securities CMO - Collateralized Mortgage Obligation IET - IOETTE Mortgage	
--	--	--	--	--

			MBS - Mortgage-backed Securities MIO - Mortgage Interest Only MPO - Mortgage Principal Only MPP - Mortgage Private Placement MPT - Miscellaneous Pass-through PFAND - Pfandbriefe * TBA - To Be Announced Municipal AN - Other Anticipation Notes (BAN, GAN, etc.) COFO - Certificate Of Obligation COFP - Certificate Of Participation GO - General Obligation Bonds MT - Mandatory Tender RAN - Revenue Anticipation Note REV - Revenue Bonds SPCLA - Special Assessment SPCLO - Special Obligation SPCLT - Special Tax TAN - Tax Anticipation Note TAXA - Tax Allocation TECP - Tax Exempt Commercial Paper TMCP - Taxable Municipal CP TRAN - Tax Revenue Anticipation Note VRDN - Variable Rate Demand Note WAR - Warrant Other MF - Mutual Fund MLEG - Multileg Instrument NONE - No Security Type ? - Wildcard entry for use on Security Definition Request CASH - Cash	
168	EffectiveTime	UTCTime stamp	Time the details within the message should take effect (always expressed in UTC (Universal Time Coordinated, also known as "GMT"))	EfctvTm
169	StandInstDbType	int	Identifies the Standing Instruction database used  Valid values:	StandInstDbType

			<ul style="list-style-type: none"> <li>0 - Other</li> <li>1 - DTC SID</li> <li>2 - Thomson ALERT</li> <li>3 - A Global Custodian (StandInstDBName (70) must be provided)</li> <li>4 - AccountNet</li> </ul>	
170	StandInstDbName	String	Name of the Standing Instruction database represented with StandInstDbType (169) (i.e. the Global Custodian's name).	StandInstDbName
171	StandInstDbID	String	Unique identifier used on the Standing Instructions database for the Standing Instructions to be referenced.	StandInstDbID
172	SettlDeliveryType	int	<p>Identifies type of settlement</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - "Versus. Payment": Deliver (if Sell) or Receive (if Buy) vs. (Against) Payment</li> <li>1 - "Free": Deliver (if Sell) or Receive (if Buy) Free</li> <li>2 - Tri-Party</li> <li>3 - Hold In Custody</li> </ul>	DlvryTyp
173	<del>SettlDepositoryCode</del>	<del>String</del>	<del>Deprecated in FIX.4.3 Brokers account code at the depository (i.e. CEDEL ID for CEDEL, FINS for DTC, or Euroclear ID for Euroclear) if Settlement Location is a depository</del>	
174	<del>SettlBrkrCode</del>	<del>String</del>	<del>Deprecated in FIX.4.3 BIC (Bank Identification Code—Swift managed) code of the broker involved (i.e. for multi company brokerage firms)</del>	
175	<del>SettlInstCode</del>	<del>String</del>	<del>Deprecated in FIX.4.3 BIC (Bank Identification Code—Swift managed) code of the institution involved (i.e. for multi company institution firms)</del>	
176	<del>SecuritySettlAgentName</del>	<del>String</del>	<del>Deprecated in FIX.4.3 Name of SettlInstSource's local agent bank if SettlLocation is not a depository</del>	
177	<del>SecuritySettlAgentCode</del>	<del>String</del>	<del>Deprecated in FIX.4.3 BIC (Bank Identification Code—Swift managed) code of the SettlInstSource's local agent bank if SettlLocation is not a depository</del>	

178	SecuritySettlAgentAccountNum	String	Deprecated in FIX.4.3 SettlInstSource's account number at local agent bank if SettlLocation is not a depository	
179	SecuritySettlAgentAccountName	String	Deprecated in FIX.4.3 Name of SettlInstSource's account at local agent bank if SettlLocation is not a depository	
180	SecuritySettlAgentContactName	String	Deprecated in FIX.4.3 Name of contact at local agent bank for SettlInstSource's account if SettlLocation is not a depository	
181	SecuritySettlAgentContactPhone	String	Deprecated in FIX.4.3 Phone number for contact at local agent bank if SettlLocation is not a depository	
182	CashSettlAgentName	String	Deprecated in FIX.4.3 Name of SettlInstSource's local agent bank if SettlDeliveryType=Free	
183	CashSettlAgentCode	String	Deprecated in FIX.4.3 BIC (Bank Identification Code—Swift managed) code of the SettlInstSource's local agent bank if SettlDeliveryType=Free	
184	CashSettlAgentAccountNum	String	Deprecated in FIX.4.3 SettlInstSource's account number at local agent bank if SettlDeliveryType=Free	
185	CashSettlAgentAccountName	String	Deprecated in FIX.4.3 Name of SettlInstSource's account at local agent bank if SettlDeliveryType=Free	
186	CashSettlAgentContactName	String	Deprecated in FIX.4.3 Name of contact at local agent bank for SettlInstSource's account if SettlDeliveryType=Free	
187	CashSettlAgentContactPhone	String	Deprecated in FIX.4.3 Phone number for contact at local agent bank for SettlInstSource's account if SettlDeliveryType=Free	
188	BidSpotRate	Price	Bid F/X spot rate.	BidSpotRt
189	BidForwardPoints	PriceOffset	Bid F/X forward points added to spot rate. May be a negative value.	BidFwdPnts
190	OfferSpotRate	Price	Offer F/X spot rate.	OfrSpotRt
191	OfferForwardPoints	PriceOffset	Offer F/X forward points added to spot rate. May be a	OfrFwdPnts

		t	negative value.	
192	OrderQty2	Qty	Deprecated in FIX.5.0 OrderQty (38) of the future part of a F/X swap order.	Qty2
193	SettlDate2	LocalMkt Date	Deprecated in FIX.5.0 SettlDate (64) of the future part of a F/X swap order.	SettlDt2
194	LastSpotRate	Price	F/X spot rate.	LastSpotRt
195	LastForwardPoints	PriceOffset	F/X forward points added to LastSpotRate (94). May be a negative value. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	LastFwdPnts
196	AllocLinkID	String	Can be used to link two different Allocation messages (each with unique AllocID (70)) together, i.e. for F/X "Netting" or "Swaps". Should be unique.	LinkID LinkID in Allocation category messages
197	AllocLinkType	int	Identifies the type of Allocation linkage when AllocLinkID (96) is used.  Valid values: 0 - FX Netting 1 - FX Swap	LinkTyp
198	SecondaryOrderID	String	Assigned by the party which accepts the order. Can be used to provide the OrderID (37) used by an exchange or executing system.	OrdID2
199	NoIOIQualifiers	NumInGroup	Number of repeating groups of IOIQualifiers (04).	
200	MaturityMonthYear	MonthYear	Can be used with standardized derivatives vs. the MaturityDate (54) field. Month and Year of the maturity (used for standardized futures and options). Format: YYYYMM (e.g. 199903) YYYYMMDD (e.g. 20030323) YYYYMMwN (e.g. 200303w) for week A specific date or can be appended to the MaturityMonthYear. For instance, if multiple standard products exist that mature in the same Year and Month,	MMY

			but actually mature at a different time, a value can be appended, such as "w" or "w2" to indicate week as opposed to week 2 expiration. Likewise, the date (0-3) can be appended to indicate a specific expiration (maturity date).	
201	PutOrCall	int	Indicates whether an option contract is a put or call  Valid values: 0 - Put 1 - Call	PutCall
202	StrikePrice	Price	Strike Price for an Option.	StrkPx
203	CoveredOrUncovered	int	Used for derivative products, such as options  Valid values: 0 - Covered 1 - Uncovered	Covered
204	<del>CustomerOrFirm</del>	<del>int</del>	<del>Deprecated in FIX.4.2 Used for options when delivering the order to an execution system or exchange to specify if the order is for a customer or the firm placing the order itself.</del>  <del>Valid values: — 0 — Customer — 1 — Firm</del>	
205	<del>MaturityDay</del>	<del>day-of-month</del>	<del>Deprecated in FIX.4.2 Day of month used in conjunction with MaturityMonthYear to specify the maturity date for SecurityType=FUT or SecurityType=OPT.</del>	
206	OptAttribute	char	Provided to support versioning of option contracts as a result of corporate actions or events. Use of this field is defined by counterparty agreement or market conventions.	OptAt
207	SecurityExchange	Exchange	Market used to help identify a security. Valid values: See "Appendix 6-C"	Exch
208	NotifyBrokerOfCredit	Boolean	Indicates whether or not details should be	NotifyBrkrOfCredit

			communicated to BrokerOfCredit (i.e. step-in broker). Valid values: N - Details <del>shout</del> should not be communicated Y - Details should be communicated	
209	AllocHandlInst	int	Indicates how the receiver (i.e. third party) of Allocation message should handle/process the account details. Valid values: 1 - Match 2 - Forward 3 - Forward and Match	HandlInst HndInst in SingleGeneralOrderHandling category messages
210	MaxShow	Qty	Deprecated in FIX.5.0 Maximum quantity (e.g. number of shares) within an order to be shown to other customers (i.e. sent via an IOI). (Prior to FIX 4.2 this field was of type int)	MaxShow
211	PegOffsetValue	float	Amount (signed) added to the peg for a pegged order in the context of the PegOffsetType (836) (Prior to FIX 4.4 this field was of type PriceOffset)	OfstVal
212	XmlDataLen	Length	Length of the XmlData data block.	
213	XmlData	data	Actual XML data stream (e.g. FIXML). See appropriate XML reference (e.g. FIXML). Note: may contain embedded SOH characters.	
214	SettlInstRefID	String	Reference identifier for the SettlInstID (162) with Cancel and Replace SettlInstTransType (163) transaction types.	SettlInstRefID
215	NoRoutingIDs	NumInGroup	Number of repeating groups of RoutingID (217) and RoutingType (216) values. See Volume 3: "Pre-Trade Message Targeting/Routing"	
216	RoutingType	int	Indicates the type of RoutingID (217) specified. Valid values: 1 - Target Firm 2 - Target List	RtgTyp

			3 - Block Firm 4 - Block List	
217	RoutingID	String	Assigned value used to identify a specific routing destination.	RtgID
218	Spread	PriceOffset	For Fixed Income. Either Swap Spread or Spread to Benchmark depending upon the order type. Spread to Benchmark: Basis points relative to a benchmark. To be expressed as "count of basis points" (vs. an absolute value). E.g. High Grade Corporate Bonds may express price as basis points relative to benchmark (the BenchmarkCurveName (22) field). Note: Basis points can be negative. Swap Spread: Target spread for a swap.	Spread
<del>219</del>	<del>Benchmark</del>	<del>char</del>	<del>Deprecated in FIX 4.2 For Fixed Income. Identifies the benchmark (e.g. used in conjunction with the Spread field).</del>  <del>Valid values:</del> <del>— 1 CURVE</del> <del>— 2 5YR</del> <del>— 3 OLD5</del> <del>— 4 10YR</del> <del>— 5 OLD10</del> <del>— 6 30YR</del> <del>— 7 OLD30</del> <del>— 8 3MOLIBOR</del> <del>— 9 6MOLIBOR</del>	
220	BenchmarkCurveCurrency	Currency	Identifies currency used for benchmark curve. See "Appendix 6-A: Valid Currency Codes" for information on obtaining valid values. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	Ccy
221	BenchmarkCurveName	String	Name of benchmark curve. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)  Valid values: EONIA - EONIA EUREPO - EUREPO	Name

			<p>Euribor - Euribor  FutureSWAP - FutureSWAP  LIBID - LIBID  LIBOR - LIBOR (London Inter-Bank Offer)  MuniAAA - MuniAAA  OTHER - OTHER  Pfandbriefe - Pfandbriefe  SONIA - SONIA  SWAP - SWAP  Treasury - Treasury</p>	
222	BenchmarkCurvePoint	String	<p>Point on benchmark curve. Free form values: e.g. "Y", "7Y", "INTERPOLATED".  Sample values:  M = combination of a number between 1-12 and a "M" for month  Y = combination of number between 1-100 and a "Y" for year }  10Y-OLD = see above, then add "-OLD" when appropriate  INTERPOLATED = the point is mathematically derived  2/2031 5 3/8 = the point is stated via a combination of maturity month / year and coupon  See Fixed Income-specific documentation at <a href="http://www.fixprotocol.org">http://www.fixprotocol.org</a> for additional values.  (Note tag # was reserved in FIX 4.1, added in FIX 4.3)</p>	Point
223	CouponRate	Percentage	<p>The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.</p>	CpnRt
224	CouponPaymentDate	LocalMkt Date	<p>Date interest is to be paid. Used in identifying Corporate Bond issues.  (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)</p>	CpnPmt
225	IssueDate	LocalMkt	<p>The date on which a bond or stock offering is issued. It</p>	Issued

		Date	may or may not be the same as the effective date ("Dated Date") or the date on which interest begins to accrue ("Interest Accrual Date") (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	
226	RepurchaseTerm	int	Deprecated in FIX.4.4 Number of business days before repurchase of a repo. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoTrm
227	RepurchaseRate	Percentage	Deprecated in FIX.4.4 Percent of par at which a Repo will be repaid. Represented as a percent, e.g. .9525 represents 95-4 percent of par. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoRt
228	Factor	float	For Fixed Income: Amorization Factor for deriving Current face from Original face for ABS or MBS securities, note the fraction may be greater than, equal to or less than . In TIPS securities this is the Inflation index. Qty * Factor * Price = Gross Trade Amount For Derivatives: Contract Value Factor by which price must be adjusted to determine the true nominal value of one futures/options contract. (Qty * Price) * Factor = Nominal Value (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	Fctr
229	TradeOriginationDate	LocalMkt Date	Used with Fixed Income for Municipal New Issue Market. Agreement in principal between counterparties prior to actual trade date. (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	OrignDt
230	ExDate	LocalMkt Date	The date when a distribution of interest is deducted from a securities assets or set aside for payment to bondholders. On the ex-date, the securities price drops by the amount of the distribution (plus or minus any market activity). (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	ExDt

231	ContractMultiplier	float	<p>Specifies the ratio or multiply factor to convert from "nominal" units (e.g. contracts) to total units (e.g. shares) (e.g. 1.0, 100, 1000, etc). Applicable For Fixed Income, Convertible Bonds, Derivatives, etc.</p> <p>In general quantities for all calsses should be expressed in the basic unit of the instrument, e.g. shares for equities, norminal or par amount for bonds, currency for foreign exchange. When quantity is expressed in contracts, e.g. financing transactions and bond trade reporting, ContractMutliplier should contain the number of units in one contract and can be omitted if the multiplier is the default amount for the instrument, i.e. 1,000 par of bonds, 1,000,000 par for financing transactions.</p>	Mult
232	NoStipulations	NumInGroup	<p>Number of stipulation entries (Note tag # was reserved in FIX 4.1, added in FIX 4.3).</p>	
233	StipulationType	String	<p>For Fixed Income. Type of Stipulation. Other types may be used by mutual agreement of the counterparties. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>AMT - Alternative Minimum Tax (Y/N)</li> <li>AUTOREINV - Auto Reinvestment at &lt;rate&gt; or better</li> <li>BANKQUAL - Bank qualified (Y/N)</li> <li>BGNCON - Bargain conditions (see StipulationValue (234) for values)</li> <li>COUPON - Coupon range</li> <li>CURRENCY - ISO Currency Code</li> <li>CUSTOMDATE - Custom start/end date</li> <li>GEOG - Geographics and % range (ex. 234=CA 0-80 [minimum of 80% California assets])</li> <li>HAIRCUT - Valuation Discount</li> <li>INSURED - Insured (Y/N)</li> <li>ISSUE - Year Or Year/Month of Issue (ex.</li> </ul>	Typ

			<p>234=2002/09)</p> <p>ISSUER - Issuer's ticker</p> <p>ISSUESIZE - issue size range</p> <p>LOOKBACK - Lookback Days</p> <p>LOT - Explicit lot identifier</p> <p>LOTVAR - Lot Variance (value in percent maximum over- or under-allocation allowed)</p> <p>MAT - Maturity Year And Month</p> <p>MATURITY - Maturity range</p> <p>MAXSUBS - Maximum substitutions (Repo)</p> <p>MINDNOM - Minimum denomination</p> <p>MININCR - Minimum increment</p> <p>MINQTY - Minimum quantity</p> <p>PAYFREQ - Payment frequency, calendar</p> <p>PIECES - Number Of Pieces</p> <p>PMAX - Pools Maximum</p> <p>PPL - Pools per Lot</p> <p>PPM - Pools per Million</p> <p>PPT - Pools per Trade</p> <p>PRICE - Price Range</p> <p>PRICEFREQ - Pricing frequency</p> <p>PROD - Production Year</p> <p>PROTECT - Call protection</p> <p>PURPOSE - Purpose</p> <p>PXSOURCE - Benchmark price source</p> <p>RATING - Rating source and range</p> <p>REDEMPTION - Type Of Redemption - values are: NonCallable, Prefunded, EscrowedToMaturity, Putable, Convertible</p> <p>RESTRICTED - Restricted (Y/N)</p> <p>SECTOR - Market Sector</p> <p>SECTYPE - Security Type included or excluded</p> <p>STRUCT - Structure</p> <p>SUBSFREQ - Substitutions frequency (Repo)</p> <p>SUBSLEFT - Substitutions left (Repo)</p> <p>TEXT - Freeform Text</p> <p>TRDVAR - Trade Variance (value in percent maximum over- or under-allocation allowed)</p> <p>WAC - Weighted Average Coupon - value in</p>	
--	--	--	--	--

			<p>percent (exact or range) plus "Gross" or "Net" of servicing spread (the default) (ex. 234=6.5-Net [minimum of 6.5% net of servicing fee])</p> <p>WAL - Weighted Average Life Coupon - value in percent (exact or range)</p> <p>WALA - Weighted Average Loan Age - value in months (exact or range)</p> <p>WAM - Weighted Average Maturity - value in months (exact or range)</p> <p>WHOLE - Whole Pool (Y/N)</p> <p>YIELD - Yield Range</p> <p>Other</p> <p>AVFICO - Average FICO Score</p> <p>AVSIZE - Average Loan Size</p> <p>MAXBAL - Maximum Loan Balance</p> <p>POOL - Pool Identifier</p> <p>ROLLTYPE - Type of Roll trade</p> <p>REFTRADE - reference to rolling or closing trade</p> <p>REFPRIN - principal of rolling or closing trade</p> <p>REFINT - interest of rolling or closing trade</p> <p>AVAILQTY - Available offer quantity to be shown to the street</p> <p>BROKERCREDIT - Broker's sales credit</p> <p>INTERNALPX - Offer price to be shown to internal brokers</p> <p>INTERNALQTY - Offer quantity to be shown to internal brokers</p> <p>LEAVEQTY - The minimum residual offer quantity</p> <p>MAXORDQTY - Maximum order size</p> <p>ORDRINCR - Order quantity increment</p> <p>PRIMARY - Primary or Secondary market indicator</p> <p>SALESCREDITOVR - Broker sales credit override</p> <p>TRADERCREDIT - Trader's credit</p> <p>DISCOUNT - Discount Rate (when price is denominated in percent of par)</p> <p>YTM - Yield to Maturity (when YieldType(235))</p>	
--	--	--	---	--

			<p>and Yield(236) show a different yield)</p> <p>Prepayment Speeds</p> <ul style="list-style-type: none"> <li>ABS - Absolute Prepayment Speed</li> <li>CPP - Constant Prepayment Penalty</li> <li>CPR - Constant Prepayment Rate</li> <li>CPY - Constant Prepayment Yield</li> <li>HEP - final CPR of Home Equity Prepayment</li> </ul> <p>Curve</p> <ul style="list-style-type: none"> <li>MHP - Percent of Manufactured Housing</li> </ul> <p>Prepayment Curve</p> <ul style="list-style-type: none"> <li>MPR - Monthly Prepayment Rate</li> <li>PPC - Percent of Prospectus Prepayment Curve</li> <li>PSA - Percent of BMA Prepayment Curve</li> <li>SMM - Single Monthly Mortality</li> </ul>	
234	StipulationValue	String	<p>For Fixed Income. Value of stipulation.</p> <p>The expression can be an absolute single value or a combination of values and logical operators:</p> <ul style="list-style-type: none"> <li>&lt; value</li> <li>&gt; value</li> <li>&lt;= value</li> <li>&gt;= value</li> <li>value</li> <li>value - value2</li> <li>value OR value2</li> <li>value AND value2</li> <li>YES</li> <li>NO</li> </ul> <p>Bargain conditions recognized by the London Stock Exchange - to be used when StipulationType is "BGNCON".</p> <ul style="list-style-type: none"> <li>CD = Special cum Dividend</li> <li>XD = Special ex Dividend</li> <li>CC = Special cum Coupon</li> <li>XC = Special ex Coupon</li> <li>CB = Special cum Bonus</li> <li>XB = Special ex Bonus</li> <li>CR = Special cum Rights</li> <li>XR = Special ex Rights</li> </ul>	Val

			<p>CP = Special cum Capital Repayments          XP = Special ex Capital Repayments          CS = Cash Settlement          SP = Special Price          TR = Report for European Equity Market Securities in accordance with Chapter 8 of the Rules.          GD = Guaranteed Delivery          Values for StipulationType = "PXSOURCE":          BB GENERIC          BB FAIRVALUE          BROKERTEC          ESPEED          GOVPX          HILLIARD FARBER          ICAP          TRADEWEB          TULLETT LIBERTY          If a particular side of the market is wanted append /BID /OFFER or /MID.          plus appropriate combinations of the above and other expressions by mutual agreement of the counterparties.          Examples: "&gt;=60", ".25", "ORANGE OR CONTRACOSTA", etc.          (Note tag # was reserved in FIX 4.1, added in FIX 4.3)</p>	
235	YieldType	String	<p>Type of yield. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)</p> <p>Valid values:          AFTERTAX - After Tax Yield (Municipals)          ANNUAL - Annual Yield          ATISSUE - Yield At Issue (Municipals)          AVGMATURITY - Yield To Avg Maturity          BOOK - Book Yield          CALL - Yield to Next Call          CHANGE - Yield Change Since Close          CLOSE - Closing Yield          COMPOUND - Compound Yield          CURRENT - Current Yield</p>	Typ

			<p>GOVTEQUIV - Gvnt Equivalent Yield  GROSS - True Gross Yield  INFLATION - Yield with Inflation Assumption  INVERSEFLOATER - Inverse Floater Bond Yield  LASTCLOSE - Most Recent Closing Yield  LASTMONTH - Closing Yield Most Recent Month  LASTQUARTER - Closing Yield Most Recent Quarter  LASTYEAR - Closing Yield Most Recent Year  LONGAVGLIFE - Yield to Longest Average Life  MARK - Mark to Market Yield  MATURITY - Yield to Maturity  NEXTREFUND - Yield to Next Refund (Sinking Fund Bonds)  OPENAVG - Open Average Yield  PREVCLOSE - Previous Close Yield  PROCEEDS - Proceeds Yield  PUT - Yield to Next Put  SEMIANNUAL - Semi-annual Yield  SHORTAVGLIFE - Yield to Shortest Average Life  SIMPLE - Simple Yield  TAXEQUIV - Tax Equivalent Yield  TENDER - Yield to Tender Date  TRUE - True Yield  VALUE1_32 - Yield Value Of 1/32  WORST - Yield To Worst</p>	
236	Yield	Percentage	Yield percentage. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	Yld
237	TotalTakedown	Amt	The price at which the securities are distributed to the different members of an underwriting group for the primary market in Municipals, total gross underwriter's spread. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	TotTakedown
238	Concession	Amt	Provides the reduction in price for the secondary market in Municipals.	Concession

			(Note tag # was reserved in FIX 4.1, added in FIX 4.3)	
239	RepoCollateralSecurityType	<del>String</del>	<del>Deprecated in FIX.4.4</del> Identifies the collateral used in the transaction. Valid values: see SecurityType (167) field (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoCollSecTyp
240	RedemptionDate	LocalMktDate	Deprecated in FIX.4.4 Return of investor's principal in a security. Bond redemption can occur before maturity date.(Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	Redeem
241	UnderlyingCouponPaymentDate	LocalMktDate	Underlying security's CouponPaymentDate. See CouponPaymentDate (224) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	CpnPmt
242	UnderlyingIssueDate	LocalMktDate	Underlying security's IssueDate. See IssueDate (225) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	Issued
243	UnderlyingRepoCollateralSecurityType	<del>String</del>	Deprecated in FIX.4.4 Underlying security's RepoCollateralSecurityType. See RepoCollateralSecurityType (239) field for description.(Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoCollSecTyp
244	UnderlyingRepurchaseTerm	int	Deprecated in FIX.4.4 Underlying security's RepurchaseTerm. See RepurchaseTerm (226) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoTrm
245	UnderlyingRepurchaseRate	Percentage	Deprecated in FIX.4.4 Underlying security's RepurchaseRate. See RepurchaseRate (227) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoRt
246	UnderlyingFactor	float	Underlying security's Factor. See Factor (228) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	Fctr
247	UnderlyingRedemptio	LocalMkt	Deprecated in FIX.4.4 Underlying security's	Redeem

	nDate	Date	RedemptionDate. See RedemptionDate (240) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	
248	LegCouponPaymentDate	LocalMktDate	Multileg instrument's individual leg security's CouponPaymentDate. See CouponPaymentDate (224) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	CpnPmt
249	LegIssueDate	LocalMktDate	Multileg instrument's individual leg security's IssueDate. See IssueDate (225) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	Issued
250	LegRepoCollateralSecurityType	<del>String</del> int	Deprecated in FIX.4.4 Multileg instrument's individual leg security's RepoCollateralSecurityType. See RepoCollateralSecurityType (239) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoCollSecTyp
251	LegRepurchaseTerm	int	Deprecated in FIX.4.4 Multileg instrument's individual leg <del>security's</del> security's RepurchaseTerm. See RepurchaseTerm (226) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoTrm
252	LegRepurchaseRate	Percentage	Deprecated in FIX.4.4 Multileg instrument's individual leg security's RepurchaseRate. See RepurchaseRate (227) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	RepoRt
253	LegFactor	float	Multileg instrument's individual leg security's Factor. See Factor (228) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	Fctr
254	LegRedemptionDate	LocalMktDate	Deprecated in FIX.4.4 Multileg instrument's individual leg security's RedemptionDate. See RedemptionDate (240) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	Redeem

255	CreditRating	String	An evaluation of a company's ability to repay obligations or its likelihood of not defaulting. These evaluation are provided by Credit Rating Agencies, i.e. S&P, Moody's. (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	CrdRtg
256	UnderlyingCreditRating	String	Underlying security's CreditRating. See CreditRating (255) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	CrdRtg
257	LegCreditRating	String	Multileg instrument's individual leg security's CreditRating. See CreditRating (255) field for description (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	CrdRtg
258	TradedFlatSwitch	Boolean	Driver and part of trade in the event that the Security Master file was wrong at the point of entry (Note tag # was reserved in FIX 4.1, added in FIX 4.3)  Valid values: N - Not Traded Flat Y - Traded Flat	TrddFlatSwitch
259	BasisFeatureDate	LocalMktDate	BasisFeatureDate allows requesting firms within fixed income the ability to request an alternative yield-to-worst, -maturity, -extended or other call. This flows through the confirm process. (Note tag # was reserved in FIX 4.1, added in FIX 4.3) (prior to FIX 4.4 field was of type UTCDate)	BasisFeatureDt
260	BasisFeaturePrice	Price	Price for BasisFeatureDate. See BasisFeatureDate (259) (Note tag # was reserved in FIX 4.1, added in FIX 4.3)	BasisFeaturePx
<del>261</del>	<del>Reserved/Allocated to the Fixed Income proposal</del>			
262	MDReqID	String	Unique identifier for Market Data Request	ReqID
263	SubscriptionRequestType	char	Subscription Request Type  Valid values:	SubReqTyp

			0 - Snapshot 1 - Snapshot + Updates (Subscribe) 2 - Disable previous Snapshot + Update Request (Unsubscribe)	
264	MarketDepth	int	Depth of market for Book Snapshot / Incremental updates 0 - full book depth 1 - top of book 2 and above - book depth (number of levels)	MktDepth
265	MDUpdateType	int	Specifies the type of Market Data update. Valid values: 0 - Full refresh 1 - Incremental refresh	UpdtTyp
266	AggregatedBook	Boolean	Specifies whether or not book entries should be aggregated. (Not specified) = broker option Valid values: Y - book entries to be aggregated N - book entries should not be aggregated	AggBook
267	NoMDEntryTypes	NumInGroup	Number of MDEntryType (269) fields requested.	
268	NoMDEntries	NumInGroup	Number of entries in Market Data message.	
269	MDEntryType	char	Type Market Data entry. Valid values: W - Fixing Price X - Cash Rate Y - Recovery Rate Z - Recovery Rate for Long a - Recovery Rate for Short 0 - Bid 1 - Offer 2 - Trade 3 - Index Value 4 - Opening Price	Typ

			5 - Closing Price 6 - Settlement Price 7 - Trading Session High Price 8 - Trading Session Low Price 9 - Trading Session VWAP Price A - Imbalance B - Trade Volume C - Open Interest D - Composite Underlying Price E - Simulated Sell Price F - Simulated Buy Price G - Margin Rate H - Mid Price J - Empty Book K - Settle High Price L - Settle Low Price M - Prior Settle Price N - Session High Bid O - Session Low Offer P - Early Prices Q - Auction Clearing Price S - Swap Value Factor (SVP) for swaps cleared through a central counterparty (CCP) R - Daily value adjustment for long positions T - Cumulative Value Adjustment for long positions U - Daily Value Adjustment for Short Positions V - Cumulative Value Adjustment for Short Positions	
270	MDEntryPx	Price	Price of the Market Data Entry.	Px
271	MDEntrySize	Qty	Quantity or volume represented by the Market Data Entry.	Sz
272	MDEntryDate	UTCDate Only	Date of Market Data Entry. (prior to FIX 4.4 field was of type UTCDate)	Dt
273	MDEntryTime	UTCTime Only	Time of Market Data Entry.	Tm

274	TickDirection	char	Direction of the "tick".  Valid values: 0 - Plus Tick 1 - Zero-Plus Tick 2 - Minus Tick 3 - Zero-Minus Tick	TickDirctn
275	MDMkt	Exchange	Deprecated in FIX.5.0 Market posting quote / trade. Valid values: See "Appendix 6-C"	Mkt
276	QuoteCondition	MultipleStringValue	Space-delimited list of conditions describing a quote.  Valid values: 6 - Full Curve 7 - Flat Curve A - Open/Active B - Closed/Inactive C - Exchange Best D - Consolidated Best E - Locked F - Crossed G - Depth H - Fast Trading I - Non-Firm L - Manual/Slow Quote J - Outright Price K - Implied Price M - Depth on Offer N - Depth on Bid O - Closing P - News Dissemination Q - Trading Range R - Order Influx S - Due to Related T - News Pending U - Additional Info V - Additional Info due to related W - Resume	QCond

			<ul style="list-style-type: none"> <li>X - View of Common</li> <li>Y - Volume Alert</li> <li>Z - Order Imbalance</li> <li>a - Equipment Changeover</li> <li>b - No Open / No Resume</li> <li>c - Regular ETH</li> <li>d - Automatic Execution</li> <li>e - Automatic Execution ETH</li> <li>f - Fast Market ETH</li> <li>g - Inactive ETH</li> <li>h - Rotation</li> <li>i - Rotation ETH</li> <li>j - Halt</li> <li>k - Halt ETH</li> <li>l - Due to News Dissemination</li> <li>m - Due to News Pending</li> <li>n - Trading Resume</li> <li>o - Out of Sequence</li> <li>p - Bid Specialist</li> <li>q - Offer Specialist</li> <li>r - Bid Offer Specialist</li> <li>s - End of Day SAM</li> <li>t - Forbidden SAM</li> <li>u - Frozen SAM</li> <li>v - PreOpening SAM</li> <li>w - Opening SAM</li> <li>x - Open SAM</li> <li>y - Surveillance SAM</li> <li>z - Suspended SAM</li> <li>0 - Reserved SAM</li> <li>1 - No Active SAM</li> <li>2 - Restricted</li> <li>3 - Rest of Book VWAP</li> <li>4 - Better Prices in Conditional Orders</li> <li>5 - Median Price</li> </ul>	
277	TradeCondition	MultipleStringValue	Space-delimited list of conditions describing a trade Valid values:	TrdCond

			<p>A - Cash (only) Market  B - Average Price Trade  C - Cash Trade (same day clearing)  D - Next Day (only)Market  E - Opening/Reopening Trade Detail  F - Intraday Trade Detail  G - Rule 127 Trade (NYSE)  H - Rule 155 Trade (AMEX)  I - Sold Last (late reporting)  J - Next Day Trade (next day clearing)  K - Opened (late report of opened trade)  L - Seller  M - Sold (out of sequence)  N - Stopped Stock (guarantee of price but does not execute the order)  P - Imbalance More Buyers (cannot be used in combination with Q)  Q - Imbalance More Sellers (cannot be used in combination with P)  R - Opening Price  S - Bargain Condition (LSE)  T - Converted Price Indicator  U - Exchange Last  V - Final Price of Session  W - Ex-pit  X - Crossed  Y - Trades resulting from manual/slow quote  Z - Trades resulting from intermarket sweep  a - Volume Only  b - Direct Plus  c - Acquisition  d - Bunched  e - Distribution  f - Bunched Sale  g - Split Trade  h - Cancel Stopped  i - Cancel ETH  j - Cancel Stopped ETH  k - Out of Sequence ETH</p>	
--	--	--	---	--

			<p>l - Cancel Last ETH m - Sold Last Sale ETH n - Cancel Last o - Sold Last Sale p - Cancel Open q - Cancel Open ETH r - Opened Sale ETH s - Cancel Only t - Cancel Only ETH u - Late Open ETH v - Auto Execution ETH w - Reopen x - Reopen ETH y - Adjusted z - Adjusted ETH AA - Spread AB - Spread ETH AC - Straddle AD - Straddle ETH AE - Stopped AF - Stopped ETH AG - Regular ETH AH - Combo AI - Combo ETH AJ - Official Closing Price AK - Prior Reference Price 0 - Cancel AL - Stopped Sold Last AM - Stopped Out of Sequence AN - Official Closing Price (duplicate enumeration - use 'AJ' instead) AO - Crossed (duplicate enumeration - use 'X' instead) AP - Fast Market AQ - Automatic Execution AR - Form T AS - Basket Index AT - Burst Basket AV - Outside Spread</p>	
--	--	--	--	--

			<ul style="list-style-type: none"> <li>1 - Implied Trade</li> <li>2 - Marketplace entered trade</li> <li>3 - Mult Asset Class Multileg Trade</li> <li>4 - Multileg-to-Multileg Trade</li> </ul>	
278	MDEntryID	String	Unique Market Data Entry identifier.	ID
279	MDUpdateAction	char	Type of Market Data update action.  Valid values: <ul style="list-style-type: none"> <li>0 - New</li> <li>1 - Change</li> <li>2 - Delete</li> <li>3 - Delete Thru</li> <li>4 - Delete From</li> <li>5 - Overlay</li> </ul>	UpdtAct
280	MDEntryRefID	String	Refers to a previous MDEntryID (278).	RefID
281	MDReqRejReason	char	Reason for the rejection of a Market Data request.  Valid values: <ul style="list-style-type: none"> <li>0 - Unknown symbol</li> <li>1 - Duplicate MDReqID</li> <li>2 - Insufficient Bandwidth</li> <li>3 - Insufficient Permissions</li> <li>4 - Unsupported SubscriptionRequestType</li> <li>5 - Unsupported MarketDepth</li> <li>6 - Unsupported MDUpdateType</li> <li>7 - Unsupported AggregatedBook</li> <li>8 - Unsupported MDEntryType</li> <li>9 - Unsupported TradingSessionID</li> <li>A - Unsupported Scope</li> <li>B - Unsupported OpenCloseSettleFlag</li> <li>C - Unsupported MDImplicitDelete</li> <li>D - Insufficient credit</li> </ul>	ReqRejResn
282	MDEntryOriginator	String	Deprecated in FIX.5.0 Originator of a Market Data Entry	Orig
283	LocationID	String	Identification of a Market Maker's location	LctnID
284	DeskID	String	Identification of a Market Maker's desk	DeskID

285	DeleteReason	char	Reason for deletion.  Valid values: 0 - Cancellation / Trade Bust 1 - Error	DelRsn
286	OpenCloseSettlFlag	MultipleCharacterValue	Flag that identifies a market data entry. (Prior to FIX 4.3 this field was of type char)  Valid values: 0 - Daily Open / Close / Settlement entry 1 - Session Open / Close / Settlement entry 2 - Delivery Settlement entry 3 - Expected entry 4 - Entry from previous business day 5 - Theoretical Price value	OpenClsSettlFlag
287	SellerDays	int	Specifies the number of days that may elapse before delivery of the security	SellerDays
288	MDEntryBuyer	String	Buying party in a trade	Buyer
289	MDEntrySeller	String	Selling party in a trade	Seller
290	MDEntryPositionNo	int	Display position of a bid or offer, numbered from most competitive to least competitive, per market side, beginning with .	PosNo
291	FinancialStatus	MultipleCharacterValue	Identifies a firm's or a security's financial status  Valid values: 1 - Bankrupt 2 - Pending delisting 3 - Restricted	FinclStat
292	CorporateAction	MultipleCharacterValue	Identifies the type of Corporate Action.  Valid values: A - Ex-Dividend B - Ex-Distribution C - Ex-Rights D - New E - Ex-Interest	CorpActn

			F - Cash Dividend G - Stock Dividend H - Non-Integer Stock Split I - Reverse Stock Split J - Standard-Integer Stock Split K - Position Consolidation L - Liquidation Reorganization M - Merger Reorganization N - Rights Offering O - Shareholder Meeting P - Spinoff Q - Tender Offer R - Warrant S - Special Action T - Symbol Conversion U - CUSIP / Name Change V - Leap Rollover W - Succession Event	
293	DefBidSize	Qty	Default Bid Size.	DefBidSz
294	DefOfferSize	Qty	Default Offer Size.	DefOfrSz
295	NoQuoteEntries	NumInGroup	The number of quote entries for a QuoteSet.	
296	NoQuoteSets	NumInGroup	The number of sets of quotes in the message.	
297	QuoteStatus	int	Identifies the status of the quote acknowledgement.  Valid values: 0 - Accepted 1 - Cancel for Symbol(s) ( Deprecated in FIX.5.0 ) 2 - Canceled for Security Type(s) ( Deprecated in FIX.5.0 ) 3 - Canceled for Underlying ( Deprecated in FIX.5.0 ) 4 - Canceled All ( Deprecated in FIX.5.0 ) 5 - Rejected 6 - Removed from Market	Stat

			<ul style="list-style-type: none"> <li>7 - Expired</li> <li>8 - Query</li> <li>9 - Quote Not Found</li> <li>10 - Pending</li> <li>11 - Pass</li> <li>12 - Locked Market Warning</li> <li>13 - Cross Market Warning</li> <li>14 - Canceled Due To Lock Market</li> <li>15 - Canceled Due To Cross Market</li> <li>16 - Active</li> <li>17 - Canceled</li> <li>18 - Unsolicited Quote Replenishment</li> <li>19 - Pending End Trade</li> <li>20 - Too Late to End</li> </ul>	
298	QuoteCancelType	int	<p>Identifies the type of quote cancel.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>6 - Cancel by QuoteType(537)</li> <li>7 - Cancel for Security Issuer</li> <li>8 - Cancel for Issuer of Underlying Security</li> <li>1 - Cancel for one or more securities</li> <li>2 - Cancel for Security Type(s)</li> <li>3 - Cancel for underlying security</li> <li>4 - Cancel All Quotes</li> <li>5 - Cancel quote specified in QuoteID</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	CxlTyp
299	QuoteEntryID	String	<p>Unique identifier for a quote. The QuoteEntryID stays with the quote as a static identifier even if the quote is updated.</p>	EntryID
300	QuoteRejectReason	int	<p>Reason Quote was rejected:</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>12 - Invalid or unknown Security Issuer</li> <li>13 - Invalid or unknown Issuer of Underlying Security</li> </ul>	RejRsn

			<ul style="list-style-type: none"> <li>1 - Unknown Symbol (security)</li> <li>2 - Exchange (Security) closed</li> <li>3 - Quote Request exceeds limit</li> <li>4 - Too late to enter</li> <li>5 - Unknown Quote</li> <li>6 - Duplicate Quote</li> <li>7 - Invalid bid/ask spread</li> <li>8 - Invalid price</li> <li>9 - Not authorized to quote security</li> <li>10 - Price exceeds current price band</li> <li>11 - Quote Locked - Unable to Update/Cancel</li> <li>99 - Other</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	
301	QuoteResponseLevel	int	<p>Level of Response requested from receiver of quote messages. A default value should be bilaterally agreed.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - No Acknowledgement</li> <li>1 - Acknowledge only negative or erroneous quotes</li> <li>2 - Acknowledge each quote message</li> <li>3 - Summary Acknowledgement</li> </ul>	RspLvl
302	QuoteSetID	String	Unique id for the Quote Set.	SetID
303	QuoteRequestType	int	<p>Indicates the type of Quote Request being generated</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Manual</li> <li>2 - Automatic</li> </ul>	ReqTyp
304	TotNoQuoteEntries	int	Total number of quotes for the quote set.	TotNoQuotEntries
305	UnderlyingSecurityID Source	String	<p>Underlying security's SecurityIDSource.</p> <p>Valid values: see SecurityIDSource (22) field</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - CUSIP</li> </ul>	Src

			2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	
306	UnderlyingIssuer	String	Underlying security's Issuer. See Issuer (06) field for description	Issr
307	UnderlyingSecurityDesc	String	Description of the Underlying security. See SecurityDesc(107).	Desc
308	UnderlyingSecurityExchange	Exchange	Underlying security's SecurityExchange. Can be used to identify the underlying security. Valid values: see SecurityExchange (207)	Exch
309	UnderlyingSecurityID	String	Underlying security's SecurityID. See SecurityID (48) field for description	ID
310	UnderlyingSecurityType	String	Underlying security's SecurityType. Valid values: see SecurityType (167) field (see below for details concerning this fields use in	SecTyp

			<p>conjunction with SecurityType=REPO)  The following applies when used in conjunction with SecurityType=REPO  Represents the general or specific type of security that underlies a financing agreement  Valid values for SecurityType=REPO:  If bonds of a particular issuer or country are wanted in an Order or are in the basket of an Execution and the SecurityType is not granular enough, include the UnderlyingIssuer (306), UnderlyingCountryOfIssue (592), UnderlyingProgram, UnderlyingRegType and/or &lt; UnderlyingStipulations &gt; block e.g.:</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>UST - US Treasury Note (Deprecated Value Use TNOTE) ( Deprecated in FIX.4.4 )</li> <li>USTB - US Treasury Bill (Deprecated Value Use TBILL) ( Deprecated in FIX.4.4 )</li> </ul> <p>Agency</p> <ul style="list-style-type: none"> <li>EUSUPRA - Euro Supranational Coupons *</li> <li>FAC - Federal Agency Coupon</li> <li>FADN - Federal Agency Discount Note</li> <li>PEF - Private Export Funding *</li> <li>SUPRA - USD Supranational Coupons *</li> </ul> <p>Corporate</p> <ul style="list-style-type: none"> <li>CORP - Corporate Bond</li> <li>CPP - Corporate Private Placement</li> <li>CB - Convertible Bond</li> <li>DUAL - Dual Currency</li> <li>EUCORP - Euro Corporate Bond</li> <li>EUFRN - Euro Corporate Floating Rate Notes</li> <li>FRN - US Corporate Floating Rate Notes</li> <li>XLINKD - Indexed Linked</li> <li>STRUCT - Structured Notes</li> <li>YANK - Yankee Corporate Bond</li> </ul> <p>Currency</p> <ul style="list-style-type: none"> <li>FOR - Foreign Exchange Contract ( Deprecated in FIX.5.0SP20SP1 )</li> <li>FXNDF - Non-deliverable forward</li> </ul>	
--	--	--	--	--

			<p>FXSPOT - FX Spot  FXFW - FX Forward  FXSWAP - FX Swap</p> <p>Derivatives  CDS - Credit Default Swap  FUT - Future  OPT - Option  OOF - Options on Futures  OOP - Options on Physical - use not recommended  IRS - Interest Rate Swap  OOC - Options on Combo</p> <p>Equity  CS - Common Stock  PS - Preferred Stock</p> <p>Financing  REPO - Repurchase  FORWARD - Forward  BUYSELL - Buy Sellback  SECLOAN - Securities Loan  SECPLEDGE - Securities Pledge</p> <p>Government  BRADY - Brady Bond  CAN - Canadian Treasury Notes  CTB - Canadian Treasury Bills  EUSOV - Euro Sovereigns *  PROV - Canadian Provincial Bonds  TB - Treasury Bill - non US  TBOND - US Treasury Bond  TINT - Interest Strip From Any Bond Or Note  TBILL - US Treasury Bill  TIPS - Treasury Inflation Protected Securities  TCAL - Principal Strip Of A Callable Bond Or</p> <p>Note  TPRN - Principal Strip From A Non-Callable</p> <p>Bond Or Note  TNOTE - US Treasury Note</p> <p>Loan  TERM - Term Loan  RVLV - Revolver Loan</p>	
--	--	--	--	--

			<p>RVLVTRM - Revolver/Term Loan BRIDGE - Bridge Loan LOFC - Letter Of Credit SWING - Swing Line Facility DINP - Debtor In Possession DEFLTED - Defaulted WITHDRN - Withdrawn REPLACD - Replaced MATURED - Matured AMENDED - Amended &amp; Restated RETIRED - Retired</p> <p>Money Market</p> <p>BA - Bankers Acceptance BDN - Bank Depository Note BN - Bank Notes BOX - Bill Of Exchanges CAMM - Canadian Money Markets CD - Certificate Of Deposit CL - Call Loans CP - Commercial Paper DN - Deposit Notes EUCD - Euro Certificate Of Deposit EUCP - Euro Commercial Paper LQN - Liquidity Note MTN - Medium Term Notes ONITE - Overnight PN - Promissory Note STN - Short Term Loan Note PZPJ - Plazos Fijos SLQN - Secured Liquidity Note TD - Time Deposit TLQN - Term Liquidity Note XCN - Extended Comm Note YCD - Yankee Certificate Of Deposit</p> <p>Mortgage</p> <p>ABS - Asset-backed Securities CMB - Canadian Mortgage Bonds CMBS - Corp. Mortgage-backed Securities CMO - Collateralized Mortgage Obligation</p>	
--	--	--	--	--

			<p>IET - IOETTE Mortgage  MBS - Mortgage-backed Securities  MIO - Mortgage Interest Only  MPO - Mortgage Principal Only  MPP - Mortgage Private Placement  MPT - Miscellaneous Pass-through  PFAND - Pfandbriefe *  TBA - To Be Announced</p> <p>Municipal  AN - Other Anticipation Notes (BAN, GAN, etc.)  COFO - Certificate Of Obligation  COFP - Certificate Of Participation  GO - General Obligation Bonds  MT - Mandatory Tender  RAN - Revenue Anticipation Note  REV - Revenue Bonds  SPCLA - Special Assessment  SPCLO - Special Obligation  SPCLT - Special Tax  TAN - Tax Anticipation Note  TAXA - Tax Allocation  TECP - Tax Exempt Commercial Paper  TMCP - Taxable Municipal CP  TRAN - Tax Revenue Anticipation Note  VRDN - Variable Rate Demand Note  WAR - Warrant</p> <p>Other  MF - Mutual Fund  MLEG - Multileg Instrument  NONE - No Security Type  ? - Wildcard entry for use on Security Definition</p> <p>Request  CASH - Cash</p>	
311	UnderlyingSymbol	String	Underlying security's Symbol. See Symbol (55) field for description	Sym
312	UnderlyingSymbolSfx	String	Underlying security's SymbolSfx. See SymbolSfx (65) field for description	Sfx

			Valid values: For Fixed Income CD - EUCP with lump-sum interest rather than discount price WI - "When Issued" for a security to be reissued under an old CUSIP or ISIN	
313	UnderlyingMaturityMonthYear	MonthYear	Underlying security's MaturityMonthYear. Can be used with standardized derivatives vs. the UnderlyingMaturityDate (542) field. See MaturityMonthYear (200) field for description	MMY
<del>314</del>	<del>UnderlyingMaturityDay</del>	<del>day of month</del>	<del>Deprecated in FIX.4.2 Underlying security's MaturityDay. See MaturityDay field for description</del>	
315	UnderlyingPutOrCall	int	Put or call indicator of the underlying security. See PutOrCall(201).	PutCall
316	UnderlyingStrikePrice	Price	Underlying security's StrikePrice. See StrikePrice (202) field for description	StrkPx
317	UnderlyingOptAttribute	char	Underlying security's OptAttribute. See OptAttribute (206) field for description	OptA
318	UnderlyingCurrency	Currency	Underlying security's Currency. See Currency (5) field for description and valid values	Ccy
<del>319</del>	<del>RatioQty</del>	<del>Qty</del>	<del>Deprecated in FIX.4.2 Quantity of a particular leg in the security.</del>	
320	SecurityReqID	String	Unique ID of a Security Definition Request.	ReqID
321	SecurityRequestType	int	Type of Security Definition Request.  Valid values: 0 - Request Security identity and specifications 1 - Request Security identity for the specifications provided (name of the security is not supplied) 2 - Request List Security Types (Deprecated in FIX.5.0SP1) 3 - Request List Securities (can be qualified with Symbol, SecurityType, TradingSessionID,	ReqTyp

			SecurityExchange. If provided then only list Securities for the specific type.) ( Deprecated in FIX.5.0SP1 ) 4 - Symbol 5 - SecurityType and or CFICode 6 - Product 7 - TradingSessionID 8 - All Securities 9 - MarketID or MarketID + MarketSegmentID	
322	SecurityResponseID	String	Unique ID of a Security Definition message.	RspID
323	SecurityResponseType	int	Type of Security Definition message response. Valid values: 1 - Accept security proposal as-is 2 - Accept security proposal with revisions as indicated in the message 3 - List of security types returned per request ( Deprecated in FIX.5.0SP1 ) 4 - List of securities returned per request 5 - Reject security proposal 6 - Cannot match selection criteria	RspTyp
324	SecurityStatusReqID	String	Unique ID of a Security Status Request message.	StatReqID
325	UnsolicitedIndicator	Boolean	Indicates whether or not message is being sent as a result of a subscription request or not. Valid values: N - Message is being sent as a result of a prior request Y - Message is being sent unsolicited	Unsol
326	SecurityTradingStatus	int	Identifies the trading status applicable to the transaction. Valid values: 26 - Post-close 1 - Opening delay 2 - Trading halt 3 - Resume 4 - No Open / No Resume	TrdgStat

			<p>5 - Price indication  6 - Trading Range Indication  7 - Market Imbalance Buy  8 - Market Imbalance Sell  9 - Market on Close Imbalance Buy  10 - Market on Close Imbalance Sell  <del>11 - (not assigned)</del>  —12 - No Market Imbalance  13 - No Market on Close Imbalance  14 - ITS Pre-opening  15 - New Price Indication  16 - Trade Dissemination Time  17 - Ready to trade (start of session)  18 - Not available for trading (end of session)  19 - Not traded on this market  20 - Unknown or Invalid  21 - Pre-open  22 - Opening Rotation  23 - Fast Market  24 - Pre-Cross - system is in a pre-cross state allowing market to respond to either side of cross  25 - Cross - system has crossed a percentage of the orders and allows market to respond prior to crossing remaining portion</p> <p>or any value conforming to the data type  Reserved100Plus</p>	
327	HaltReason	int	<p>Denotes the reason for the Opening Delay or Trading Halt.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - News Dissemination</li> <li>1 - Order Influx</li> <li>2 - Order Imbalance</li> <li>3 - Additional Information</li> <li>4 - News Pending</li> <li>5 - Equipment Changeover</li> </ul>	HaltRsn

			or any value conforming to the data type Reserved100Plus	
328	InViewOfCommon	Boolean	Indicates whether or not the halt was due to Common Stock trading being halted.  Valid values: N - Halt was not related to a halt of the common stock Y - Halt was due to common stock being halted	InViewOfCmn
329	DueToRelated	Boolean	Indicates whether or not the halt was due to the Related Security being halted.  Valid values: N - Halt was not related to a halt of the related security Y - Halt was due to related security being halted	DueToReltd
330	BuyVolume	Qty	Quantity bought.	BuyVol
331	SellVolume	Qty	Quantity sold.	SellVol
332	HighPx	Price	Represents an indication of the high end of the price range for a security prior to the open or reopen	HighPx
333	LowPx	Price	Represents an indication of the low end of the price range for a security prior to the open or reopen	LowPx
334	Adjustment	int	Identifies the type of adjustment.  Valid values: 1 - Cancel 2 - Error 3 - Correction	Adjmt
335	TradSesReqID	String	Unique ID of a Trading Session Status message.	ReqID
336	TradingSessionID	String	Identifier for Trading Session A trading session spans an extended period of time that can also be expressed informally in terms of the trading day. Usage is determined by market or counterparties.	SesID

			<p>To specify good for session where session spans more than one calendar day, use TimeInForce = Day in conjunction with TradingSessionID.</p> <p>Bilaterally agreed values of data type "String" that start with a character can be used for backward compatibility.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Day</li> <li>2 - HalfDay</li> <li>3 - Morning</li> <li>4 - Afternoon</li> <li>5 - Evening</li> <li>6 - After-hours</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	
337	ContraTrader	String	Identifies the trader (e.g. "badge number") of the ContraBroker.	CntraTrdr Trdr in SingleGeneralOrderHandling category messages
338	TradSesMethod	int	<p>Method of trading</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Electronic</li> <li>2 - Open Outcry</li> <li>3 - Two Party</li> </ul>	Method
339	TradSesMode	int	<p>Trading Session Mode</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Testing</li> <li>2 - Simulated</li> <li>3 - Production</li> </ul>	Mode
340	TradSesStatus	int	<p>State of the trading session.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Unknown</li> <li>1 - Halted</li> </ul>	Stat

			2 - Open 3 - Closed 4 - Pre-Open 5 - Pre-Close 6 - Request Rejected  or any value conforming to the data type Reserved100Plus	
341	TradSesStartTime	UTCTime stamp	Starting time of the trading session	StartTm
342	TradSesOpenTime	UTCTime stamp	Time of the opening of the trading session	OpenTm
343	TradSesPreCloseTime	UTCTime stamp	Time of the pre-closed of the trading session	PreClsTm
344	TradSesCloseTime	UTCTime stamp	Closing time of the trading session	ClsTm
345	TradSesEndTime	UTCTime stamp	End time of the trading session	EndTm
346	NumberOfOrders	int	Number of orders in the market.	NumOfOrds
347	MessageEncoding	String	Type of message encoding (non-ASCII (non-English) characters) used in a message's "Encoded" fields.	MsgEncd
348	EncodedIssuerLen	Length	Byte length of encoded (non-ASCII characters) EncodedIssuer (349) field.	EncIssrLen
349	EncodedIssuer	data	Encoded (non-ASCII characters) representation of the Issuer field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the Issuer field.	EncIssr
350	EncodedSecurityDesc Len	Length	Byte length of encoded (non-ASCII characters) EncodedSecurityDesc (351) field.	EncSecDescLen
351	EncodedSecurityDesc	data	Encoded (non-ASCII characters) representation of the	EncSecDesc

			SecurityDesc (107) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the SecurityDesc field.	
352	EncodedListExecInstLen	Length	Byte length of encoded (non-ASCII characters) EncodedListExecInst (353) field.	EncListExecInstLen
353	EncodedListExecInst	data	Encoded (non-ASCII characters) representation of the ListExecInst (69) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the ListExecInst field.	EncListExecInst
354	EncodedTextLen	Length	Byte length of encoded (non-ASCII characters) EncodedText (355) field.	EncTxtLen
355	EncodedText	data	Encoded (non-ASCII characters) representation of the Text (58) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the Text field.	EncTxt
356	EncodedSubjectLen	Length	Byte length of encoded (non-ASCII characters) EncodedSubject (357) field.	EncSubjectLen
357	EncodedSubject	data	Encoded (non-ASCII characters) representation of the Subject (147) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the Subject field.	EncSubject
358	EncodedHeadlineLen	Length	Byte length of encoded (non-ASCII characters) EncodedHeadline (359) field.	EncHeadlineLen
359	EncodedHeadline	data	Encoded (non-ASCII characters) representation of the Headline (148) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the Headline field.	EncHeadline
360	EncodedAllocTextLen	Length	Byte length of encoded (non-ASCII characters) EncodedAllocText (361) field.	EncAllocTextLen

361	EncodedAllocText	data	Encoded (non-ASCII characters) representation of the AllocText (161) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the AllocText field.	EncAllocText
362	EncodedUnderlyingIssuerLen	Length	Byte length of encoded (non-ASCII characters) EncodedUnderlyingIssuer (363) field.	EncUndIssrLen
363	EncodedUnderlyingIssuer	data	Encoded (non-ASCII characters) representation of the UnderlyingIssuer (306) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the UnderlyingIssuer field.	EncUndIssr
364	EncodedUnderlyingSecurityDescLen	Length	Byte length of encoded (non-ASCII characters) EncodedUnderlyingSecurityDesc (365) field.	EncUndSecDescLen
365	EncodedUnderlyingSecurityDesc	data	Encoded (non-ASCII characters) representation of the UnderlyingSecurityDesc (307) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the UnderlyingSecurityDesc field.	EncUndSecDesc
366	AllocPrice	Price	Executed price for an AllocAccount (79) entry used when using "executed price" vs. "average price" allocations (e.g. Japan).	Px
367	QuoteSetValidUntilTime	UTCTimeStamp	Indicates expiration time of this particular QuoteSet (always expressed in UTC (Universal Time Coordinated, also known as "GMT"))	ValidTil
368	QuoteEntryRejectReason	int	Reason Quote Entry was rejected: Valid values: 12 - Invalid or unknown Security Issuer 13 - Invalid or unknown Issuer of Underlying Security 1 - Unknown Symbol (security) 2 - Exchange (Security) closed 3 - Quote Request exceeds limit 4 - Too late to enter	EntryRejRsn

			<p>5 - Unknown Quote  6 - Duplicate Quote  7 - Invalid bid/ask spread  8 - Invalid price  9 - Not authorized to quote security  10 - Price exceeds current price band  11 - Quote Locked - Unable to Update/Cancel  99 - Other</p> <p>or any value conforming to the data type  Reserved100Plus</p>	
369	LastMsgSeqNumProcessed	SeqNum	The last MsgSeqNum (34) value received by the FIX engine and processed by downstream application, such as trading engine or order routing system. Can be specified on every message sent. Useful for detecting a backlog with a counterparty.	
370	<del>OnBehalfOfSendingTime</del>	<del>UTCTime stamp</del>	<del>Deprecated in FIX.4.3 Used when a message is sent via a 'hub' or 'service bureau'. If A sends to Q (the hub) who then sends to B via a separate FIX session, then when Q sends to B the value of this field should represent the SendingTime on the message A sent to Q. (always expressed in UTC (Universal Time Coordinated, also known as 'GMT'))</del>	
371	RefTagID	int	The tag number of the FIX field being referenced.	RefTagID
372	RefMsgType	String	<p>The MsgType (35) of the FIX message being referenced.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Heartbeat</li> <li>1 - TestRequest</li> <li>2 - ResendRequest</li> <li>3 - Reject</li> <li>4 - SequenceReset</li> <li>5 - Logout</li> <li>6 - IOI</li> <li>7 - Advertisement</li> </ul>	RefMsgTyp

			8 - ExecutionReport 9 - OrderCancelReject A - Logon AA - DerivativeSecurityList AB - NewOrderMultileg AC - MultilegOrderCancelReplace AD - TradeCaptureReportRequest AE - TradeCaptureReport AF - OrderMassStatusRequest AG - QuoteRequestReject AH - RFQRequest AI - QuoteStatusReport AJ - QuoteResponse AK - Confirmation AL - PositionMaintenanceRequest AM - PositionMaintenanceReport AN - RequestForPositions AO - RequestForPositionsAck AP - PositionReport AQ - TradeCaptureReportRequestAck AR - TradeCaptureReportAck AS - AllocationReport AT - AllocationReportAck AU - <del>ConfirmationAck</del> <a href="#">ConfirmationAck</a> AV - SettlementInstructionRequest AW - AssignmentReport AX - CollateralRequest AY - CollateralAssignment AZ - CollateralResponse B - News BA - CollateralReport BB - CollateralInquiry BC - NetworkCounterpartySystemStatusRequest BD - NetworkCounterpartySystemStatusResponse BE - UserRequest BF - UserResponse BG - CollateralInquiryAck BH - ConfirmationRequest BI - TradingSessionListRequest	
--	--	--	---	--

			BJ - TradingSessionList BK - SecurityListUpdateReport BL - AdjustedPositionReport BM - AllocationInstructionAlert BN - ExecutionAcknowledgement BO - ContraryIntentionReport BP - SecurityDefinitionUpdateReport BQ - SettlementObligationReport BR - DerivativeSecurityListUpdateReport BS - TradingSessionListUpdateReport BT - MarketDefinitionRequest BU - MarketDefinition BV - MarketDefinitionUpdateReport BW - ApplicationMessageRequest BX - ApplicationMessageRequestAck BY - ApplicationMessageReport BZ - OrderMassActionReport C - Email CA - OrderMassActionRequest CB - UserNotification CC - StreamAssignmentRequest CD - StreamAssignmentReport CE - StreamAssignmentReportACK <del>CF - PartyDetailsListRequest</del> <del>CG - PartyDetailsListReport</del> <del>D - NewOrderSingle</del> E - NewOrderList F - OrderCancelRequest G - OrderCancelReplaceRequest H - OrderStatusRequest J - AllocationInstruction K - ListCancelRequest L - ListExecute M - ListStatusRequest N - ListStatus P - AllocationInstructionAck Q - <del>DontKnowTradeDK</del> <u>DontKnowTrade</u> R - QuoteRequest S - Quote	
--	--	--	--	--

			T - SettlementInstructions V - MarketDataRequest W - MarketDataSnapshotFullRefresh X - MarketDataIncrementalRefresh Y - MarketDataRequestReject Z - QuoteCancel a - QuoteStatusRequest b - MassQuoteAcknowledgement c - SecurityDefinitionRequest d - SecurityDefinition e - SecurityStatusRequest f - SecurityStatus g - TradingSessionStatusRequest h - TradingSessionStatus i - MassQuote j - BusinessMessageReject k - BidRequest l - BidResponse m - ListStrikePrice n - <del>XMLnonFIX</del> o - RegistrationInstructions p - RegistrationInstructionsResponse q - OrderMassCancelRequest r - OrderMassCancelReport s - NewOrderCross t - CrossOrderCancelReplaceRequest u - CrossOrderCancelRequest v - SecurityTypeRequest w - SecurityTypes x - SecurityListRequest y - SecurityList z - DerivativeSecurityListRequest	
373	SessionRejectReason	int	Code to identify reason for a session-level Reject message.  Valid values: 0 - Invalid Tag Number 1 - Required Tag Missing	

			<p>2 - Tag not defined for this message type  3 - Undefined tag  4 - Tag specified without a value  5 - Value is incorrect (out of range) for this tag  6 - Incorrect data format for value  7 - Decryption problem  8 - Signature problem  9 - CompID problem  10 - SendingTime Accuracy Problem  11 - Invalid MsgType  12 - XML Validation Error  13 - Tag appears more than once  14 - Tag specified out of required order  15 - Repeating group fields out of order  16 - Incorrect NumInGroup count for repeating group  17 - Non "Data" value includes field delimiter (&lt;SOH&gt; character)  18 - Invalid/Unsupported Application Version  99 - Other</p> <p>or any value conforming to the data type  Reserved100Plus</p>	
374	BidRequestTransType	char	<p>Identifies the Bid Request message type.</p> <p>Valid values:  C - Cancel  N - New</p>	BidReqTransTyp
375	ContraBroker	String	<p>Identifies contra broker. Standard NASD market-maker mnemonic is preferred.</p>	CntraBrkr
376	ComplianceID	String	<p>ID used to represent this transaction for compliance purposes (e.g. OATS reporting).</p>	ComplianceID
377	SolicitedFlag	Boolean	<p>Indicates whether or not the order was solicited.</p> <p>Valid values:  N - Was not solicited</p>	SolFlag

			Y - Was solicited	
378	ExecRestatementReason	int	<p>Code to identify reason for an ExecutionRpt message sent with ExecType=Restated or used when communicating an unsolicited cancel.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - GT corporate action</li> <li>1 - GT renewal / restatement (no corporate action)</li> <li>2 - Verbal change</li> <li>3 - Repricing of order</li> <li>4 - Broker option</li> <li>5 - Partial decline of OrderQty (e.g. exchange initiated partial cancel)</li> <li>6 - Cancel on Trading Halt</li> <li>7 - Cancel on System Failure</li> <li>8 - Market (Exchange) option</li> <li>9 - Canceled, not best</li> <li>10 - Warehouse Recap</li> <li>11 - Peg Refresh</li> <li>99 - Other</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	ExecRstmtRsn
379	BusinessRejectRefID	String	The value of the business-level "ID" field on the message being referenced.	BizRejRefID
380	BusinessRejectReason	int	<p>Code to identify reason for a Business Message Reject message.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Other</li> <li>1 - Unknown ID</li> <li>2 - Unknown Security</li> <li>3 - Unsupported Message Type</li> <li>4 - Application not available</li> <li>5 - Conditionally required field missing</li> <li>6 - Not Authorized</li> <li>7 - DeliverTo firm not available at this time</li> </ul>	BizRejRsn

18 - Invalid price increment				
381	GrossTradeAmt	Amt	Total amount traded (i.e. quantity * price) expressed in units of currency. For FX Futures this is used to express the notional value of a fill when quantity fields are expressed in terms of contract size (i.e. quantity * price * contract size).	GrossTrdAmt
382	NoContraBrokers	NumInGroup	The number of ContraBroker (375) entries.	
383	MaxMessageSize	Length	Maximum number of bytes supported for a single message.	
384	NoMsgTypes	NumInGroup	Number of MsgTypes (35) in repeating group.	
385	MsgDirection	char	Specifies the direction of the message.  Valid values: R - Receive S - Send	
386	NoTradingSessions	NumInGroup	Number of TradingSessionIDs (336) in repeating group.	
387	TotalVolumeTraded	Qty	Total volume (quantity) traded.	TotVolTrdd
388	DiscretionInst	char	Code to identify the price a DiscretionOffsetValue (389) is related to and should be mathematically added to.  Valid values: 0 - Related to displayed price 1 - Related to market price 2 - Related to primary price 3 - Related to local primary price 4 - Related to midpoint price 5 - Related to last trade price 6 - Related to VWAP 7 - Average Price Guarantee	DsctnInst
389	DiscretionOffsetValue	float	Amount (signed) added to the "related to" price	OfstValu

			specified via DiscretionInst (388), in the context of DiscretionOffsetType (842) (Prior to FIX 4.4 this field was of type PriceOffset)	
390	BidID	String	Unique identifier for Bid Response as assigned by sell-side (broker, exchange, ECN). Uniqueness must be guaranteed within a single trading day.	BidID
391	ClientBidID	String	Unique identifier for a Bid Request as assigned by institution. Uniqueness must be guaranteed within a single trading day.	ClientBidID
392	ListName	String	Descriptive name for list order.	ListName
393	TotNoRelatedSym	int	Total number of securities. (Prior to FIX 4.4 this field was named TotalNumSecurities)	TotNoReltdSym
394	BidType	int	Code to identify the type of Bid Request.  Valid values: 1 - "Non Disclosed" style (e.g. US/European) 2 - "Disclosed" style (e.g. Japanese) 3 - No bidding process	BidTyp
395	NumTickets	int	Total number of tickets.	NumTkts
396	SideValue1	Amt	Amounts in currency	SideValu1
397	SideValue2	Amt	Amounts in currency	SideValu2
398	NoBidDescriptors	NumInGroup	Number of BidDescriptor (400) entries.	
399	BidDescriptorType	int	Code to identify the type of BidDescriptor (400).  Valid values: 1 - Sector 2 - Country 3 - Index	BidDescptrTyp
400	BidDescriptor	String	BidDescriptor value. Usage depends upon BidDescriptorType (399). If BidDescriptorType = 1	BidDescptr

			Industrials etc - Free text If BidDescriptorType = 2 "FR" etc - ISO Country Codes If BidDescriptorType = 3 FT00, FT250, STOX - Free text	
401	SideValueInd	int	Code to identify which "SideValue" the value refers to. SideValue1 and SideValue2 are used as opposed to Buy or Sell so that the basket can be quoted either way as Buy or Sell.  Valid values: 1 - Side Value 1 2 - Side Value 2	SideValuInd
402	LiquidityPctLow	Percentage	Liquidity indicator or lower limit if TotalNumSecurities (393) > 1. Represented as a percentage.	LqdyPctLow
403	LiquidityPctHigh	Percentage	Upper liquidity indicator if TotalNumSecurities (393) > 1. Represented as a percentage.	LqdyPctHigh
404	LiquidityValue	Amt	Value between LiquidityPctLow (402) and LiquidityPctHigh (403) in Currency	LqdyValu
405	EFPTackingError	Percentage	Eg Used in EFP trades 2% (EFP - Exchange for Physical ). Represented as a percentage.	EFPTrknngErr
406	FairValue	Amt	Used in EFP trades	FairValu
407	OutsideIndexPct	Percentage	Used in EFP trades. Represented as a percentage.	OutsideNdxPct
408	ValueOfFutures	Amt	Used in EFP trades	ValuOfFuts
409	LiquidityIndType	int	Code to identify the type of liquidity indicator.  Valid values: 1 - 5-day moving average 2 - 20-day moving average 3 - Normal market size 4 - Other	LqdyIndTyp
410	WtAverageLiquidity	Percentage	Overall weighted average liquidity expressed as a % of	WtAvgLqdy

		e	average daily volume. Represented as a percentage.	
411	ExchangeForPhysical	Boolean	Indicates whether or not to exchange for physical.  Valid values: N - False Y - True	EFP
412	OutMainCntryUIndex	Amt	Value of stocks in Currency	OutMainCntryUNdx
413	CrossPercent	Percentage	Percentage of program that crosses in Currency. Represented as a percentage.	CrssPct Pct in CrossOrders category messages
414	ProgRptReqs	int	Code to identify the desired frequency of progress reports.  Valid values: 1 - Buy-side explicitly requests status using Statue Request (default), the sell-side firm can, however, send a DONE status List SStatus Response in an unsolicited fashion 2 - Sell-side periodically sends status using List Status. Period optionally specified in ProgressPeriod. 3 - Real-time execution reports (to be discourage)	ProgRptReqs
415	ProgPeriodInterval	int	Time in minutes between each ListStatus report sent by SellSide. Zero means don't send status.	ProgPeriodIntvl
416	IncTaxInd	int	Code to represent whether value is net (inclusive of tax) or gross.  Valid values: 1 - Net 2 - Gross	IncTaxInd
417	NumBidders	int	Indicates the total number of bidders on the list	NumBidders
418	BidTradeType	char	Code to represent the type of trade. (Prior to FIX 4.4 this field was named "TradeType")  Valid values: A - Agency G - VWAP Guarantee J - Guaranteed Close	BidTrdTyp

R - Risk Trade				
419	BasisPxType	char	Code to represent the basis price type.  Valid values: 2 - Closing price at <del>morning</del> morning session 3 - Closing price 4 - Current price 5 - SQ 6 - VWAP through a day 7 - VWAP through a morning session 8 - VWAP through an afternoon session 9 - VWAP through a day except "YORI" (an opening auction) A - VWAP through a morning session except "YORI" (an opening auction) B - VWAP through an afternoon session except "YORI" (an opening auction) C - Strike D - Open Z - Others	BasisPxTyp
420	NoBidComponents	NumInGroup	Indicates the number of list entries.	
421	Country	Country	ISO Country Code in field	Ctry
422	TotNoStrikes	int	Total number of strike price entries across all messages. Should be the sum of all NoStrikes (428) in each message that has repeating strike price entries related to the same ListID (66). Used to support fragmentation.	TotNoStrks
423	PriceType	int	Code to represent the price type. (For Financing transactions PriceType implies the "repo type" - Fixed or Floating - 9 (Yield) or 6 (Spread) respectively - and Price (44) gives the corresponding "repo rate". See Volume : "Glossary" for further value definitions)  Valid values: 1 - Percentage (i.e. percent of par) (often called	PxTyp

			<p>"dollar price" for fixed income)</p> <p>2 - Per unit (i.e. per share or contract)</p> <p>3 - Fixed amount (absolute value)</p> <p>4 - Discount - percentage points below par</p> <p>5 - Premium - percentage points over par</p> <p>6 - Spread (basis points spread)</p> <p>7 - TED Price</p> <p>8 - TED Yield</p> <p>9 - Yield</p> <p>10 - Fixed cabinet trade price (primarily for listed futures and options)</p> <p>11 - Variable cabinet trade price (primarily for listed futures and options)</p> <p>13 - Product ticks in halves</p> <p>14 - Product ticks in fourths</p> <p>15 - Product ticks in eights</p> <p>16 - Product ticks in sixteenths</p> <p>17 - Product ticks in thirty-seconds</p> <p>18 - Product ticks in sixty-fourths</p> <p>19 - Product ticks in one-twenty-eighths</p>	
424	DayOrderQty	Qty	For GT orders, the OrderQty (38) less all quantity (adjusted for stock splits) that traded on previous days. DayOrderQty (424) = OrderQty - (CumQty (14) - DayCumQty (425))	DayOrdQty
425	DayCumQty	Qty	Quantity on a GT order that has traded today.	DayCumQty
426	DayAvgPx	Price	The average price for quantity on a GT order that has traded today.	DayAvgPx
427	GTBookingInst	int	<p>Code to identify whether to book out executions on a part-filled GT order on the day of execution or to accumulate.</p> <p>Valid values:</p> <p>0 - Book out all trades on day of execution</p> <p>1 - Accumulate executions until order is filled or expires</p> <p>2 - Accumulate until verbally notified otherwise</p>	GTBkngInst

428	NoStrikes	NumInGroup	Number of list strike price entries.	
429	ListStatusType	int	Code to represent the status type. Valid values: 1 - Ack 2 - Response 3 - Timed 4 - Exec Started 5 - All Done 6 - Alert	ListStatTyp
430	NetGrossInd	int	Code to represent whether value is net (inclusive of tax) or gross. Valid values: 1 - Net 2 - Gross	NetGrossInd
431	ListOrderStatus	int	Code to represent the status of a list order. Valid values: 1 - In bidding process 2 - Received for execution 3 - Executing 4 - Cancelling 5 - Alert 6 - All Done 7 - Reject	ListOrdStat
432	ExpireDate	LocalMktDate	Date of order expiration (last day the order can trade), always expressed in terms of the local market date. The time at which the order expires is determined by the local market's business practices	ExpireDt
433	ListExecInstType	char	Identifies the type of ListExecInst (69). Valid values: 1 - Immediate 2 - Wait for Execut Instruction (i.e. a List Execut message or phone call before proceeding with	ListExecInstTyp

			<p>execution of the list)</p> <p>3 - Exchange/switch CIV order - Sell driven</p> <p>4 - Exchange/switch CIV order - Buy driven, cash top-up (i.e. additional cash will be provided to fulfill the order)</p> <p>5 - Exchange/switch CIV order - Buy driven, cash withdraw (i.e. additional cash will not be provided to fulfill the order)</p>	
434	CxlRejResponseTo	char	<p>Identifies the type of request that a Cancel Reject is in response to.</p> <p>Valid values:</p> <p>1 - Order cancel request</p> <p>2 - Order cancel/replace request</p>	CxlRejRspTo
435	UnderlyingCouponRate	Percentage	<p>Underlying security's CouponRate.</p> <p>See CouponRate (223) field for description</p>	CpnRt
436	UnderlyingContractMultiplier	float	<p>Underlying security's ContractMultiplier.</p> <p>See ContractMultiplier (231) field for description</p>	Mult
437	ContraTradeQty	Qty	Quantity traded with the ContraBroker (375).	<p>CntraTrdQty</p> <p>TrdQty in SingleGeneralOrderHandling category messages</p>
438	ContraTradeTime	UTCTimeStamp	<p>Identifies the time of the trade with the ContraBroker (375). (always expressed in UTC (Universal Time Coordinated, also known as "GMT"))</p>	<p>CntraTrdTm</p> <p>TrdTm in SingleGeneralOrderHandling category messages</p>
<del>439</del>	<del>ClearingFirm</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Firm that will clear the trade. Used if different from the executing firm.</del>	
<del>440</del>	<del>ClearingAccount</del>	<del>String</del>	<del>Deprecated in FIX.4.2 Supplemental accounting information forwarded to clearing house/firm.</del>	
441	LiquidityNumSecurities	int	Number of Securities between LiquidityPctLow (402) and LiquidityPctHigh (403) in Currency.	LqdyNumSecurities
442	MultiLegReportingType	char	Used to indicate what an Execution Report represents (e.g. used with multi-leg securities, such as option strategies, spreads, etc.).	MLegRptTyp

			Valid values: 1 - Single security (default if not specified) 2 - Individual leg of a multi-leg security 3 - Multi-leg security	
443	StrikeTime	UTCTime stamp	The time at which current market prices are used to determine the value of a basket.	StrkTm
444	ListStatusText	String	Free format text string related to List Status.	ListStatText
445	EncodedListStatusTextLen	Length	Byte length of encoded (non-ASCII characters) EncodedListStatusText (446) field.	EncListStatTextLen
446	EncodedListStatusText	data	Encoded (non-ASCII characters) representation of the ListStatusText (444) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the ListStatusText field.	EncListStatText
447	PartyIDSource	char	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. Note: applicable values depend upon PartyRole (452) specified. See "Appendix 6-G - Use of <Parties> Component Block"  Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant identifier (e.g. NASD mnemonic) D - Proprietary / Custom code E - ISO Country Code F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values) G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C") H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number) For PartyRole = "InvestorID" and for CIV	Src

			6 - UK National Insurance or Pension Number 7 - US Social Security Number 8 - US Employer or Tax ID Number 9 - Australian Business Number A - Australian Tax File Number For PartyRole = "InvestorID" and for Equities 1 - Korean Investor ID 2 - Taiwanese Qualified Foreign Investor ID QFII/FID 3 - Taiwanese Trading Acct 4 - Malaysian Central Depository (MCD) number 5 - Chinese Investor ID For PartyRole="Broker of Credit" I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document	
448	PartyID	String	Party identifier/code. See PartyIDSource (447) and PartyRole (452). See "Appendix 6-G - Use of <Parties> Component Block"	ID
449	<del>TotalVolumeTradedDate</del>	<del>UTCDate Only</del>	<del>Deprecated in FIX.4.3 Date of TotalVolumeTraded (387). (prior to FIX 4.4 field was of type UTCDate)</del>	
450	<del>TotalVolumeTradedTime</del>	<del>UTCTime Only</del>	<del>Deprecated in FIX.4.3 Time of TotalVolumeTraded (387).</del>	
451	NetChgPrevDay	PriceOffset	Net change from previous day's closing price vs. last traded price.	NetChgPrevDay
452	PartyRole	int	Identifies the type or role of the PartyID (448) specified. See "Appendix 6-G - Use of <Parties> Component Block" (see Volume : "Glossary" for value definitions) Valid values: 82 - Central Registration Depository (CRD) 83 - Clearing Account 84 - Acceptable Settling Counterparty	R

			85 - Unacceptable Settling Counterparty 1 - Executing Firm (formerly FIX 4.2 ExecBroker) 2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit) 3 - Client ID (formerly FIX 4.2 ClientID) 4 - Clearing Firm (formerly FIX 4.2 ClearingFirm) 5 - Investor ID 6 - Introducing Firm 7 - Entering Firm 8 - Locate / Lending Firm (for short-sales) 9 - Fund Manager Client ID (for CIV) 10 - Settlement Location (formerly FIX 4.2 SettLocation) 11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order) 12 - Executing Trader (associated with Executing Firm - actually executes) 13 - Order Origination Firm (e.g. buy-side firm) 14 - Giveup Clearing Firm (firm to which trade is given up) 15 - Correspondant Clearing Firm 16 - Executing System 17 - Contra Firm 18 - Contra Clearing Firm 19 - Sponsoring Firm 20 - Underlying Contra Firm 21 - Clearing Organization 22 - Exchange 24 - Customer Account 25 - Correspondent Clearing Organization 26 - Correspondent Broker 27 - Buyer/Seller (Receiver/Deliverer) 28 - Custodian 29 - Intermediary 30 - Agent 31 - Sub-custodian 32 - Beneficiary 33 - Interested party	
--	--	--	---	--

			<ul style="list-style-type: none"><li>34 - Regulatory body</li><li>35 - Liquidity provider</li><li>36 - Entering trader</li><li>37 - Contra trader</li><li>38 - Position account</li><li>39 - Contra Investor ID</li><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li><li>50 - Pledgor Account</li><li>51 - Pledgee Account</li><li>52 - Large Trader Reportable Account</li><li>53 - Trader mnemonic</li><li>54 - Sender Location</li><li>55 - Session ID</li><li>56 - Acceptable Counterparty</li><li>57 - Unacceptable Counterparty</li><li>58 - Entering Unit</li><li>59 - Executing Unit</li><li>60 - Introducing Broker</li><li>61 - Quote originator</li><li>62 - Report originator</li><li>63 - Systematic internaliser (SI)</li><li>64 - Multilateral Trading Facility (MTF)</li><li>65 - Regulated Market (RM)</li><li>66 - Market Maker</li><li>67 - Investment Firm</li><li>68 - Host Competent Authority (Host CA)</li><li>69 - Home Competent Authority (Home CA)</li><li>70 - Competent Authority of the most relevant market in terms of liquidity (CAL)</li><li>71 - Competent Authority of the Transaction</li></ul>	
--	--	--	--	--

			(Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue 74 - Market data entry originator 75 - Location ID 76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services 80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
453	NoPartyIDs	NumInGroup	Number of PartyID (448), PartyIDSource (447), and PartyRole (452) entries	
454	NoSecurityAltID	NumInGroup	Number of SecurityAltID (455) entries.	
455	SecurityAltID	String	Alternate Security identifier value for this security of SecurityAltIDSource (456) type (e.g. CUSIP, SEDOL, ISIN, etc). Requires SecurityAltIDSource.	AltID
456	SecurityAltIDSource	String	Identifies class or source of the SecurityAltID (455) value. Required if SecurityAltID is specified. Valid values: Same valid values as the SecurityIDSource (22) field  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol	AltIDSrc

			<p>B - Wertpapier  C - Dutch  D - Valoren  E - Sicovam  F - Belgian  G - "Common" (Clearstream and Euroclear)  H - Clearing House / Clearing Organization  I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc)  J - Option Price Reporting Authority  K - ISDA/FpML Product URL (URL in SecurityID)  L - Letter of Credit  M - Marketplace-assigned Identifier</p>	
457	NoUnderlyingSecurityAltID	NumInGroup	Number of UnderlyingSecurityAltID (458) entries.	
458	UnderlyingSecurityAltID	String	Alternate Security identifier value for this underlying security of UnderlyingSecurityAltIDSource (459) type (e.g. CUSIP, SEDOL, ISIN, etc). Requires UnderlyingSecurityAltIDSource.	AltID
459	UnderlyingSecurityAltIDSource	String	<p>Identifies class or source of the UnderlyingSecurityAltID (458) value. Required if UnderlyingSecurityAltID is specified.  Valid values:  Same valid values as the SecurityIDSource (22) field</p> <p>Valid values:  1 - CUSIP  2 - SEDOL  3 - QUIK  4 - ISIN number  5 - RIC code  6 - ISO Currency Code  7 - ISO Country Code  8 - Exchange Symbol  9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format)</p>	AltIDSrc

			<ul style="list-style-type: none"> <li>A - Bloomberg Symbol</li> <li>B - Wertpapier</li> <li>C - Dutch</li> <li>D - Valoren</li> <li>E - Sicovam</li> <li>F - Belgian</li> <li>G - "Common" (Clearstream and Euroclear)</li> <li>H - Clearing House / Clearing Organization</li> <li>I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc)</li> <li>J - Option Price Reporting Authority</li> <li>K - ISDA/FpML Product URL (URL in SecurityID)</li> <li>L - Letter of Credit</li> <li>M - Marketplace-assigned Identifier</li> </ul>	
460	Product	int	<p>Indicates the type of product the security is associated with. See also the CFICode (461) and SecurityType (167) fields.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - AGENCY</li> <li>2 - COMMODITY</li> <li>3 - CORPORATE</li> <li>4 - CURRENCY</li> <li>5 - EQUITY</li> <li>6 - GOVERNMENT</li> <li>7 - INDEX</li> <li>8 - LOAN</li> <li>9 - MONEYMARKET</li> <li>10 - MORTGAGE</li> <li>11 - MUNICIPAL</li> <li>12 - OTHER</li> <li>13 - FINANCING</li> </ul>	Prod
461	CFICode	String	<p>Indicates the type of security using ISO 10962 standard, Classification of Financial Instruments (CFI code) values. ISO 10962 is maintained by ANNA (Association of National Numbering Agencies) acting as Registration Authority. See "Appendix 6-B FIX</p>	CFI

			Fields Based Upon Other Standards". See also the Product (460) and SecurityType (167) fields. It is recommended that CFICode be used instead of SecurityType (167) for non-Fixed Income instruments. A subset of possible values applicable to FIX usage are identified in "Appendix 6-D CFICode Usage - ISO 10962 Classification of Financial Instruments (CFI code)"	
462	UnderlyingProduct	int	Underlying security's Product. Valid values: see Product(460) field  Valid values: 1 - AGENCY 2 - COMMODITY 3 - CORPORATE 4 - CURRENCY 5 - EQUITY 6 - GOVERNMENT 7 - INDEX 8 - LOAN 9 - MONEYMARTKET 10 - MORTGAGE 11 - MUNICIPAL 12 - OTHER 13 - FINANCING	Prod
463	UnderlyingCFICode	String	Underlying security's CFICode. Valid values: see CFICode (461) field	CFI
464	TestMessageIndicator	Boolean	Indicates whether or not this FIX Session is a "test" vs. "production" connection. Useful for preventing "accidents".  Valid values: N - Fales (Production) Y - True (Test)	
<del>465</del>	<del>QuantityType</del>	<del>int</del>	<del>Deprecated in FIX.4.4 Designates the type of quantities (e.g. OrderQty) specified. Used for MBS and TIPS Fixed Income security types.</del>	<del>QtyTypDeprecated</del>

			<p>Valid values:</p> <ul style="list-style-type: none"> <li><del>1 - SHARES</del></li> <li><del>2 - BONDS</del></li> <li><del>3 - CURRENTFACE</del></li> <li><del>4 - ORIGINALFACE</del></li> <li><del>5 - CURRENCY</del></li> <li><del>6 - CONTRACTS</del></li> <li><del>7 - OTHER</del></li> <li><del>8 - PAR</del></li> </ul>	
466	BookingRefID	String	Common reference passed to a post-trade booking process (e.g. industry matching utility).	BkngRefID
467	IndividualAllocID	String	Unique identifier for a specific NoAllocs (78) repeating group instance (e.g. for an AllocAccount).	IndAllocID
468	RoundingDirection	char	<p>Specifies which direction to round For CIV - indicates whether or not the quantity of shares/units is to be rounded and in which direction where CashOrdQty (152) or (for CIV only) OrderPercent (516) are specified on an order.</p> <p>The default is for rounding to be at the discretion of the executing broker or fund manager.</p> <p>e.g. for an order specifying CashOrdQty or OrderPercent if the calculated number of shares/units was 325.76 and RoundingModulus (469) was 0 - "round down" would give 320 units, 1 - "round up" would give 330 units and "round to nearest" would give 320 units.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Round to nearest</li> <li>1 - Round down</li> <li>2 - Round up</li> </ul>	RndDir
469	RoundingModulus	float	<p>For CIV - a float value indicating the value to which rounding is required.</p> <p>i.e. 0 means round to a multiple of 0 units/shares; 0.5 means round to a multiple of 0.5 units/shares.</p> <p>The default, if RoundingDirection (468) is specified</p>	RndMod

			without RoundingModulus, is to round to a whole unit/share.	
470	CountryOfIssue	Country	ISO Country code of instrument issue (e.g. the country portion typically used in ISIN). Can be used in conjunction with non-ISIN SecurityID (48) (e.g. CUSIP for Municipal Bonds without ISIN) to provide uniqueness.	IssuCtry
471	StateOrProvinceOfIssue	String	A two-character state or province abbreviation.	StPrv
472	LocaleOfIssue	String	Identifies the locale. For Municipal Security Issuers other than state or province. Refer to <a href="http://www.atmos.albany.edu/cgi/stagrep.cgi">http://www.atmos.albany.edu/cgi/stagrep.cgi</a> Reference the IATA city codes for values. Note IATA (International Air Transport Association) maintains the codes at <a href="http://www.iata.org">www.iata.org</a> .	Lcl
473	NoRegistDtls	NumInGroup	The number of registration details on a Registration Instructions message	
474	MailingDtls	String	Set of Correspondence address details, possibly including phone, fax, etc.	MailingDtls
475	InvestorCountryOfResidence	Country	The ISO 366 Country code (2 character) identifying which country the beneficial investor is resident for tax purposes.	InvestorCtryOfResidence
476	PaymentRef	String	"Settlement Payment Reference" - A free format Payment reference to assist with reconciliation, e.g. a Client and/or Order ID number.	PmtRef
477	DistribPaymentMethod	int	A code identifying the payment method for a (fractional) distribution. 13 through 998 are reserved for future use Values above 1000 are available for use by private agreement among counterparties  Valid values: 1 - CREST 2 - NSCC 3 - Euroclear	DistribPmtMethod

			4 - Clearstream 5 - Cheque 6 - Telegraphic Transfer 7 - Fed Wire 8 - Direct Credit (BECS, BACS) 9 - ACH Credit 10 - BPAY 11 - High Value Clearing System HVACS 12 - Reinvest In Fund  or any value conforming to the data type Reserved100Plus	
478	CashDistribCurr	Currency	Specifies currency to be used for Cash Distributions see "Appendix 6-A Valid Currency Codes".	CshDistribCurr
479	CommCurrency	Currency	Specifies currency to be use for Commission (12) if the Commission currency is different from the Deal Currency - see "Appendix 6-A; Valid Currency Codes".	Ccy
480	CancellationRights	char	For CIV - A one character code identifying whether Cancellation rights/Cooling off period applies.  Valid values: Y - Yes N - No - Execution Only M - No - Waiver agreement O - No - Institutional	CxllationRights
481	MoneyLaunderingStat us	char	A one character code identifying Money laundering status.  Valid values: Y - Passed N - Not Checked 1 - Exempt - Below the Limit 2 - Exempt - Client Money Type exemption 3 - Exempt - Authorised Credit or financial institution	MnyLaunderingStat
482	MailingInst	String	Free format text to specify mailing instruction	MailingInst

			requirements, e.g. "no third party mailings".	
483	TransBkdTime	UTCTime stamp	For CIV A date and time stamp to indicate the time a CIV order was booked by the fund manager. For derivatives a date and time stamp to indicate when this order was booked with the agent prior to submission to the VMU. Indicates the time at which the order was finalized between the buyer and seller prior to submission.	TransBkdTm
484	ExecPriceType	char	For CIV - Identifies how the execution price LastPx (31) was calculated from the fund unit/share price(s) calculated at the fund valuation point.  Valid values: B - Bid price C - Creation price D - Creation price plus adjustment percent E - Creation price plus adjustment amount O - Offer price P - Offer price minus adjustment percent Q - Offer price minus adjustment amount S - Single price	ExecPxTyp
485	ExecPriceAdjustment	float	For CIV the amount or percentage by which the fund unit/share price was adjusted, as indicated by ExecPriceType (484)	ExecPxAdjment
486	DateOfBirth	LocalMkt Date	The date of birth applicable to the individual, e.g. required to open some types of tax-exempt account.	DtOfBirth
487	TradeReportTransType	int	Identifies Trade Report message transaction type (Prior to FIX 4.4 this field was of type char)  Valid values: 0 - New 1 - Cancel 2 - Replace 3 - Release 4 - Reverse 5 - Cancel Due To Back Out of Trade	TransTyp

488	CardHolderName	String	The name of the payment card holder as specified on the card being used for payment.	CardHolderName
489	CardNumber	String	The number of the payment card as specified on the card being used for payment.	CardNum
490	CardExpDate	LocalMkt Date	The expiry date of the payment card as specified on the card being used for payment.	CardExpDt
491	CardIssNum	String	The issue number of the payment card as specified on the card being used for payment. This is only applicable to certain types of card.	CardIssNum
492	PaymentMethod	int	<p>A code identifying the Settlement payment method. 16 through 998 are reserved for future use Values above 1000 are available for use by private agreement among counterparties</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - CREST</li> <li>2 - NSCC</li> <li>3 - Euroclear</li> <li>4 - Clearstream</li> <li>5 - Cheque</li> <li>6 - Telegraphic Transfer</li> <li>7 - Fed Wire</li> <li>8 - Debit Card</li> <li>9 - Direct Debit (BECS)</li> <li>10 - Direct Credit (BECS)</li> <li>11 - Credit Card</li> <li>12 - ACH Debit</li> <li>13 - ACH Credit</li> <li>14 - BPAY</li> <li>15 - High Value Clearing System (HVACS)</li> </ul> <p>or any value conforming to the data type Reserved1000Plus</p>	PmtMethod
493	RegistAcctType	String	For CIV - a fund manager-defined code identifying which of the fund manager's account types is required.	AcctTyp

				AcctTyp in RegistrationInstruction category messages
494	Designation	String	Free format text defining the designation to be associated with a holding on the register. Used to identify assets of a specific underlying investor using a common registration, e.g. a broker's nominee or street name.	Designation
495	TaxAdvantageType	int	<p>For CIV - a code identifying the type of tax exempt account in which purchased shares/units are to be held. 30 - 998 are reserved for future use by recognized taxation authorities 999=Other values above 1000 are available for use by private agreement among counterparties</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - None/Not Applicable (default)</li> <li>1 - Maxi ISA (UK)</li> <li>2 - TESSA (UK)</li> <li>3 - Mini Cash ISA (UK)</li> <li>4 - Mini Stocks And Shares ISA (UK)</li> <li>5 - Mini Insurance ISA (UK)</li> <li>6 - Current Year Payment (US)</li> <li>7 - Prior Year Payment (US)</li> <li>8 - Asset Transfer (US)</li> <li>9 - Employee - prior year (US)</li> <li>10 - Employee - current year (US)</li> <li>11 - Employer - prior year (US)</li> <li>12 - Employer - current year (US)</li> <li>13 - Non-fund prototype IRA (US)</li> <li>14 - Non-fund qualified plan (US)</li> <li>15 - Defined contribution plan (US)</li> <li>16 - Individual Retirement Account (US)</li> <li>17 - Individual Retirement Account - Rollover (US)</li> <li>18 - KEOGH (US)</li> <li>19 - Profit Sharing Plan (US)</li> </ul>	TaxAdvantageTyp

			20 - 401(k) (US) 21 - Self-directed IRA (US) 22 - 403(b) (US) 23 - 457 (US) 24 - Roth IRA (Fund Prototype) (US) 25 - Roth IRA (Non-prototype) (US) 26 - Roth Conversion IRA (Fund Prototype) (US) 27 - Roth Conversion IRA (Non-prototype) (US) 28 - Education IRA (Fund Prototype) (US) 29 - Education IRA (Non-prototype) (US) 999 - Other  or any value conforming to the data type Reserved1000Plus	
496	RegistRejReasonText	String	Text indicating reason(s) why a Registration Instruction has been rejected.	RejRsnTxt  Dtls in RegistrationInstruction category messages
497	FundRenewWaiv	char	A one character code identifying whether the Fund based renewal commission is to be waived.  Valid values: N - No Y - Yes	FundRenewWaiv
498	CashDistribAgentName	String	Name of local agent bank if for cash distributions	CshDistribAgentName
499	CashDistribAgentCode	String	BIC (Bank Identification Code--Swift managed) code of agent bank for cash distributions	CshDistribAgentCode
500	CashDistribAgentAcctNumber	String	Account number at agent bank for distributions.	CshDistribAgentAcctNum
501	CashDistribPayRef	String	Free format Payment reference to assist with reconciliation of distributions.	CshDistribPayRef
502	CashDistribAgentAcctName	String	Name of account at agent bank for distributions.	CshDistribAgentAcctName
503	CardStartDate	LocalMkt	The start date of the card as specified on the card being	CardStartDt

		Date	used for payment.	
504	PaymentDate	LocalMkt Date	The date written on a cheque or date payment should be submitted to the relevant clearing system.	PmtDt
505	PaymentRemitterID	String	Identifies sender of a payment, e.g. the payment remitter or a customer reference number.	PmtRemtrID
506	RegistStatus	char	Registration status as returned by the broker or (for CIV) the fund manager:  Valid values: A - Accepted R - Rejected H - Held N - Reminder - i.e. Registration Instructions are still outstanding	RegStat
507	RegistRejReasonCode	int	Reason(s) why Registration Instructions has been rejected. The reason may be further amplified in the RegistRejReasonCode field. Possible values of reason code include:  Valid values: 1 - Invalid/unacceptable Account Type 2 - Invalid/unacceptable Tax Exempt Type 3 - Invalid/unacceptable Ownership Type 4 - Invalid/unacceptable No Reg Details 5 - Invalid/unacceptable Reg Seq No 6 - Invalid/unacceptable Reg Details 7 - Invalid/unacceptable Mailing Details 8 - Invalid/unacceptable Mailing Instructions 9 - Invalid/unacceptable Investor ID 10 - Invalid/unacceptable Investor ID Source 11 - Invalid/unacceptable Date Of Birth 12 - Invalid/unacceptable Investor Country Of Residence 13 - Invalid/unacceptable No Distrib Instns 14 - Invalid/unacceptable Distrib Percentage 15 - Invalid/unacceptable Distrib Payment Method	RejRsnCd  RejRsnCd in RegistrationInstruction category messages

			16 - Invalid/unacceptable Cash Distrib Agent Acct Name 17 - Invalid/unacceptable Cash Distrib Agent Code 18 - Invalid/unacceptable Cash Distrib Agent Acct Num 99 - Other  or any value conforming to the data type Reserved100Plus	
508	RegistRefID	String	Reference identifier for the RegistID (53) with Cancel and Replace RegistTransType (54) transaction types.	RefID RefID in RegistrationInstruction category messages
509	RegistDtls	String	Set of Registration name and address details, possibly including phone, fax etc.	Dtls RejRsnTxt in RegistrationInstruction category messages
510	NoDistribInsts	NumInGroup	The number of Distribution Instructions on a Registration Instructions message	
511	RegistEmail	String	Email address relating to Registration name and address details	Email Email in RegistrationInstruction category messages
512	DistribPercentage	Percentage	The amount of each distribution to go to this beneficiary, expressed as a percentage	DistribPctage
513	RegistID	String	Unique identifier of the registration details as assigned by institution or intermediary.	RegistID ID in RegistrationInstruction category messages
514	RegistTransType	char	Identifies Registration Instructions transaction type  Valid values: 0 - New 2 - Cancel 1 - Replace	TransTyp
515	ExecValuationPoint	UTCTime stamp	For CIV - a date and time stamp to indicate the fund valuation point with respect to which a order was priced by the fund manager.	ExecValuationPoint

516	OrderPercent	Percentage	For CIV specifies the approximate order quantity desired. For a CIV Sale it specifies percentage of investor's total holding to be sold. For a CIV switch/exchange it specifies percentage of investor's cash realised from sales to be re-invested. The executing broker, intermediary or fund manager is responsible for converting and calculating OrderQty (38) in shares/units for subsequent messages.	Pct
517	OwnershipType	char	The relationship between Registration parties. Valid values: J - Joint Investors T - Tenants in Common 2 - Joint Trustees	OwnershipTyp
518	NoContAmts	NumInGroup	The number of Contract Amount details on an Execution Report message	
519	ContAmtType	int	Type of ContAmtValue (520). NOTE That Commission Amount / % in Contract Amounts is the commission actually charged, rather than the commission instructions given in Fields 2/3. <del>For UK valid values include:</del> Valid values: 1 - Commission amount (actual) 2 - Commission percent (actual) 3 - Initial Charge Amount 4 - Initial Charge Percent 5 - Discount Amount 6 - Discount Percent 7 - Dilution Levy Amount 8 - Dilution Levy Percent 9 - Exit Charge Amount 10 - Exit Charge Percent 11 - Fund-Based Renewal Commission Percent (a.k.a. Trail commission) 12 - Projected Fund Value (i.e. for investments intended to realise or exceed a specific future value)	ContAmtTyp

			13 - Fund-Based Renewal Commission Amount (based on Order value) 14 - Fund-Based Renewal Commission Amount (based on Projected Fund value) 15 - Net Settlement Amount	
520	ContAmtValue	float	Value of Contract Amount, e.g. a financial amount or percentage as indicated by ContAmtType (519).	ContAmtValu
521	ContAmtCurr	Currency	Specifies currency for the Contract amount if different from the Deal Currency - see "Appendix 6-A; Valid Currency Codes".	ContAmtCurr
522	OwnerType	int	Identifies the type of owner.  Valid values: 1 - Individual Investor 2 - Public Company 3 - Private Company 4 - Individual Trustee 5 - Company Trustee 6 - Pension Plan 7 - Custodian Under Gifts to Minors Act 8 - Trusts 9 - Fiduciaries 10 - Networking Sub-account 11 - Non-profit organization 12 - Corporate Body 13 - Nominee	OwnerTyp
523	PartySubID	String	Sub-identifier (e.g. Clearing Account for PartyRole (452)=Clearing Firm, Locate ID # for PartyRole=Locate/Lending Firm, etc). Not required when using PartyID (448), PartyIDSource (447), and PartyRole.	ID
524	NestedPartyID	String	PartyID value within a nested repeating group. Same values as PartyID (448)	ID
525	NestedPartyIDSource	char	PartyIDSource value within a nested repeating group. Same values as PartyIDSource (447)	Src

			<p>Valid values:  For all PartyRoles  B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B")  C - Generally accepted market participant identifier (e.g. NASD mnemonic)  D - Proprietary / Custom code  E - ISO Country Code  F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)  G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C")  H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)  For PartyRole = "InvestorID" and for CIV  6 - UK National Insurance or Pension Number  7 - US Social Security Number  8 - US Employer or Tax ID Number  9 - Australian Business Number  A - Australian Tax File Number  For PartyRole = "InvestorID" and for Equities  1 - Korean Investor ID  2 - Taiwanese Qualified Foreign Investor ID  QFII/FID  3 - Taiwanese Trading Acct  4 - Malaysian Central Depository (MCD) number  5 - Chinese Investor ID  For PartyRole="Broker of Credit"  I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	
526	SecondaryClOrdID	String	Assigned by the party which originates the order. Can be used to provide the ClOrdID (11) used by an exchange or executing system.	ClOrdID2 ID2 in SingleGeneralOrderHandling category messages
527	SecondaryExecID	String	Assigned by the party which accepts the order. Can be	ExecID2

			used to provide the ExecID (17) used by an exchange or executing system.	
528	OrderCapacity	char	<p>Designates the capacity of the firm placing the order. (as of FIX 4.3, this field replaced Rule80A (tag 47) -- used in conjunction with OrderRestrictions (529) field) (see Volume : "Glossary" for value definitions)</p> <p>Valid values:  A - Agency  G - Proprietary  I - Individual  P - Principal (Note for CMS purposes, "Principal" includes "Proprietary")  R - Riskless Principal  W - Agent for Other Member</p>	Cpcty
529	OrderRestrictions	MultipleCharacterValue	<p>Restrictions associated with an order. If more than one restriction is applicable to an order, this field can contain multiple instructions separated by space.</p> <p>Valid values:  F - Cross  1 - Program Trade  2 - Index Arbitrage  3 - Non-Index Arbitrage  4 - Competing Market Maker  5 - Acting as Market Maker or Specialist in the security  6 - Acting as Market Maker or Specialist in the underlying security of a derivative security  7 - Foreign Entity (of foreign government or regulatory jurisdiction)  8 - External Market Participant  9 - External Inter-connected Market Linkage  A - Riskless Arbitrage  B - Issuer Holding  C - Issue Price Stabilization  D - Non-algorithmic  E - Algorithmic</p>	Rstctions

530	MassCancelRequestType	char	<p>Specifies scope of Order Mass Cancel Request.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>B - Cancel for Security Issuer</li> <li>C - Cancel for Issuer of Underlying Security</li> <li>1 - Cancel orders for a security</li> <li>2 - Cancel orders for an underlying security</li> <li>3 - Cancel orders for a Product</li> <li>4 - Cancel orders for a CFICode</li> <li>5 - Cancel orders for a SecurityType</li> <li>6 - Cancel orders for a trading session</li> <li>7 - Cancel all orders</li> <li>8 - Cancel orders for a market</li> <li>9 - Cancel orders for a market segment</li> <li>A - Cancel orders for a security group</li> </ul>	<p>MassCxlReqTyp</p> <p>ReqTyp in OrderMassHandling category messages</p>
531	MassCancelResponse	char	<p>Specifies the action taken by counterparty order handling system as a result of the Order Mass Cancel Request</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>B - Cancel Orders for a Securities Issuer</li> <li>C - Cancel Orders for Issuer of Underlying Security</li> <li>0 - Cancel Request Rejected - See MassCancelRejectReason (532)</li> <li>1 - Cancel orders for a security</li> <li>2 - Cancel orders for an Underlying Security</li> <li>3 - Cancel orders for a Product</li> <li>4 - Cancel orders for a CFICode</li> <li>5 - Cancel orders for a SecurityType</li> <li>6 - Cancel orders for a trading session</li> <li>7 - Cancel All Orders</li> <li>8 - Cancel orders for a market</li> <li>9 - Cancel orders for a market segment</li> <li>A - Cancel orders for a security group</li> </ul>	<p>MassCxlRsp</p> <p>Rsp in OrderMassHandling category messages</p>
532	MassCancelRejectReason	int	<p>Reason Order Mass Cancel Request was rejected</p> <p>Valid values:</p>	<p>MassCxlRejRsn</p>

			10 - Invalid or unknown Security Issuer 11 - Invalid or unknown Issuer of Underlying Security 0 - Mass Cancel Not Supported 1 - Invalid or Unknown Security 2 - Invalid or Unknown Underlying security 3 - Invalid or Unknown Product 4 - Invalid or Unknown CFICode 5 - Invalid or Unknown SecurityType 6 - Invalid or Unknown Trading Session 7 - Invalid or unknown Market 8 - Invalid or unknown Market Segment 9 - Invalid or unknown Security Group 99 - Other  or any value conforming to the data type Reserved100Plus	
533	TotalAffectedOrders	int	Total number of orders affected by either the OrderMassActionRequest(MsgType=CA) or OrderMassCancelRequest(MsgType=Q).	TotAffctdOrds
534	NoAffectedOrders	NumInGroup	Number of affected orders in the repeating group of order ids.	NoAffctdOrds
535	AffectedOrderID	String	OrderID (37) of an order affected by a mass cancel request.	AffctdOrdID
536	AffectedSecondaryOrderID	String	SecondaryOrderID (198) of an order affected by a mass cancel request.	AffctdScndOrdID
537	QuoteType	int	Identifies the type of quote. An indicative quote is used to inform a counterparty of a market. An indicative quote does not result directly in a trade. A tradeable quote is submitted to a market and will result directly in a trade against other orders and quotes in a market. A restricted tradeable quote is submitted to a market and within a certain restriction (possibly based upon	Typ

			<p>price or quantity) will automatically trade against orders. Order that do not comply with restrictions are sent to the quote issuer who can choose to accept or decline the order.</p> <p>A counter quote is used in the negotiation model. See Volume 7 - Product: Fixed Income for example usage.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Indicative</li> <li>1 - Tradeable</li> <li>2 - Restricted Tradeable</li> <li>3 - Counter (tradeable)</li> </ul>	
538	NestedPartyRole	int	<p>PartyRole value within a nested repeating group. Same values as PartyRole (452)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>82 - Central Registration Depository (CRD)</li> <li>83 - Clearing Account</li> <li>84 - Acceptable Settling Counterparty</li> <li>85 - Unacceptable Settling Counterparty</li> <li>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</li> <li>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</li> <li>3 - Client ID (formerly FIX 4.2 ClientID)</li> <li>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</li> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> <li>12 - Executing Trader (associated with Executing Firm - actually executes)</li> <li>13 - Order Origination Firm (e.g. buy-side firm)</li> <li>14 - Giveup Clearing Firm (firm to which trade is</li> </ul>	R

			given up) 15 - Correspondant Clearing Firm 16 - Executing System 17 - Contra Firm 18 - Contra Clearing Firm 19 - Sponsoring Firm 20 - Underlying Contra Firm 21 - Clearing Organization 22 - Exchange 24 - Customer Account 25 - Correspondent Clearing Organization 26 - Correspondent Broker 27 - Buyer/Seller (Receiver/Deliverer) 28 - Custodian 29 - Intermediary 30 - Agent 31 - Sub-custodian 32 - Beneficiary 33 - Interested party 34 - Regulatory body 35 - Liquidity provider 36 - Entering trader 37 - Contra trader 38 - Position account 39 - Contra Investor ID 40 - Transfer to Firm 41 - Contra Position Account 42 - Contra Exchange 43 - Internal Carry Account 44 - Order Entry Operator ID 45 - Secondary Account Number 46 - Foreign Firm 47 - Third Party Allocation Firm 48 - Claiming Account 49 - Asset Manager 50 - Pledgor Account 51 - Pledgee Account 52 - Large Trader Reportable Account 53 - Trader mnemonic	
--	--	--	---	--

			54 - Sender Location 55 - Session ID 56 - Acceptable Counterparty 57 - Unacceptable Counterparty 58 - Entering Unit 59 - Executing Unit 60 - Introducing Broker 61 - Quote originator 62 - Report originator 63 - Systematic internaliser (SI) 64 - Multilateral Trading Facility (MTF) 65 - Regulated Market (RM) 66 - Market Maker 67 - Investment Firm 68 - Host Competent Authority (Host CA) 69 - Home Competent Authority (Home CA) 70 - Competent Authority of the most relevant market in terms of liquidity (CAL) 71 - Competent Authority of the Transaction (Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue 74 - Market data entry originator 75 - Location ID 76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services 80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
539	NoNestedPartyIDs	NumInGroup	Number of NestedPartyID (524), NestedPartyIDSource (525), and NestedPartyRole (538) entries	
540	TotalAccruedInterestAmt	Amt	Deprecated in FIX.4.4 Total Amount of Accrued Interest for convertible bonds and fixed income	TotAcrdIntAmt
541	MaturityDate	LocalMkt	Date of maturity.	MatDt

		Date		
542	UnderlyingMaturityDate	LocalMktDate	Underlying security's maturity date. See MaturityDate (541) field for description	Mat
543	InstrRegistry	String	Values may include BIC for the depository or custodian who maintain ownership records, the ISO country code for the location of the record, or the value "ZZ" to specify physical ownership of the security (e.g. stock certificate).	Rgstry
544	CashMargin	char	Identifies whether an order is a margin order or a non-margin order. This is primarily used when sending orders to Japanese exchanges to indicate sell margin or buy to cover. The same tag could be assigned also by buy-side to indicate the intent to sell or buy margin and the sell-side to accept or reject (base on some validation criteria) the margin request.  Valid values: 1 - Cash 2 - Margin Open 3 - Margin Close	CshMgn
545	NestedPartySubID	String	PartySubID value within a nested repeating group. Same values as PartySubID (523)	ID
546	Scope	MultipleCharacterValue	Specifies the market scope of the market data.  Valid values: 1 - Local Market (Exchange, ECN, ATS) 2 - National 3 - Global	Scope
547	MDImplicitDelete	Boolean	Defines how a server handles distribution of a truncated book. Defaults to broker option.  Valid values: N - Server must send an explicit delete for bids or offers falling outside the requested MarketDepth of the request Y - Client has responsibility for implicitly deleting bids or offers falling outside the MarketDepth of the	ImplctDel

			request	
548	CrossID	String	Identifier for a cross order. Must be unique during a given trading day. Recommend that firms use the order date as part of the CrossID for Good Till Cancel (GT) orders.	CrssID ID in CrossOrders category messages
549	CrossType	int	Type of cross being submitted to a market  Valid values: 1 - Cross AON - cross trade which is executed completely or not. Both sides are treated in the same manner. This is equivalent to an "All or None". 2 - Cross IOC - cross trade which is executed partially and the rest is cancelled. One side is fully executed, the other side is partially executed with the remainder being cancelled. This is equivalent to an IOC on the other side. Note: CrossPrioritization(550) field may be used to indicate which side should fully execute in this scenario. 3 - Cross One Side - cross trade which is partially executed with the unfilled portions remaining active. One side of the cross is fully executed (as denoted by the CrossPrioritization (550) field), but the unfilled portion remains active. 4 - Cross Same Price - cross trade is executed with existing orders with the same price. In this case other orders exist with the same price, the quantity of the Cross is executed against the existing orders and quotes, the remainder of the cross is executed against the other side of the cross. The two sides potentially have different quantities.	CrssTyp Typ in CrossOrders category messages
550	CrossPrioritization	int	Indicates if one side or the other of a cross order should be prioritized. The definition of prioritization is left to the market. In some markets prioritization means which side of the cross order is applied to the market first. In other markets - prioritization may mean that the prioritized side is fully executed (sometimes referred to as the side	CrssPriortstn Priority in CrossOrders category messages

			being protected). Valid values: 0 - None 1 - Buy side is prioritized 2 - Sell side is prioritized	
551	OrigCrossID	String	CrossID of the previous cross order (NOT the initial cross order of the day) as assigned by the institution, used to identify the previous cross order in Cross Cancel and Cross Cancel/Replace Requests.	OrigCrssID OrigID in CrossOrders category messages
552	NoSides	NumInGroup	Number of Side repeating group instances. Valid values: 1 - One Side 2 - Both Sides	
553	Username	String	Userid or username.	Username
554	Password	String	Password or passphrase.	Password
555	NoLegs	NumInGroup	Number of InstrumentLeg repeating group instances.	
556	LegCurrency	Currency	Currency associated with a particular Leg's quantity	Ccy
557	TotNoSecurityTypes	int	Used to support fragmentation. Indicates total number of security types when multiple Security Type messages are used to return results.	TotNoSecTypes
558	NoSecurityTypes	NumInGroup	Number of Security Type repeating group instances.	
559	SecurityListRequestType	int	Identifies the type/criteria of Security List Request Valid values: 0 - Symbol 1 - SecurityType and/or CFICode 2 - Product 3 - TradingSessionID 4 - All Securities 5 - MarketID or MarketID + MarketSegmentID	ListReqTyp

560	SecurityRequestResult	int	The results returned to a Security Request message  Valid values: 0 - Valid request 1 - Invalid or unsupported request 2 - No instruments found that match selection criteria 3 - Not authorized to retrieve instrument data 4 - Instrument data temporarily unavailable 5 - Request for instrument data not supported	ReqRslt
561	RoundLot	Qty	The trading lot size of a security	RndLot
562	MinTradeVol	Qty	The minimum trading volume for a security	MinTrdVol
563	MultiLegRptTypeReq	int	Indicates the method of execution reporting requested by issuer of the order.  Valid values: 0 - Report by multileg security only (do not report legs) 1 - Report by multileg security and by instrument legs belonging to the multileg security 2 - Report by instrument legs belonging to the multileg security only (do not report status of multileg security)	MLEGRptTypReq
564	LegPositionEffect	char	PositionEffect for leg of a multileg See PositionEffect (77) field for description  Valid values: C - Close F - FIFO O - Open R - Rolled N - Close but notify on open D - Default	PosEfct
565	LegCoveredOrUncovered	int	CoveredOrUncovered for leg of a multileg See CoveredOrUncovered (203) field for description  Valid values:	Cover

			0 - Covered 1 - Uncovered	
566	LegPrice	Price	Price for leg of a multileg See Price (44) field for description	Px
567	TradSesStatusRejReason	int	Indicates the reason a Trading Session Status Request was rejected.  Valid values: 1 - Unknown or invalid TradingSessionID 99 - Other  or any value conforming to the data type Reserved100Plus	StatRejRsn
568	TradeRequestID	String	Trade Capture Report Request ID	ReqID
569	TradeRequestType	int	Type of Trade Capture Report.  Valid values: 0 - All Trades 1 - Matched trades matching criteria provided on request (Parties, ExecID, TradeID, OrderID, Instrument, InputSource, etc.) 2 - Unmatched trades that match criteria 3 - Unreported trades that match criteria 4 - Advisories that match criteria	ReqTyp
570	PreviouslyReported	Boolean	Indicates if the trade capture report was previously reported to the counterparty  Valid values: N - Not reported to counterparty Y - Previously reported to counterparty	PrevlyRpted
571	TradeReportID	String	Unique identifier of trade capture report	RptID
572	TradeReportRefID	String	Reference identifier used with CANCEL and REPLACE transaction types.	RptRefID
573	MatchStatus	char	The status of this trade with respect to matching or comparison.	MtchStat

			<p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Compared, matched or affirmed</li> <li>1 - Uncompared, unmatched, or unaffirmed</li> <li>2 - Advisory or alert</li> </ul>	
574	MatchType	String	<p>The point in the matching process at which this trade was matched.</p> <p>Valid values:</p> <p>General Purpose</p> <ul style="list-style-type: none"> <li>1 - One-Party Trade Report (privately negotiated trade)</li> <li>2 - Two-Party Trade Report (privately negotiated trade)</li> <li>3 - Confirmed Trade Report (reporting from recognized markets)</li> <li>4 - Auto-match</li> <li>5 - Cross Auction</li> <li>6 - Counter-Order Selection</li> <li>7 - Call Auction</li> <li>8 - Issuing/Buy Back Auction</li> </ul> <p>NASDAQ</p> <ul style="list-style-type: none"> <li>M3 - ACT Accepted Trade</li> <li>M4 - ACT Default Trade</li> <li>M5 - ACT Default After M2</li> <li>M6 - ACT M6 Match</li> </ul> <p>NYSE and AMEX</p> <ul style="list-style-type: none"> <li>A1 - Exact match on Trade Date, Stock Symbol, Quantity, Price, Trade Type, and Special Trade Indicator plus four badges and execution time (within two-minute window)</li> <li>A2 - Exact match on Trade Date, Stock Symbol, Quantity, Price, Trade Type, and Special Trade Indicator, plus four badges</li> <li>A3 - Exact match on Trade Date, Stock Symbol, Quantity, Price, Trade Type, and Special Trade Indicator, plus two badges and execution time (within two-minute window)</li> <li>A4 - Exact match on Trade Date, Stock Symbol,</li> </ul>	MtchTyp

			<p>Quantity, Price, Trade Type, and Special Trade Indicator, plus two badges</p> <p>A5 - Exact match on Trade Date, Stock Symbol, Quantity, Price, TradeType, and Special Trade Indicator plus execution time (within two-minute window)</p> <p>AQ - Compared records resulting from stamped advisories or specialist accepts/pair-offs</p> <p>S1 - Summarized match using A1 exact match criteria except quantity is summarized</p> <p>S2 - Summarized match using A2 exact match criteria except quantity is summarized</p> <p>S3 - Summarized match using A3 exact match criteria except quantity is summarized</p> <p>S4 - Summarized match using A4 exact match criteria except quantity is summarized</p> <p>S5 - Summarized match using A5 exact match criteria except quantity is summarized</p> <p>NYSE, AMEX and NASDAQ</p> <p>M1 - Exact match on Trade Date, Stock Symbol, Quantity, Price, Trade Type, and Special Trade Indicator minus badges And times: ACT M1 match</p> <p>M2 - Summarized match minus badges and times: ACT M2 Match</p> <p>MT - OCS Locked In: Non-ACT</p>	
575	OddLot	Boolean	<p>Deprecated in FIX.5.0 This trade is to be treated as an odd lot</p> <p>If this field is not specified, the default will be "N"</p> <p>Valid values:</p> <p>N - Treat as round lot (default)</p> <p>Y - Treat as odd lot</p>	OddLot
576	NoClearingInstructions	NumInGroups	Number of clearing instructions	
577	ClearingInstruction	int	<p>Eligibility of this trade for clearing and central counterparty processing</p> <p>values above 4000 are reserved for agreement between</p>	ClrngInstrctn

			parties Valid values: 0 - Process normally 1 - Exclude from all netting 2 - Bilateral netting only 3 - Ex clearing 4 - Special trade 5 - Multilateral netting 6 - Clear against central counterparty 7 - Exclude from central counterparty 8 - Manual mode (pre-posting and/or pre-giveup) 9 - Automatic posting mode (trade posting to the position account number specified) 10 - Automatic give-up mode (trade give-up to the give-up destination number specified) 11 - Qualified Service Representative QSR 12 - Customer trade 13 - Self clearing	
578	TradeInputSource	String	Type of input device or system from which the trade was entered.	InptSrc
579	TradeInputDevice	String	Specific device number, terminal number or station where trade was entered	InptDev
580	NoDates	<del>int</del> NumIn Group	Number of Date fields provided in date range	NoDts
581	AccountType	int	Type of account associated with an order Valid values: 1 - Account is carried on customer side of the books 2 - Account is carried on non-customer side of books 3 - House Trader 4 - Floor Trader 6 - Account is carried on non-customer side of books and is cross margined 7 - Account is house trader and is cross margined	AcctTyp

8 - Joint back office account (JBO)				
582	CustOrderCapacity	int	Capacity of customer placing the order Primarily used by futures exchanges to indicate the CTICode (customer type indicator) as required by the US CFTC (Commodity Futures Trading Commission).  Valid values: 1 - Member trading for their own account 2 - Clearing Firm trading for its proprietary account 3 - Member trading for another member 4 - All other	CustCpcty
583	ClOrdLinkID	String	Permits order originators to tie together groups of orders in which trades resulting from orders are associated for a specific purpose, for example the calculation of average execution price for a customer or to associate lists submitted to a broker as waves of a larger program trade.	ClOrdLinkID  LnkID in SingleGeneralOrderHandling category messages
584	MassStatusReqID	String	Value assigned by issuer of Mass Status Request to uniquely identify the request	MassStatReqID  ReqID in OrderMassHandling category messages
585	MassStatusReqType	int	Mass Status Request Type  Valid values: 9 - Status for Security Issuer 10 - Status for Issuer of Underlying Security 1 - Status for orders for a Security 2 - Status for orders for an Underlying Security 3 - Status for orders for a Product 4 - Status for orders for a CFICode 5 - Status for orders for a SecurityType 6 - Status for orders for a trading session 7 - Status for all orders 8 - Status for orders for a PartyID  or any value conforming to the data type Reserved100Plus	MassStatReqTyp  <a href="#">ReqTyp in OrderMassHandling category messages</a>

586	OrigOrdModTime	UTCTime stamp	The most recent (or current) modification TransactTime (tag 60) reported on an Execution Report for the order. The OrigOrdModTime is provided as an optional field on Order Cancel Request and Order Cancel Replace Requests to identify that the state of the order has not changed since the request was issued. The use of this approach is not recommended.	OrigOrdModTm
587	LegSettlType	char	Refer to values for SettlType[63]  Valid values: 0 - Regular / FX Spot settlement (T+1 or T+2 depending on currency) 1 - Cash (TOD / T+0) 2 - Next Day (TOM / T+1) 3 - T+2 4 - T+3 5 - T+4 6 - Future 7 - When And If Issued 8 - Sellers Option 9 - T+5 B - Broken date - for FX expressing non-standard tenor, SettlDate (64) must be specified C - FX Spot Next settlement (Spot+1, aka next day)	SettlTyp
588	LegSettlDate	LocalMkt Date	Refer to description for SettlDate[64]	SettlDt
589	DayBookingInst	char	Indicates whether or not automatic booking can occur.  Valid values: 0 - Can trigger booking without reference to the order initiator ("auto") 1 - Speak with order initiator before booking ("speak first") 2 - Accumulate	DayBkngInst
590	BookingUnit	char	Indicates what constitutes a bookable unit.	BkngUnit

			Valid values: 0 - Each partial execution is a bookable unit 1 - Aggregate partial executions on this order, and book one trade per order 2 - Aggregate executions for this symbol, side, and settlement date	
591	PreallocMethod	char	Indicates the method of preallocation.  Valid values: 0 - Pro-rata 1 - Do not pro-rata - discuss first	PreallocMeth
592	UnderlyingCountryOfIssue	Country	Underlying security's CountryOfIssue. See CountryOfIssue (470) field for description	Ctry
593	UnderlyingStateOrProvinceOfIssue	String	Underlying security's StateOrProvinceOfIssue. See StateOrProvinceOfIssue (471) field for description	StOrProvnc
594	UnderlyingLocaleOfIssue	String	Underlying security's LocaleOfIssue. See LocaleOfIssue (472) field for description	Lcl
595	UnderlyingInstrRegistry	String	Underlying security's InstrRegistry. See InstrRegistry (543) field for description	Rgstry
596	LegCountryOfIssue	Country	Multileg instrument's individual leg security's CountryOfIssue. See CountryOfIssue (470) field for description	Ctry
597	LegStateOrProvinceOfIssue	String	Multileg instrument's individual leg security's StateOrProvinceOfIssue. See StateOrProvinceOfIssue (471) field for description	StOrProvnc
598	LegLocaleOfIssue	String	Multileg instrument's individual leg security's LocaleOfIssue. See LocaleOfIssue (472) field for description	Lcl
599	LegInstrRegistry	String	Multileg instrument's individual leg security's InstrRegistry. See InstrRegistry (543) field for description	Rgstry
600	LegSymbol	String	Multileg instrument's individual security's Symbol. See Symbol (55) field for description	Sym

601	LegSymbolSfx	String	<p>Multileg instrument's individual security's SymbolSfx. See SymbolSfx (65) field for description</p> <p>Valid values: For Fixed Income CD - EUCP with lump-sum interest rather than discount price WI - "When Issued" for a security to be reissued under an old CUSIP or ISIN</p>	Sfx
602	LegSecurityID	String	<p>Multileg instrument's individual security's SecurityID. See SecurityID (48) field for description</p>	ID
603	LegSecurityIDSource	String	<p>Multileg instrument's individual security's SecurityIDSource. See SecurityIDSource (22) field for description</p> <p>Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in</p>	Src

			SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	
604	NoLegSecurityAltID	<u>StringNumInGroup</u>	Multileg instrument's individual security's NoSecurityAltID. See NoSecurityAltID (454) field for description	NoLegSecAltID
605	LegSecurityAltID	String	Multileg instrument's individual security's SecurityAltID. See SecurityAltID (455) field for description	SecAltID
606	LegSecurityAltIDSource	String	Multileg instrument's individual security's SecurityAltIDSource. See SecurityAltIDSource (456) field for description  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in SecurityID)	SecAltIDSrc

			L - Letter of Credit M - Marketplace-assigned Identifier	
607	LegProduct	int	Multileg instrument's individual security's Product. See Product (460) field for description  Valid values: 1 - AGENCY 2 - COMMODITY 3 - CORPORATE 4 - CURRENCY 5 - EQUITY 6 - GOVERNMENT 7 - INDEX 8 - LOAN 9 - MONEYMARTET 10 - MORTGAGE 11 - MUNICIPAL 12 - OTHER 13 - FINANCING	Prod
608	LegCFICode	String	Multileg instrument's individual security's CFICode. See CFICode (461) field for description	CFI
609	LegSecurityType	String	Refer to definition of SecurityType(167)  Valid values: UST - US Treasury Note (Deprecated Value Use TNOTE) ( Deprecated in FIX.4.4 ) USTB - US Treasury Bill (Deprecated Value Use TBILL) ( Deprecated in FIX.4.4 ) Agency EUSUPRA - Euro Supranational Coupons * FAC - Federal Agency Coupon FADN - Federal Agency Discount Note PEF - Private Export Funding * SUPRA - USD Supranational Coupons * Corporate CORP - Corporate Bond CPP - Corporate Private Placement CB - Convertible Bond	SecTyp

			<p>DUAL - Dual Currency  EUCORP - Euro Corporate Bond  EUFNR - Euro Corporate Floating Rate Notes  FRN - US Corporate Floating Rate Notes  XLINKD - Indexed Linked  STRUCT - Structured Notes  YANK - Yankee Corporate Bond</p> <p>Currency  FOR - Foreign Exchange Contract ( Deprecated in  FIX.5.<a href="#">OSP20SP1</a> )  FXNDF - Non-deliverable forward  FXSPOT - FX Spot  FXFWD - FX Forward  FXSWAP - FX Swap</p> <p>Derivatives  CDS - Credit Default Swap  FUT - Future  OPT - Option  OOF - Options on Futures  OOP - Options on Physical - use not recommended  IRS - Interest Rate Swap  OOC - Options on Combo</p> <p>Equity  CS - Common Stock  PS - Preferred Stock</p> <p>Financing  REPO - Repurchase  FORWARD - Forward  BUYSELL - Buy Sellback  SECLOAN - Securities Loan  SECPLEDGE - Securities Pledge</p> <p>Government  BRADY - Brady Bond  CAN - Canadian Treasury Notes  CTB - Canadian Treasury Bills  EUSOV - Euro Sovereigns *  PROV - Canadian Provincial Bonds  TB - Treasury Bill - non US  TBOND - US Treasury Bond</p>	
--	--	--	--	--

			<p>TINT - Interest Strip From Any Bond Or Note</p> <p>TBILL - US Treasury Bill</p> <p>TIPS - Treasury Inflation Protected Securities</p> <p>TCAL - Principal Strip Of A Callable Bond Or Note</p> <p>TPRN - Principal Strip From A Non-Callable Bond Or Note</p> <p>TNOTE - US Treasury Note</p> <p>Loan</p> <p>TERM - Term Loan</p> <p>RVLV - Revolver Loan</p> <p>RVLVTRM - Revolver/Term Loan</p> <p>BRIDGE - Bridge Loan</p> <p>LOFC - Letter Of Credit</p> <p>SWING - Swing Line Facility</p> <p>DINP - Debtor In Possession</p> <p>DEFLTED - Defaulted</p> <p>WITHDRN - Withdrawn</p> <p>REPLACD - Replaced</p> <p>MATURED - Matured</p> <p>AMENDED - Amended &amp; Restated</p> <p>RETIRED - Retired</p> <p>Money Market</p> <p>BA - Bankers Acceptance</p> <p>BDN - Bank Depository Note</p> <p>BN - Bank Notes</p> <p>BOX - Bill Of Exchanges</p> <p>CAMM - Canadian Money Markets</p> <p>CD - Certificate Of Deposit</p> <p>CL - Call Loans</p> <p>CP - Commercial Paper</p> <p>DN - Deposit Notes</p> <p>EUCD - Euro Certificate Of Deposit</p> <p>EUCP - Euro Commercial Paper</p> <p>LQN - Liquidity Note</p> <p>MTN - Medium Term Notes</p> <p>ONITE - Overnight</p> <p>PN - Promissory Note</p> <p>STN - Short Term Loan Note</p>	
--	--	--	--	--

			<p>PZPJ - Plazos Fijos  SLQN - Secured Liquidity Note  TD - Time Deposit  TLQN - Term Liquidity Note  XCN - Extended Comm Note  YCD - Yankee Certificate Of Deposit</p> <p>Mortgage</p> <p>ABS - Asset-backed Securities  CMB - Canadian Mortgage Bonds  CMBS - Corp. Mortgage-backed Securities  CMO - Collateralized Mortgage Obligation  IET - IOETTE Mortgage  MBS - Mortgage-backed Securities  MIO - Mortgage Interest Only  MPO - Mortgage Principal Only  MPP - Mortgage Private Placement  MPT - Miscellaneous Pass-through  PFAND - Pfandbriefe *  TBA - To Be Announced</p> <p>Municipal</p> <p>AN - Other Anticipation Notes (BAN, GAN, etc.)  COFO - Certificate Of Obligation  COFP - Certificate Of Participation  GO - General Obligation Bonds  MT - Mandatory Tender  RAN - Revenue Anticipation Note  REV - Revenue Bonds  SPCLA - Special Assessment  SPCLO - Special Obligation  SPCLT - Special Tax  TAN - Tax Anticipation Note  TAXA - Tax Allocation  TECP - Tax Exempt Commercial Paper  TMCP - Taxable Municipal CP  TRAN - Tax Revenue Anticipation Note  VRDN - Variable Rate Demand Note  WAR - Warrant</p> <p>Other</p> <p>MF - Mutual Fund</p>	
--	--	--	--	--

			MLEG - Multileg Instrument NONE - No Security Type ? - Wildcard entry for use on Security Definition Request CASH - Cash	
610	LegMaturityMonthYear	MonthYear	Multileg instrument's individual security's MaturityMonthYear. See MaturityMonthYear (200) field for description	MMY
611	LegMaturityDate	LocalMktDate	Multileg instrument's individual security's MaturityDate. See MaturityDate (54) field for description	Mat
612	LegStrikePrice	Price	Multileg instrument's individual security's StrikePrice. See StrikePrice (202) field for description	Strk
613	LegOptAttribute	char	Multileg instrument's individual security's OptAttribute. See OptAttribute (206) field for description	OptA
614	LegContractMultiplier	float	Multileg instrument's individual security's ContractMultiplier. See ContractMultiplier (23) field for description	Cmult
615	LegCouponRate	Percentage	Multileg instrument's individual security's CouponRate. See CouponRate (223) field for description	CpnRt
616	LegSecurityExchange	Exchange	Multileg instrument's individual security's SecurityExchange. See SecurityExchange (207) field for description	Exch
617	LegIssuer	String	Multileg instrument's individual security's Issuer. See Issuer (106) field for description	Issr
618	EncodedLegIssuerLen	Length	Multileg instrument's individual security's EncodedIssuerLen. See EncodedIssuerLen (348) field for description	EncLegIssrLen
619	EncodedLegIssuer	data	Multileg instrument's individual security's EncodedIssuer. See EncodedIssuer (349) field for description	EncLegIssr
620	LegSecurityDesc	String	Description of a leg of a multileg instrument.	Desc

			See SecurityDesc(107).	
621	EncodedLegSecurityDescLen	Length	Multileg instrument's individual security's EncodedSecurityDescLen. See EncodedSecurityDescLen (350) field for description	EncLegSecDescLen
622	EncodedLegSecurityDesc	data	Multileg instrument's individual security's EncodedSecurityDesc. See EncodedSecurityDesc (35) field for description	EncLegSecDesc
623	LegRatioQty	float	The ratio of quantity for this individual leg relative to the entire multileg security.	RatioQty
624	LegSide	char	The side of this individual leg (multileg security). See Side (54) field for description and values  Valid values: 1 - Buy 2 - Sell 3 - Buy minus 4 - Sell plus 5 - Sell short 6 - Sell short exempt 7 - Undisclosed (valid for IOI and List Order messages only) 8 - Cross (orders where counterparty is an exchange, valid for all messages except IOIs) 9 - Cross short A - Cross short exempt B - "As Defined" (for use with multileg instruments) C - "Opposite" (for use with multileg instruments) D - Subscribe (e.g. CIV) E - Redeem (e.g. CIV) F - Lend (FINANCING - identifies direction of collateral) G - Borrow (FINANCING - identifies direction of collateral)	Side
625	TradingSessionSubID	String	Optional market assigned sub identifier for a trading	SesSub

			<p>phase within a trading session. Usage is determined by market or counterparties. Used by US based futures markets to identify exchange specific execution time bracket codes as required by US market regulations. Bilaterally agreed values of data type "String" that start with a character can be used for backward compatibility</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Pre-Trading</li> <li>2 - Opening or opening auction</li> <li>3 - (Continuous) Trading</li> <li>4 - Closing or closing auction</li> <li>5 - Post-Trading</li> <li>6 - Intraday Auction</li> <li>7 - Quiescent</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	
626	AllocType	int	<p>Describes the specific type or purpose of an Allocation message (i.e. "Buyside Calculated") (see Volume : "Glossary" for value definitions)  <b>*** SOME VALUES HAVE BEEN REPLACED - See "Replaced Features and Supported Approach" ***</b></p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Calculated (includes MiscFees and NetMoney)</li> <li>2 - Preliminary (without MiscFees and NetMoney)</li> <li>3 - Sellside Calculated Using Preliminary (includes MiscFees and NetMoney) (Replaced) ( Deprecated in FIX.4.2 )</li> <li>4 - Sellside Calculated Without Preliminary (sent unsolicited by sellside, includes MiscFees and NetMoney) (Replaced) ( Deprecated in FIX.4.2 )</li> <li>5 - Ready-To-Book - Single Order</li> <li>6 - Buyside Ready-To-Book - Combined Set of Orders (Replaced) ( Deprecated in FIX.4.2 )</li> <li>7 - Warehouse Instruction</li> </ul>	<p>AllocType</p> <p>Typ in Allocation category messages</p>

			8 - Request to Intermediary 9 - Accept 10 - Reject 11 - Accept Pending 12 - Incomplete Group 13 - Complete Group 14 - Reversal Pending	
627	NoHops	NumInGroup	Number of HopCompID entries in repeating group.	
628	HopCompID	String	Assigned value used to identify the third party firm which delivered a specific message either from the firm which originated the message or from another third party (if multiple "hops" are performed). It is recommended that this value be the SenderCompID (49) of the third party. Applicable when messages are communicated/re-distributed via third parties which function as service bureaus or "hubs". Only applicable if OnBehalfOfCompID (115) is being used.	ID
629	HopSendingTime	UTCTime stamp	Time that HopCompID (628) sent the message. It is recommended that this value be the SendingTime (52) of the message sent by the third party. Applicable when messages are communicated/re-distributed via third parties which function as service bureaus or "hubs". Only applicable if OnBehalfOfCompID (115) is being used.	Snt
630	HopRefID	SeqNum	Reference identifier assigned by HopCompID (628) associated with the message sent. It is recommended that this value be the MsgSeqNum (34) of the message sent by the third party. Applicable when messages are communicated/re-distributed via third parties which function as service bureaus or "hubs". Only applicable if OnBehalfOfCompID (115) is being used.	Ref
631	MidPx	Price	Mid price/rate	MidPx

632	BidYield	Percentage	Bid yield	BidYld
633	MidYield	Percentage	Mid yield	MidYld
634	OfferYield	Percentage	Offer yield	OfrYld
635	ClearingFeeIndicator	String	<p>Indicates type of fee being assessed of the customer for trade executions at an exchange. Applicable for futures markets only at this time. (Values source CBOT, CME, NYBOT, and NYMEX):</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - 1st year delegate trading for own account</li> <li>2 - 2nd year delegate trading for own account</li> <li>3 - 3rd year delegate trading for own account</li> <li>4 - 4th year delegate trading for own account</li> <li>5 - 5th year delegate trading for own account</li> <li>9 - 6th year delegate trading for own account</li> <li>B - CBOE Member</li> <li>C - Non-member and Customer</li> <li>E - Equity Member and Clearing Member</li> <li>F - Full and Associate Member trading for own account and as floor brokers</li> <li>H - 106.H and 106.J firms</li> <li>I - GIM, IDEM and COM Membership Interest Holders</li> <li>L - Lessee 106.F Employees</li> <li>M - All other ownership types</li> </ul>	ClrFeeInd
636	WorkingIndicator	Boolean	<p>Indicates if the order is currently being worked. Applicable only for OrdStatus = "New". For open outcry markets this indicates that the order is being worked in the crowd. For electronic markets it indicates that the order has transitioned from a contingent order to a market order.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>N - Order has been accepted but not yet in a</li> </ul>	WorkingInd

			working state Y - Order is currently being worked	
637	LegLastPx	Price	Execution price assigned to a leg of a multileg instrument. See LastPx (31) field for description and values	LastPx
638	PriorityIndicator	int	Indicates if a Cancel/Replace has caused an order to lose book priority.  Valid values: 0 - Priority unchanged 1 - Lost Priority as result of order change	PriInd
639	PriceImprovement	PriceOffset	Amount of price improvement.	PxImprvmt
640	Price2	Price	Deprecated in FIX.5.0 Price of the future part of a F/X swap order. See Price (44) for description.	Px2
641	LastForwardPoints2	PriceOffset	Deprecated in FIX.5.0 F/X forward points of the future part of a F/X swap order added to LastSpotRate (94). May be a negative value.	LastFwdPnts2
642	BidForwardPoints2	PriceOffset	Deprecated in FIX.5.0 Bid F/X forward points of the future portion of a F/X swap quote added to spot rate. May be a negative value.	BidFwdPnts2
643	OfferForwardPoints2	PriceOffset	Deprecated in FIX.5.0 Offer F/X forward points of the future portion of a F/X swap quote added to spot rate. May be a negative value.	OfrFwdPnts2
644	RFQReqID	String	RFQ Request ID - used to identify an RFQ Request.	RFQReqID
645	MktBidPx	Price	Used to indicate the best bid in a market	MktBidPx
646	MktOfferPx	Price	Used to indicate the best offer in a market	MktOfrPx
647	MinBidSize	Qty	Used to indicate a minimum quantity for a bid. If this field is used the BidSize (134) field is interpreted as the maximum bid size	MinBidSz
648	MinOfferSize	Qty	Used to indicate a minimum quantity for an offer. If	MinOfrSz

			this field is used the OfferSize (135) field is interpreted as the maximum offer size.	
649	QuoteStatusReqID	String	Unique identifier for Quote Status Request.	StatReqID
650	LegalConfirm	Boolean	Indicates that this message is to serve as the final and legal confirmation.  Valid values: N - Does not constitute a Legal Confirm Y - Legal Confirm	LegalCnfm
651	UnderlyingLastPx	Price	The calculated or traded price for the underlying instrument that corresponds to a derivative. Used for transactions that include the cash instrument and the derivative.	UndLastPx
652	UnderlyingLastQty	Qty	The calculated or traded quantity for the underlying instrument that corresponds to a derivative. Used for transactions that include the cash instrument and the derivative.	UndLastQty
<del>653</del>	<del>SecDefStatus</del>	<del>int</del>	<del>Deprecated in FIX.4.2 State of a security definition request made to a market. Useful for markets, such as derivatives markets, where market participants are permitted to define instruments for subsequent trading</del>  <del>Valid values:</del> <del>— 0 Pending Approval</del> <del>— 1 Approved (Accepted)</del> <del>— 2 Rejected</del> <del>— 3 Unauthorized Request</del> <del>— 4 Invalid Definition Request</del>	
654	LegRefID	String	Unique indicator for a specific leg.	RefID
655	ContraLegRefID	String	Unique indicator for a specific leg for the ContraBroker (375).	CntraLegRefID  LegRefID in SingleGeneralOrderHandling category messages
656	SettlCurrBidFxRate	float	Foreign exchange rate used to compute the bid "SettlCurrAmt" (119) from Currency (15) to SettlCurrency (120)	SettlCurrBidFxRt

657	SettlCurrOfferFxRate	float	Foreign exchange rate used to compute the offer "SettlCurrAmt" (119) from Currency (15) to SettlCurrency (120)	SettlCurrOfFrFxRt
658	QuoteRequestRejectReason	int	Reason Quote was rejected:  Valid values: <ul style="list-style-type: none"> <li>1 - Unknown Symbol (Security)</li> <li>2 - Exchange (Security) Closed</li> <li>3 - Quote Request Exceeds Limit</li> <li>4 - Too Late to enter</li> <li>5 - Invalid Price</li> <li>6 - Not Authorized To Request Quote</li> <li>7 - No Match For Inquiry</li> <li>8 - No Market For Instrument</li> <li>9 - No Inventory</li> <li>10 - Pass</li> <li>11 - Insufficient credit</li> <li>99 - Other</li> </ul> or any value conforming to the data type Reserved100Plus	ReqRejRsn
659	SideComplianceID	String	ID within repeating group of sides which is used to represent this transaction for compliance purposes (e.g. OATS reporting).	SideComplianceID
660	AcctIDSource	int	Used to identify the source of the Account (1) code. This is especially useful if the account is a new account that the Respondent may not have setup yet in their system.  Valid values: <ul style="list-style-type: none"> <li>1 - BIC</li> <li>2 - SID Code</li> <li>3 - TFM (GSPTA)</li> <li>4 - OMGEO (Alert ID)</li> <li>5 - DTCC Code</li> <li>99 - Other (custom or proprietary)</li> </ul>	AcctIDSrc

			or any value conforming to the data type Reserved100Plus	
661	AllocAcctIDSource	int	Used to identify the source of the AllocAccount (79) code. See AcctIDSource (660) for valid values.  Valid values: 1 - BIC 2 - SID Code 3 - TFM (GSPTA) 4 - OMGEO (Alert ID) 5 - DTCC Code 99 - Other (custom or proprietary)	ActIDSrc
662	BenchmarkPrice	Price	Specifies the price of the benchmark.	Px
663	BenchmarkPriceType	int	Identifies type of BenchmarkPrice (662). See PriceType (423) for valid values.  Valid values: 1 - Percentage (i.e. percent of par) (often called "dollar price" for fixed income) 2 - Per unit (i.e. per share or contract) 3 - Fixed amount (absolute value) 4 - Discount - percentage points below par 5 - Premium - percentage points over par 6 - Spread (basis points spread) 7 - TED Price 8 - TED Yield 9 - Yield 10 - Fixed cabinet trade price (primarily for listed futures and options) 11 - Variable cabinet trade price (primarily for listed futures and options) 13 - Product ticks in halves 14 - Product ticks in fourths 15 - Product ticks in eighths 16 - Product ticks in sixteenths	PxTyp

			17 - Product ticks in thirty-seconds 18 - Product ticks in sixty-forths 19 - Product ticks in one-twenty-eights	
664	ConfirmID	String	Message reference for Confirmation	CnfmID
665	ConfirmStatus	int	Identifies the status of the Confirmation.  Valid values: 1 - Received 2 - Mismatched Account 3 - Missing Settlement Instructions 4 - Confirmed 5 - Request Rejected	CnfmStat
666	ConfirmTransType	int	Identifies the Confirmation transaction type.  Valid values: 0 - New 1 - Replace 2 - Cancel	CnfmTransTyp
667	ContractSettlMonth	MonthYear	Specifies when the contract (i.e. MBS/TBA) will settle.	CSetMo
668	DeliveryForm	int	Identifies the form of delivery.  Valid values: 1 - Book Entry (default) 2 - Bearer	DlvryForm
669	LastParPx	Price	Last price expressed in percent-of-par. Conditionally required for Fixed Income trades when LastPx (31) is expressed in Yield, Spread, Discount or any other type. Usage: Execution Report and Allocation Report repeating executions block (from sellside).	LastParPx
670	NoLegAllocs	NumInGroup	Number of Allocations for the leg	
671	LegAllocAccount	String	Allocation Account for the leg See AllocAccount (79) for description and valid values.	AllocAcct
672	LegIndividualAllocID	String	Reference for the individual allocation ticket	IndAllocID

			See IndividualAllocID (467) for description and valid values.	
673	LegAllocQty	Qty	Leg allocation quantity. See AllocQty (80) for description and valid values.	AllocQty
674	LegAllocAcctIDSource	String	The source of the LegAllocAccount (671) See AllocAcctIDSource (661) for description and valid values.	AllocAcctIDSrc
675	LegSettlCurrency	Currency	Identifies settlement currency for the Leg. See SettlCurrency (20) for description and valid values	SettlCcy
676	LegBenchmarkCurveCurrency	Currency	LegBenchmarkPrice (679) currency See BenchmarkCurveCurrency (220) for description and valid values.	Ccy
677	LegBenchmarkCurveName	String	Name of the Leg Benchmark Curve. See BenchmarkCurveName (22) for description and valid values.  Valid values: EONIA - EONIA EUREPO - EUREPO Euribor - Euribor FutureSWAP - FutureSWAP LIBID - LIBID LIBOR - LIBOR (London Inter-Bank Offer) MuniAAA - MuniAAA OTHER - OTHER Pfandbriefe - Pfandbriefe SONIA - SONIA SWAP - SWAP Treasury - Treasury	Name
678	LegBenchmarkCurvePoint	String	Identifies the point on the Leg Benchmark Curve. See BenchmarkCurvePoint (222) for description and valid values.	Point
679	LegBenchmarkPrice	Price	Used to identify the price of the benchmark security. See BenchmarkPrice (662) for description and valid values.	Px

680	LegBenchmarkPriceType	int	The price type of the LegBenchmarkPrice. See BenchmarkPriceType (663) for description and valid values.	PxTyp
681	LegBidPx	Price	Bid price of this leg. See BidPx (32) for description and valid values.	BidPx
682	LegIOIQty	String	Leg-specific IOI quantity. See IOIQty (27) for description and valid values  Valid values: <del>0-1000000000</del> —S - Small M - Medium L - Large U - Undisclosed Quantity  <u>or any value conforming to the data type Qty</u>	IOIQty
683	NoLegStipulations	NumInGroup	Number of leg stipulation entries	
684	LegOfferPx	Price	Offer price of this leg. See OfferPx (133) for description and valid values	OfrPx
685	LegOrderQty	Qty	Quantity ordered of this leg. See OrderQty (38) for description and valid values	OrdQty
686	LegPriceType	int	The price type of the LegBidPx (681) and/or LegOfferPx (684). See PriceType (423) for description and valid values  Valid values: 1 - Percentage (i.e. percent of par) (often called "dollar price" for fixed income) 2 - Per unit (i.e. per share or contract) 3 - Fixed amount (absolute value) 4 - Discount - percentage points below par 5 - Premium - percentage points over par 6 - Spread (basis points spread) 7 - TED Price	PxTyp

			8 - TED Yield 9 - Yield 10 - Fixed cabinet trade price (primarily for listed futures and options) 11 - Variable cabinet trade price (primarily for listed futures and options) 13 - Product ticks in halves 14 - Product ticks in fourths 15 - Product ticks in eights 16 - Product ticks in sixteenths 17 - Product ticks in thirty-seconds 18 - Product ticks in sixty-fourths 19 - Product ticks in one-twenty-eights	
687	LegQty	Qty	Deprecated in <a href="#">FIX.5.0SP1</a> Quantity of this leg, e.g. in Quote dialog. See <a href="#">Quantity (53)</a> for description and valid values	Qty
688	LegStipulationType	String	For Fixed Income, type of Stipulation for this leg. See <a href="#">StipulationType (233)</a> for description and valid values  Valid values: AMT - Alternative Minimum Tax (Y/N) AUTOREINV - Auto Reinvestment at <rate> or better BANKQUAL - Bank qualified (Y/N) BGNCON - Bargain conditions (see <a href="#">StipulationValue (234)</a> for values) COUPON - Coupon range CURRENCY - ISO Currency Code CUSTOMDATE - Custom start/end date GEOG - Geographics and % range (ex. 234=CA 0-80 [minimum of 80% California assets]) HAIRCUT - Valuation Discount INSURED - Insured (Y/N) ISSUE - Year Or Year/Month of Issue (ex. 234=2002/09) ISSUER - Issuer's ticker ISSUESIZE - issue size range	StipTyp

			<p>LOOKBACK - Lookback Days</p> <p>LOT - Explicit lot identifier</p> <p>LOTVAR - Lot Variance (value in percent maximum over- or under-allocation allowed)</p> <p>MAT - Maturity Year And Month</p> <p>MATURITY - Maturity range</p> <p>MAXSUBS - Maximum substitutions (Repo)</p> <p>MINDNOM - Minimum denomination</p> <p>MININCR - Minimum increment</p> <p>MINQTY - Minimum quantity</p> <p>PAYFREQ - Payment frequency, calendar</p> <p>PIECES - Number Of Pieces</p> <p>PMAX - Pools Maximum</p> <p>PPL - Pools per Lot</p> <p>PPM - Pools per Million</p> <p>PPT - Pools per Trade</p> <p>PRICE - Price Range</p> <p>PRICEFREQ - Pricing frequency</p> <p>PROD - Production Year</p> <p>PROTECT - Call protection</p> <p>PURPOSE - Purpose</p> <p>PXSOURCE - Benchmark price source</p> <p>RATING - Rating source and range</p> <p>REDEMPTION - Type Of Redemption - values are: NonCallable, Prefunded, EscrowedToMaturity, Puttable, Convertible</p> <p>RESTRICTED - Restricted (Y/N)</p> <p>SECTOR - Market Sector</p> <p>SECTYPE - Security Type included or excluded</p> <p>STRUCT - Structure</p> <p>SUBSFREQ - Substitutions frequency (Repo)</p> <p>SUBSLEFT - Substitutions left (Repo)</p> <p>TEXT - Freeform Text</p> <p>TRDVAR - Trade Variance (value in percent maximum over- or under-allocation allowed)</p> <p>WAC - Weighted Average Coupon - value in percent (exact or range) plus "Gross" or "Net" of servicing spread (the default) (ex. 234=6.5-Net [minimum of 6.5% net of servicing fee])</p>	
--	--	--	---	--

			<p>WAL - Weighted Average Life Coupon - value in percent (exact or range)</p> <p>WALA - Weighted Average Loan Age - value in months (exact or range)</p> <p>WAM - Weighted Average Maturity - value in months (exact or range)</p> <p>WHOLE - Whole Pool (Y/N)</p> <p>YIELD - Yield Range</p> <p>Other</p> <p>AVFICO - Average FICO Score</p> <p>AVSIZE - Average Loan Size</p> <p>MAXBAL - Maximum Loan Balance</p> <p>POOL - Pool Identifier</p> <p>ROLLTYPE - Type of Roll trade</p> <p>REFTRADE - reference to rolling or closing trade</p> <p>REFPRIN - principal of rolling or closing trade</p> <p>REFINT - interest of rolling or closing trade</p> <p>AVAILQTY - Available offer quantity to be shown to the street</p> <p>BROKERCREDIT - Broker's sales credit</p> <p>INTERNALPX - Offer price to be shown to internal brokers</p> <p>INTERNALQTY - Offer quantity to be shown to internal brokers</p> <p>LEAVEQTY - The minimum residual offer quantity</p> <p>MAXORDQTY - Maximum order size</p> <p>ORDRINCR - Order quantity increment</p> <p>PRIMARY - Primary or Secondary market indicator</p> <p>SALESCREDITOVR - Broker sales credit override</p> <p>TRADERCREDIT - Trader's credit</p> <p>DISCOUNT - Discount Rate (when price is denominated in percent of par)</p> <p>YTM - Yield to Maturity (when YieldType(235) and Yield(236) show a different yield)</p> <p>Prepayment Speeds</p> <p>ABS - Absolute Prepayment Speed</p>	
--	--	--	--	--

			CPP - Constant Prepayment Penalty CPR - Constant Prepayment Rate CPY - Constant Prepayment Yield HEP - final CPR of Home Equity Prepayment Curve MHP - Percent of Manufactured Housing Prepayment Curve MPR - Monthly Prepayment Rate PPC - Percent of Prospectus Prepayment Curve PSA - Percent of BMA Prepayment Curve SMM - Single Monthly Mortality	
689	LegStipulationValue	String	For Fixed Income, value of stipulation. See StipulationValue (234) for description and valid values	StipVal
690	LegSwapType	int	For Fixed Income, used instead of LegQty (687) or LegOrderQty (685) to requests the respondent to calculate the quantity based on the quantity on the opposite side of the swap.  Valid values: 1 - Par For Par 2 - Modified Duration 4 - Risk 5 - Proceeds	SwapTyp
691	Pool	String	For Fixed Income, identifies MBS / ABS pool.	Pool
692	QuotePriceType	int	Code to represent price type requested in Quote. If the Quote Request is for a Swap values 1-8 apply to all legs.  Valid values: 1 - Percent (percent of par) 2 - Per Share (e.g. cents per share) 3 - Fixed Amount (absolute value) 4 - Discount - percentage points below par 5 - Premium - percentage points over par 6 - Spread - basis points relative to benchmark 7 - TED Price	QuotPxTyp

			8 - TED Yield 9 - Yield Spread (swaps) 10 - Yield	
693	QuoteRespID	String	Message reference for Quote Response	RspID
694	QuoteRespType	int	Identifies the type of Quote Response.  Valid values: 1 - Hit/Lift 2 - Counter 3 - Expired 4 - Cover 5 - Done Away 6 - Pass 7 - End Trade 8 - Timed Out	RspTyp
695	QuoteQualifier	char	Code to qualify Quote use See IOIQualifier (104) for description and valid values.  Valid values: A - All or None (AON) B - Market On Close (MOC) (held to close) C - At the close (around/not held to close) D - VWAP (Volume Weighted Average Price) I - In touch with L - Limit M - More Behind O - At the Open P - Taking a Position Q - At the Market (previously called Current Quote) R - Ready to Trade S - Portfolio Shown T - Through the Day V - Versus W - Indication - Working Away X - Crossing Opportunity Y - At the Midpoint Z - Pre-open	Qual

696	YieldRedemptionDate	LocalMkt Date	Date to which the yield has been calculated (i.e. maturity, par call or current call, pre-refunded date).	RedDt
697	YieldRedemptionPrice	Price	Price to which the yield has been calculated.	RedPx
698	YieldRedemptionPrice Type	int	<p>The price type of the YieldRedemptionPrice (697) See PriceType (423) for description and valid values.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Percentage (i.e. percent of par) (often called "dollar price" for fixed income)</li> <li>2 - Per unit (i.e. per share or contract)</li> <li>3 - Fixed amount (absolute value)</li> <li>4 - Discount - percentage points below par</li> <li>5 - Premium - percentage points over par</li> <li>6 - Spread (basis points spread)</li> <li>7 - TED Price</li> <li>8 - TED Yield</li> <li>9 - Yield</li> <li>10 - Fixed cabinet trade price (primarily for listed futures and options)</li> <li>11 - Variable cabinet trade price (primarily for listed futures and options)</li> <li>13 - Product ticks in halves</li> <li>14 - Product ticks in fourths</li> <li>15 - Product ticks in eights</li> <li>16 - Product ticks in sixteenths</li> <li>17 - Product ticks in thirty-seconds</li> <li>18 - Product ticks in sixty-fourths</li> <li>19 - Product ticks in one-twenty-eights</li> </ul>	RedPxTyp
699	BenchmarkSecurityID	String	<p>The identifier of the benchmark security, e.g. Treasury against Corporate bond. See SecurityID (tag 48) for description and valid values.</p>	SecID
700	ReversalIndicator	Boolean	Indicates a trade that reverses a previous trade.	ReversalInd
701	YieldCalcDate	LocalMkt Date	Include as needed to clarify yield irregularities associated with date, e.g. when it falls on a non-business day.	CalcDt

702	NoPositions	NumInGroup	Number of position entries.	
703	PosType	String	<p>Used to identify the type of quantity that is being returned.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>DLT - Net Delta Qty</li> <li>CEA - Credit Event Adjustment</li> <li>SEA - Succession Event Adjustment</li> <li>ALC - Allocation Trade Qty</li> <li>AS - Option Assignment</li> <li>ASF - As-of Trade Qty</li> <li>DLV - Delivery Qty</li> <li>ETR - Electronic Trade Qty</li> <li>EX - Option Exercise Qty</li> <li>FIN - End-of-Day Qty</li> <li>IAS - Intra-spread Qty</li> <li>IES - Inter-spread Qty</li> <li>PA - Adjustment Qty</li> <li>PIT - Pit Trade Qty</li> <li>SOD - Start-of-Day Qty</li> <li>SPL - Integral Split</li> <li>TA - Transaction from Assignment</li> <li>TOT - Total Transaction Qty</li> <li>TQ - Transaction Quantity</li> <li>TRF - Transfer Trade Qty</li> <li>TX - Transaction from Exercise</li> <li>XM - Cross Margin Qty</li> <li>RCV - Receive Quantity</li> <li>CAA - Corporate Action Adjustment</li> <li>DN - Delivery Notice Qty</li> <li>EP - Exchange for Physical Qty</li> <li>PNTN - Privately negotiated Trade Qty (Non-regulated)</li> </ul>	Typ
704	LongQty	Qty	Long Quantity	Long
705	ShortQty	Qty	Short Quantity	Short

706	PosQtyStatus	int	Status of this position.  Valid values: 0 - Submitted 1 - Accepted 2 - Rejected	Stat
707	PosAmtType	String	Type of Position amount  Valid values: ICPN - Initial Trade Coupon Amount ACPN - Accrued Coupon Amount CPN - Coupon Amount IACPN - Incremental Accrued Coupon CMTM - Collateralized Mark to Market ICMTM - Incremental Collateralized Mark to market DLV - Compensation Amount BANK - Total Banked Amount COLAT - Total Collateralized Amount CASH - Cash Amount (Corporate Event) CRES - Cash Residual Amount FMTM - Final Mark-to-Market Amount IMTM - Incremental Mark-to-Market Amount PREM - Premium Amount SMTM - Start-of-Day Mark-to-Market Amount TVAR - Trade Variation Amount VADJ - Value Adjusted Amount SETL - Settlement Value	Typ
708	PosAmt	Amt	Position amount	Amt
709	PosTransType	int	Identifies the type of position transaction  Valid values: 1 - Exercise 2 - Do Not Exercise 3 - Position Adjustment 4 - Position Change Submission/Margin Disposition 5 - Pledge	TxnTyp

6 - Large Trader Submission				
710	PosReqID	String	Unique identifier for the position maintenance request as assigned by the submitter	ReqID
711	NoUnderlyings	NumInGroup	Number of underlying legs that make up the security.	
712	PosMaintAction	int	Maintenance Action to be performed. Valid values: 1 - New - used to increment the overall transaction quantity 2 - Replace - used to override the overall transaction quantity or specific add messages based on the reference ID 3 - Cancel - used to remove the overall transaction or specific add messages based on reference ID 4 - Reverse - used to completely back-out the transaction such that the transaction never existed	Actn
713	OrigPosReqRefID	String	Reference to the PosReqID (710) of a previous maintenance request that is being replaced or canceled.	OrigPosReqRefID OrigReqRefID in PositionMaintenance category messages
714	PosMaintRptRefID	String	Reference to a PosMaintRptID (721) from a previous Position Maintenance Report that is being replaced or canceled.	RptRefID
715	ClearingBusinessDate	LocalMktDate	The "Clearing Business Date" referred to by this maintenance request.	BizDt
716	SettlSessID	String	Identifies a specific settlement session Valid values: ITD - Intraday RTH - Regular Trading Hours ETH - Electronic Trading Hours EOD - End Of Day	SetSesID
717	SettlSessSubID	String	SubID value associated with SettlSessID(716)	SetSesSub
718	AdjustmentType	int	Type of adjustment to be applied, used for PCS and	AdjTyp

			PAJ Valid values: 0 - Process Request As Margin Disposition 1 - Delta Plus 2 - Delta Minus 3 - Final	
719	ContraryInstructionIndicator	Boolean	Used to indicate when a contrary instruction for exercise or abandonment is being submitted	ContraryInstrctnInd InstrctnInd in SingleGeneralOrderHandling category messages
720	PriorSpreadIndicator	Boolean	Indicates if requesting a rollover of prior day's spread submissions.	PriorSpreadInd
721	PosMaintRptID	String	Unique identifier for this position report	RptID
722	PosMaintStatus	int	Status of Position Maintenance Request Valid values: 0 - Accepted 1 - Accepted With Warnings 2 - Rejected 3 - Completed 4 - Completed With Warnings	Stat
723	PosMaintResult	int	Result of Position Maintenance Request. 4000+ Reserved and available for bi-laterally agreed upon user-defined values Valid values: 0 - Successful Completion - no warnings or errors 1 - Rejected 99 - Other  or any value conforming to the data type Reserved100Plus	Rslt
724	PosReqType	int	Used to specify the type of position request being made. Valid values:	ReqTyp

			<ul style="list-style-type: none"> <li>6 - Delta Positions</li> <li>0 - Positions</li> <li>1 - Trades</li> <li>2 - Exercises</li> <li>3 - Assignments</li> <li>4 - Settlement Activity</li> <li>5 - Backout Message</li> </ul>	
725	ResponseTransportType	int	<p>Identifies how the response to the request should be transmitted. Details specified via ResponseDestination (726).</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Inband - transport the request was sent over (default)</li> <li>1 - Out of Band - pre-arranged out-of-band delivery mechanism (i.e. FTP, HTTP, NDM, etc.) between counterparties. Details specified via ResponseDestination (726).</li> </ul>	RspTransportTyp
726	ResponseDestination	String	<p>URI (Uniform Resource Identifier) for details) or other pre-arranged value. Used in conjunction with ResponseTransportType (725) value of Out-of-Band to identify the out-of-band destination. See "Appendix 6-B FIX Fields Based Upon Other Standards"</p>	RspDest
727	TotalNumPosReports	int	Total number of Position Reports being returned.	TotRpts
728	PosReqResult	int	<p>Result of Request for Position 4000+ Reserved and available for bi-laterally agreed upon user-defined values</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Valid request</li> <li>1 - Invalid or unsupported request</li> <li>2 - No positions found that match criteria</li> <li>3 - Not authorized to request positions</li> <li>4 - Request for position not supported</li> <li>99 - Other (use Text (58) in conjunction with this code for an explanation)</li> </ul>	Rslt

			or any value conforming to the data type Reserved100Plus	
729	PosReqStatus	int	Status of Request for Positions  Valid values: 0 - Completed 1 - Completed With Warnings 2 - Rejected	Stat
730	SettlPrice	Price	Settlement price	SetPx
731	SettlPriceType	int	Type of settlement price  Valid values: 1 - Final 2 - Theoretical	SetPxTyp
732	UnderlyingSettlPrice	Price	Underlying security's SettlPrice. See SettlPrice (730) field for description	UndSetPx
733	UnderlyingSettlPriceType	int	Underlying security's SettlPriceType. See SettlPriceType (731) field for description  Valid values: 1 - Final 2 - Theoretical	UndSetPxTyp
734	PriorSettlPrice	Price	Previous settlement price	PriSetPx
735	NoQuoteQualifiers	NumInGroup	Number of repeating groups of QuoteQualifiers (695).	
736	AllocSettlCurrency	Currency	Currency code of settlement denomination for a specific AllocAccount (79).	AllocSettlCcy
737	AllocSettlCurrAmt	Amt	Total amount due expressed in settlement currency (includes the effect of the forex transaction) for a specific AllocAccount (79).	AllocSettlCurrAmt SettlCcyAmt in Allocation category messages
738	InterestAtMaturity	Amt	Amount of interest (i.e. lump-sum) at maturity.	IntAtMat
739	LegDatedDate	LocalMkt	The effective date of a new securities issue determined	Dated

		Date	by its underwriters. Often but not always the same as the Issue Date and the Interest Accrual Date	
740	LegPool	String	For Fixed Income, identifies MBS / ABS pool for a specific leg of a multi-leg instrument. See Pool (691) for description and valid values.	Pool
741	AllocInterestAtMaturity	Amt	Amount of interest (i.e. lump-sum) at maturity at the account-level.	IntAtMat
742	AllocAccruedInterestAmt	Amt	Amount of Accrued Interest for convertible bonds and fixed income at the allocation-level.	AcrdIntAmt
743	DeliveryDate	LocalMkt Date	Date of delivery.	DlvDt
744	AssignmentMethod	char	Method by which short positions are assigned to an exercise notice during exercise and assignment processing  Valid values: P - Pro-rata R - Random	AsgnMeth
745	AssignmentUnit	Qty	Quantity Increment used in performing assignment.	Unit
746	OpenInterest	Amt	Open interest that was eligible for assignment.	OpenInt
747	ExerciseMethod	char	Exercise Method used to in performing assignment.  Valid values: A - Automatic M - Manual	ExrMethod
748	TotNumTradeReports	int	Total number of trade reports returned.	TotNumTrdRpts
749	TradeRequestResult	int	Result of Trade Request  Valid values: 0 - Successful (default) 1 - Invalid or unknown instrument 2 - Invalid type of trade requested 3 - Invalid parties 4 - Invalid transport type requested	ReqRslt

			<p>5 - Invalid destination requested  8 - TradeRequestType not supported  9 - Not authorized  99 - Other</p> <p>or any value conforming to the data type  Reserved100Plus</p>	
750	TradeRequestStatus	int	<p>Status of Trade Request.</p> <p>Valid values:  0 - Accepted  1 - Completed  2 - Rejected</p>	ReqStat
751	TradeReportRejectReason	int	<p>Reason Trade Capture Request was rejected.  4000+ Reserved and available for bi-laterally agreed upon user-defined values</p> <p>Valid values:  0 - Successful (default)  1 - Invalid party onformation  2 - Unknown instrument  3 - Unauthorized to report trades  4 - Invalid trade type  99 - Other</p> <p>or any value conforming to the data type  Reserved100Plus</p>	RejRsn
752	SideMultiLegReportingType	int	<p>Used to indicate if the side being reported on Trade Capture Report represents a leg of a multileg instrument or a single security.</p> <p>Valid values:  1 - Single Security (default if not specified)  2 - Individual leg of a multileg security  3 - Multileg Security</p>	MLegRptTyp
753	NoPosAmt	NumInGr	Number of position amount entries.	

		oup		
754	AutoAcceptIndicator	Boolean	Identifies whether or not an allocation has been automatically accepted on behalf of the Carry Firm by the Clearing House.	AutoAcceptInd
755	AllocReportID	String	Unique identifier for Allocation Report message.	RptID
756	NoNested2PartyIDs	NumInGroup	Number of Nested2PartyID (757), Nested2PartyIDSource (758), and Nested2PartyRole (759) entries	
757	Nested2PartyID	String	PartyID value within a "second instance" Nested repeating group. Same values as PartyID (448)	ID
758	Nested2PartyIDSource	char	PartyIDSource value within a "second instance" Nested repeating group. Same values as PartyIDSource (447)  Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant identifier (e.g. NASD mnemonic) D - Proprietary / Custom code E - ISO Country Code F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values) G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C") H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number) For PartyRole = "InvestorID" and for CIV 6 - UK National Insurance or Pension Number 7 - US Social Security Number 8 - US Employer or Tax ID Number 9 - Australian Business Number A - Australian Tax File Number	Src

			<p>For PartyRole = "InvestorID" and for Equities</p> <ul style="list-style-type: none"> <li>1 - Korean Investor ID</li> <li>2 - Taiwanese Qualified Foreign Investor ID</li> </ul> <p>QFII/FID</p> <ul style="list-style-type: none"> <li>3 - Taiwanese Trading Acct</li> <li>4 - Malaysian Central Depository (MCD) number</li> <li>5 - Chinese Investor ID</li> </ul> <p>For PartyRole="Broker of Credit"</p> <ul style="list-style-type: none"> <li>I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</li> </ul>	
759	Nested2PartyRole	int	<p>PartyRole value within a "second instance" Nested repeating group. Same values as PartyRole (452)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>82 - Central Registration Depository (CRD)</li> <li>83 - Clearing Account</li> <li>84 - Acceptable Settling Counterparty</li> <li>85 - Unacceptable Settling Counterparty</li> <li>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</li> <li>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</li> <li>3 - Client ID (formerly FIX 4.2 ClientID)</li> <li>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</li> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> <li>12 - Executing Trader (associated with Executing Firm - actually executes)</li> <li>13 - Order Origination Firm (e.g. buy-side firm)</li> </ul>	R

			<p>14 - Giveup Clearing Firm (firm to which trade is given up)</p> <p>15 - Correspondant Clearing Firm</p> <p>16 - Executing System</p> <p>17 - Contra Firm</p> <p>18 - Contra Clearing Firm</p> <p>19 - Sponsoring Firm</p> <p>20 - Underlying Contra Firm</p> <p>21 - Clearing Organization</p> <p>22 - Exchange</p> <p>24 - Customer Account</p> <p>25 - Correspondent Clearing Organization</p> <p>26 - Correspondent Broker</p> <p>27 - Buyer/Seller (Receiver/Deliverer)</p> <p>28 - Custodian</p> <p>29 - Intermediary</p> <p>30 - Agent</p> <p>31 - Sub-custodian</p> <p>32 - Beneficiary</p> <p>33 - Interested party</p> <p>34 - Regulatory body</p> <p>35 - Liquidity provider</p> <p>36 - Entering trader</p> <p>37 - Contra trader</p> <p>38 - Position account</p> <p>39 - Contra Investor ID</p> <p>40 - Transfer to Firm</p> <p>41 - Contra Position Account</p> <p>42 - Contra Exchange</p> <p>43 - Internal Carry Account</p> <p>44 - Order Entry Operator ID</p> <p>45 - Secondary Account Number</p> <p>46 - Foreign Firm</p> <p>47 - Third Party Allocation Firm</p> <p>48 - Claiming Account</p> <p>49 - Asset Manager</p> <p>50 - Pledgor Account</p> <p>51 - Pledgee Account</p> <p>52 - Large Trader Reportable Account</p>	
--	--	--	--	--

			<ul style="list-style-type: none"> <li>53 - Trader mnemonic</li> <li>54 - Sender Location</li> <li>55 - Session ID</li> <li>56 - Acceptable Counterparty</li> <li>57 - Unacceptable Counterparty</li> <li>58 - Entering Unit</li> <li>59 - Executing Unit</li> <li>60 - Introducing Broker</li> <li>61 - Quote originator</li> <li>62 - Report originator</li> <li>63 - Systematic internaliser (SI)</li> <li>64 - Multilateral Trading Facility (MTF)</li> <li>65 - Regulated Market (RM)</li> <li>66 - Market Maker</li> <li>67 - Investment Firm</li> <li>68 - Host Competent Authority (Host CA)</li> <li>69 - Home Competent Authority (Home CA)</li> <li>70 - Competent Authority of the most relevant market in terms of liquidity (CAL)</li> <li>71 - Competent Authority of the Transaction (Execution) Venue (CATV)</li> <li>72 - Reporting intermediary (medium/vendor via which report has been published)</li> <li>73 - Execution Venue</li> <li>74 - Market data entry originator</li> <li>75 - Location ID</li> <li>76 - Desk ID</li> <li>77 - Market data market</li> <li>78 - Allocation Entity</li> <li>79 - Prime Broker providing General Trade Services</li> <li>80 - Step-Out Firm (Prime Broker)</li> <li>81 - BrokerClearingID</li> </ul>	
760	Nested2PartySubID	String	PartySubID value within a "second instance" Nested repeating group. Same values as PartySubID (523)	ID
761	BenchmarkSecurityID	String	Identifies class or source of the BenchmarkSecurityID	SecIDSrc

	Source		<p>(699) value. Required if BenchmarkSecurityID is specified.</p> <p>Same values as the SecurityIDSource (22) field</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - CUSIP</li> <li>2 - SEDOL</li> <li>3 - QUIK</li> <li>4 - ISIN number</li> <li>5 - RIC code</li> <li>6 - ISO Currency Code</li> <li>7 - ISO Country Code</li> <li>8 - Exchange Symbol</li> <li>9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format)</li> <li>A - Bloomberg Symbol</li> <li>B - Wertpapier</li> <li>C - Dutch</li> <li>D - Valoren</li> <li>E - Sicovam</li> <li>F - Belgian</li> <li>G - "Common" (Clearstream and Euroclear)</li> <li>H - Clearing House / Clearing Organization</li> <li>I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc)</li> <li>J - Option Price Reporting Authority</li> <li>K - ISDA/FpML Product URL (URL in SecurityID)</li> <li>L - Letter of Credit</li> <li>M - Marketplace-assigned Identifier</li> </ul>	
762	SecuritySubType	String	<p>Sub-type qualification/identification of the SecurityType. As an example for SecurityType(167)="REPO", the SecuritySubType="General Collateral" can be used to further specify the type of REPO.</p> <p>If SecuritySubType is used then SecurityType is required.</p> <p>For SecurityType="MLEG" a name of the option or</p>	SubTyp

			futures strategy name can be specified, such as "Calendar", "Vertical", "Butterfly".	
763	UnderlyingSecuritySubType	String	Underlying security's SecuritySubType. See SecuritySubType (762) field for description	SubTyp
764	LegSecuritySubType	String	SecuritySubType of the leg instrument. See SecuritySubType (762) field for description	SecSubTyp
765	AllowableOneSidednessPct	Percentage	The maximum percentage that execution of one side of a program trade can exceed execution of the other.	AOSPct
766	AllowableOneSidednessValue	Amt	The maximum amount that execution of one side of a program trade can exceed execution of the other.	AOSValu
767	AllowableOneSidednessCurr	Currency	The currency that AllowableOneSidednessValue (766) is expressed in if AllowableOneSidednessValue is used.	AOSCurr
768	NoTrdRegTimestamps	NumInGroup	Number of TrdRegTimestamp (769) entries	
769	TrdRegTimestamp	UTCTimestamp	Traded / Regulatory timestamp value. Use to store time information required by government regulators or self regulatory organizations (such as an exchange or clearing house).	TS
770	TrdRegTimestampType	int	Traded / Regulatory timestamp type. Note of Applicability: values are required in US futures markets by the CFTC to support computerized trade reconstruction. (see Volume : "Glossary" for value definitions)  Valid values: 7 - Submission to Clearing 1 - Execution Time 2 - Time In 3 - Time Out 4 - Broker Receipt 5 - Broker Execution 6 - Desk Receipt	Typ
771	TrdRegTimestampOrigin	String	Text which identifies the "origin" (i.e. system which	Src

	gin		was used to generate the time stamp) for the Traded / Regulatory timestamp value.	
772	ConfirmRefID	String	Reference identifier to be used with ConfirmTransType (666) = Replace or Cancel	CnfmRefID
773	ConfirmType	int	Identifies the type of Confirmation message being sent. Valid values: 1 - Status 2 - Confirmation 3 - Confirmation Request Rejected (reason can be stated in Text (58) field)	CnfmTyp
774	ConfirmRejReason	int	Identifies the reason for rejecting a Confirmation. Valid values: 1 - Mismatched account 2 - Missing settlement instructions 99 - Other  or any value conforming to the data type Reserved100Plus	CnfmRejRsn
775	BookingType	int	Method for booking out this order. Used when notifying a broker that an order to be settled by that broker is to be booked out as an OTC derivative (e.g. CFD or similar). Valid values: 0 - Regular booking 1 - CFD (Contract for difference) 2 - Total Return Swap	BkngTyp
776	IndividualAllocRejCode	int	Identified reason for rejecting an individual AllocAccount (79) detail. Same values as AllocRejCode (88) Valid values: 99 - Other 0 - Unknown account(s) 1 - Incorrect quantity	IndAllocRejCode

			<ul style="list-style-type: none"> <li>2 - Incorrect average price</li> <li>3 - Unknown executing broker mnemonic</li> <li>4 - Commission difference</li> <li>5 - Unknown OrderID (37)</li> <li>6 - Unknown ListID (66)</li> <li>7 - Other (further in Text (58))</li> <li>8 - Incorrect allocated quantity</li> <li>9 - Calculation difference</li> <li>10 - Unknown or stale ExecID</li> <li>11 - Mismatched data</li> <li>12 - Unknown ClOrdID</li> <li>13 - Warehouse request rejected</li> </ul>	
777	SettlInstMsgID	String	Unique identifier for Settlement Instruction message.	SettlInstMsgID
778	NoSettlInst	NumInGroup	Number of settlement instructions within repeating group.	
779	LastUpdateTime	UTCTimestamp	Timestamp of last update to data item (or creation if no updates made since creation).	LastUpdateTm
780	AllocSettlInstType	int	<p>Used to indicate whether settlement instructions are provided on an allocation instruction message, and if not, how they are to be derived.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Use default instructions</li> <li>1 - Derive from parameters provided</li> <li>2 - Full details provided</li> <li>3 - SSI DB IDs provided</li> <li>4 - Phone for instructions</li> </ul>	SettlInstTyp
781	NoSettlPartyIDs	NumInGroup	Number of SettlPartyID (782), SettlPartyIDSource (783), and SettlPartyRole (784) entries	
782	SettlPartyID	String	PartyID value within a settlement parties component. Nested repeating group. Same values as PartyID (448)	ID
783	SettlPartyIDSource	char	PartyIDSource value within a settlement parties component. Same values as PartyIDSource (447)	Src

			<p>Valid values:  For all PartyRoles  B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B")  C - Generally accepted market participant identifier (e.g. NASD mnemonic)  D - Proprietary / Custom code  E - ISO Country Code  F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)  G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C")  H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)  For PartyRole = "InvestorID" and for CIV  6 - UK National Insurance or Pension Number  7 - US Social Security Number  8 - US Employer or Tax ID Number  9 - Australian Business Number  A - Australian Tax File Number  For PartyRole = "InvestorID" and for Equities  1 - Korean Investor ID  2 - Taiwanese Qualified Foreign Investor ID  QFII/FID  3 - Taiwanese Trading Acct  4 - Malaysian Central Depository (MCD) number  5 - Chinese Investor ID  For PartyRole="Broker of Credit"  I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	
784	SettlPartyRole	int	<p>PartyRole value within a settlement parties component. Same values as PartyRole (452)</p> <p>Valid values:  82 - Central Registration Depository (CRD)  83 - Clearing Account</p>	R

			<ul style="list-style-type: none"> <li>84 - Acceptable Settling Counterparty</li> <li>85 - Unacceptable Settling Counterparty</li> <li>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</li> <li>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</li> <li>3 - Client ID (formerly FIX 4.2 ClientID)</li> <li>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</li> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettLLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> <li>12 - Executing Trader (associated with Executing Firm - actually executes)</li> <li>13 - Order Origination Firm (e.g. buy-side firm)</li> <li>14 - Giveup Clearing Firm (firm to which trade is given up)</li> <li>15 - Correspondant Clearing Firm</li> <li>16 - Executing System</li> <li>17 - Contra Firm</li> <li>18 - Contra Clearing Firm</li> <li>19 - Sponsoring Firm</li> <li>20 - Underlying Contra Firm</li> <li>21 - Clearing Organization</li> <li>22 - Exchange</li> <li>24 - Customer Account</li> <li>25 - Correspondent Clearing Organization</li> <li>26 - Correspondent Broker</li> <li>27 - Buyer/Seller (Receiver/Deliverer)</li> <li>28 - Custodian</li> <li>29 - Intermediary</li> <li>30 - Agent</li> <li>31 - Sub-custodian</li> <li>32 - Beneficiary</li> </ul>	
--	--	--	--	--

			<ul style="list-style-type: none"><li>33 - Interested party</li><li>34 - Regulatory body</li><li>35 - Liquidity provider</li><li>36 - Entering trader</li><li>37 - Contra trader</li><li>38 - Position account</li><li>39 - Contra Investor ID</li><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li><li>50 - Pledgor Account</li><li>51 - Pledgee Account</li><li>52 - Large Trader Reportable Account</li><li>53 - Trader mnemonic</li><li>54 - Sender Location</li><li>55 - Session ID</li><li>56 - Acceptable Counterparty</li><li>57 - Unacceptable Counterparty</li><li>58 - Entering Unit</li><li>59 - Executing Unit</li><li>60 - Introducing Broker</li><li>61 - Quote originator</li><li>62 - Report originator</li><li>63 - Systematic internaliser (SI)</li><li>64 - Multilateral Trading Facility (MTF)</li><li>65 - Regulated Market (RM)</li><li>66 - Market Maker</li><li>67 - Investment Firm</li><li>68 - Host Competent Authority (Host CA)</li><li>69 - Home Competent Authority (Home CA)</li><li>70 - Competent Authority of the most relevant market in terms of liquidity (CAL)</li></ul>	
--	--	--	--	--

			<ul style="list-style-type: none"> <li>71 - Competent Authority of the Transaction (Execution) Venue (CATV)</li> <li>72 - Reporting intermediary (medium/vendor via which report has been published)</li> <li>73 - Execution Venue</li> <li>74 - Market data entry originator</li> <li>75 - Location ID</li> <li>76 - Desk ID</li> <li>77 - Market data market</li> <li>78 - Allocation Entity</li> <li>79 - Prime Broker providing General Trade Services</li> <li>80 - Step-Out Firm (Prime Broker)</li> <li>81 - BrokerClearingID</li> </ul>	
785	SettlPartySubID	String	<p>PartySubID value within a settlement parties component. Same values as PartySubID (523)</p>	ID
786	SettlPartySubIDType	int	<p>Type of SettlPartySubID (785) value. Same values as PartySubIDType (803)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Firm</li> <li>2 - Person</li> <li>3 - System</li> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> </ul>	Typ

			15 - Cash account number (for settlement instructions) 16 - BIC 17 - CSD participant member code 18 - Registered address 19 - Fund account name 20 - Telex number 21 - Fax number 22 - Securities account name 23 - Cash account name 24 - Department 25 - Location desk 26 - Position account type 27 - Security locate ID 28 - Market maker 29 - Eligible counterparty 30 - Professional client 31 - Location 32 - Execution venue 33 - Currency delivery identifier	
787	DlvyInstType	char	Used to indicate whether a delivery instruction is used for securities or cash settlement.  Valid values: C - Cash S - Securities	InstTyp
788	TerminationType	int	Type of financing termination.  Valid values: 1 - Overnight 2 - Term 3 - Flexible 4 - Open	TrmTyp
789	NextExpectedMsgSeqNum	SeqNum	Next expected MsgSeqNum value to be received.	
790	OrdStatusReqID	String	Can be used to uniquely identify a specific Order Status Request message.	StatReqID

791	SettlInstReqID	String	Unique ID of settlement instruction request message	SettlInstReqID
792	SettlInstReqRejCode	int	<p>Identifies reason for rejection (of a settlement instruction request message).</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Unable to process request</li> <li>1 - Unknown account</li> <li>2 - No matching settlement instructions found</li> <li>99 - Other</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	SettlInstReqRejCode
793	SecondaryAllocID	String	Secondary allocation identifier. Unlike the AllocID (70), this can be shared across a number of allocation instruction or allocation report messages, thereby making it possible to pass an identifier for an original allocation message on multiple messages (e.g. from one party to a second to a third, across cancel and replace messages etc.).	<p>AllocID2</p> <p>ID2 in Allocation category messages</p>
794	AllocReportType	int	<p>Describes the specific type or purpose of an Allocation Report message</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>2 - Preliminary Request to Intermediary</li> <li>3 - Sellside Calculated Using Preliminary (includes MiscFees and NetMoney)</li> <li>4 - Sellside Calculated Without Preliminary (sent unsolicited by sellside, includes MiscFees and NetMoney)</li> <li>5 - Warehouse Recap</li> <li>8 - Request to Intermediary</li> <li>9 - Accept</li> <li>10 - Reject</li> <li>11 - Accept Pending</li> <li>12 - Complete</li> <li>14 - Reverse Pending</li> </ul>	RptTyp

795	AllocReportRefID	String	Reference identifier to be used with AllocTransType (7) = Replace or Cancel	RptRefID
796	AllocCancReplaceReason	int	Reason for cancelling or replacing an Allocation Instruction or Allocation Report message  Valid values: 1 - Original details incomplete/incorrect 2 - Change in underlying order details 99 - Other  or any value conforming to the data type Reserved100Plus	CxlRplcRsn  CxlRplcRsn in Allocation category messages
797	CopyMsgIndicator	Boolean	Indicates whether or not this message is a drop copy of another message.	CopyMsgInd
798	AllocAccountType	int	Type of account associated with a confirmation or other trade-level message  Valid values: 1 - Account is carried on customer side of books 2 - Account is carried on non-customer side of books 3 - House trader 4 - Floor trader 6 - Account is carried on non-customer side of books and is cross margined 7 - Account is house trader and is cross margined 8 - Joint back office account (JBO)	AcctTyp
799	OrderAvgPx	Price	Average price for a specific order	AvgPx
800	OrderBookingQty	Qty	Quantity of the order that is being booked out as part of an Allocation Instruction or Allocation Report message	BkngQty
801	NoSettlPartySubIDs	NumInGroup	Number of SettlPartySubID (785) and SettlPartySubIDType (786) entries	
802	NoPartySubIDs	NumInGroup	Number of PartySubID (523) and PartySubIDType (803) entries	

803	PartySubIDType	int	<p>Type of PartySubID (523) value 4000+ = Reserved and available for bi-laterally agreed upon user defined values</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Firm</li> <li>2 - Person</li> <li>3 - System</li> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> <li>15 - Cash account number (for settlement instructions)</li> <li>16 - BIC</li> <li>17 - CSD participant member code</li> <li>18 - Registered address</li> <li>19 - Fund account name</li> <li>20 - Telex number</li> <li>21 - Fax number</li> <li>22 - Securities account name</li> <li>23 - Cash account name</li> <li>24 - Department</li> <li>25 - Location desk</li> <li>26 - Position account type</li> <li>27 - Security locate ID</li> <li>28 - Market maker</li> <li>29 - Eligible counterparty</li> <li>30 - Professional client</li> </ul>	Typ
-----	----------------	-----	---	-----

			<p>31 - Location  32 - Execution venue  33 - Currency delivery identifier</p> <p>or any value conforming to the data type  Reserved4000Plus</p>	
804	NoNestedPartySubIDs	NumInGroup	Number of NestedPartySubID (545) and NestedPartySubIDType (805) entries	
805	NestedPartySubIDType	int	<p>Type of NestedPartySubID (545) value.  Same values as PartySubIDType (803)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Firm</li> <li>2 - Person</li> <li>3 - System</li> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> <li>15 - Cash account number (for settlement instructions)</li> <li>16 - BIC</li> <li>17 - CSD participant member code</li> <li>18 - Registered address</li> <li>19 - Fund account name</li> <li>20 - Telex number</li> <li>21 - Fax number</li> </ul>	Typ

			<ul style="list-style-type: none"> <li>22 - Securities account name</li> <li>23 - Cash account name</li> <li>24 - Department</li> <li>25 - Location desk</li> <li>26 - Position account type</li> <li>27 - Security locate ID</li> <li>28 - Market maker</li> <li>29 - Eligible counterparty</li> <li>30 - Professional client</li> <li>31 - Location</li> <li>32 - Execution venue</li> <li>33 - Currency delivery identifier</li> </ul>	
806	NoNested2PartySubIDs	NumInGroups	Number of Nested2PartySubID (760) and Nested2PartySubIDType (807) entries. Second instance of <NestedParties>.	
807	Nested2PartySubIDType	int	<p>Type of Nested2PartySubID (760) value. Second instance of &lt;NestedParties&gt;. Same values as PartySubIDType (803)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Firm</li> <li>2 - Person</li> <li>3 - System</li> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> <li>15 - Cash account number (for settlement</li> </ul>	Typ

			instructions) 16 - BIC 17 - CSD participant member code 18 - Registered address 19 - Fund account name 20 - Telex number 21 - Fax number 22 - Securities account name 23 - Cash account name 24 - Department 25 - Location desk 26 - Position account type 27 - Security locate ID 28 - Market maker 29 - Eligible counterparty 30 - Professional client 31 - Location 32 - Execution venue 33 - Currency delivery identifier	
808	AllocIntermedReqType	int	Response to allocation to be communicated to a counterparty through an intermediary, i.e. clearing house. Used in conjunction with AllocType = "Request to Intermediary" and AllocReportType = "Request to Intermediary"  Valid values: 1 - Pending Accept 2 - Pending Release 3 - Pending Reversal 4 - Accept 5 - Block Level Reject 6 - Account Level Reject	IntermedReqType  ImReqType in Allocation category messages
809	NoUsernames	NumInGroup	Number of Usernames to which this this response is directed	
810	UnderlyingPx	Price	Underlying price associate with a derivative instrument.	Px
811	PriceDelta	float	The rate of change in the price of a derivative with respect to the movement in the price of the underlying	PxDelta

			instrument(s) upon which the derivative instrument price is based. This value is normally between -1.0 and 1.0.	
812	ApplQueueMax	int	Used to specify the maximum number of application messages that can be queued before a corrective action needs to take place to resolve the queuing issue.	ApplQuMax
813	ApplQueueDepth	int	Current number of application messages that were queued at the time that the message was created by the counterparty.	ApplQuDepth
814	ApplQueueResolution	int	Resolution taken when ApplQueueDepth (813) exceeds ApplQueueMax (812) or system specified maximum queue size.  Valid values: 0 - No Action Taken 1 - Queue Flushed 2 - Overlay Last 3 - End Session	ApplQuResolution
815	ApplQueueAction	int	Action to take to resolve an application message queue (backlog).  Valid values: 0 - No Action Taken 1 - Queue Flushed 2 - Overlay Last 3 - End Session	ApplQuActn
816	NoAltMDSsource	NumInGroup	Number of alternative market data sources	
817	AltMDSsourceID	String	Session layer source for market data (For the standard FIX session layer, this would be the TargetCompID (56) where market data can be obtained).	AltMDSrcID
818	SecondaryTradeReportID	String	Deprecated in FIX.5.0 Secondary trade report identifier - can be used to associate an additional identifier with a trade.	TrdRptID2 RptID2 in TradeCapture category messages

819	AvgPxIndicator	int	Average Pricing Indicator Valid values: 0 - No Average Pricing 1 - Trade is part of an average price group identified by the TradeLinkID (820) 2 - Last trade is the average price group identified by the TradeLinkID (820)	AvgPxInd
820	TradeLinkID	String	Used to link a group of trades together. Useful for linking a group of trades together for average price calculations.	LinkID LinkID in TradeCapture category messages
821	OrderInputDevice	String	Specific device number, terminal number or station where order was entered	OrdInptDev
822	UnderlyingTradingSessionID	String	Trading Session in which the underlying instrument trades	UndSesID
823	UnderlyingTradingSessionSubID	String	Trading Session sub identifier in which the underlying instrument trades	UndSesSub
824	TradeLegRefID	String	Reference to the leg of a multileg instrument to which this trade refers	TrdLegRefID
825	ExchangeRule	String	Used to report any exchange rules that apply to this trade. Primarily intended for US futures markets. Certain trading practices are permitted by the CFTC, such as large lot trading, block trading, all or none trades. If the rules are used, the exchanges are required to indicate these rules on the trade.	ExchRule
826	TradeAllocIndicator	int	Identifies how the trade is to be allocated Valid values: 0 - Allocation not required 1 - Allocation required (give-up trade) allocation information not provided (incomplete) 2 - Use allocation provided with the trade 3 - Allocation give-up executor 4 - Allocation from executor	AllocInd

			5 - Allocation to claim account	
827	ExpirationCycle	int	<p>Part of trading cycle when an instrument expires. Field is applicable for derivatives.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Expire on trading session close (default)</li> <li>1 - Expire on trading session open</li> <li>2 - Trading eligibility expiration specified in the date and time fields [EventDate(866) and EventTime(1145)] associated with EventType(865)=7(Last Eligible Trade Date)</li> </ul>	ExpirationCycle
828	TrdType	int	<p>Type of Trade:</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Regular Trade</li> <li>1 - Block Trade</li> <li>2 - EFP (Exchange for physical)</li> <li>3 - Transfer</li> <li>4 - Late Trade</li> <li>5 - T Trade</li> <li>6 - Weighted Average Price Trade</li> <li>7 - Bunched Trade</li> <li>8 - Late Bunched Trade</li> <li>9 - Prior Reference Price Trade</li> <li>10 - After Hours Trade</li> <li>11 - Exchange for Risk (EFR)</li> <li>12 - Exchange for Swap (EFS )</li> <li>13 - Exchange of Futures for (in Market) Futures (EFM ) (e.g, full sized for mini)</li> <li>14 - Exchange of Options for Options (EOO)</li> <li>15 - Trading at Settlement</li> <li>16 - All or None</li> <li>17 - Futures Large Order Execution</li> <li>18 - Exchange of Futures for Futures (external market) (EFF)</li> <li>19 - Option Interim Trade</li> <li>20 - Option Cabinet Trade</li> <li>22 - Privately Negotiated Trades</li> </ul>	TrdTyp

			<ul style="list-style-type: none"> <li>23 - Substitution of Futures for Forwards</li> <li>48 - Non-standard settlement</li> <li>49 - Derivative Related Transaction</li> <li>50 - Portfolio Trade</li> <li>51 - Volume Weighted Average Trade</li> <li>52 - Exchange Granted Trade</li> <li>53 - Repurchase Agreement</li> <li>54 - OTC</li> <li>55 - Exchange Basis Facility (EBF)</li> </ul> <p>MiFID Values</p> <ul style="list-style-type: none"> <li>24 - Error trade</li> <li>25 - Special cum dividend (CD)</li> <li>26 - Special ex dividend (XD)</li> <li>27 - Special cum coupon (CC)</li> <li>28 - Special ex coupon (XC)</li> <li>29 - Cash settlement (CS)</li> <li>30 - Special price (usually net- or all-in price) (SP)</li> <li>31 - Guaranteed delivery (GD)</li> <li>32 - Special cum rights (CR)</li> <li>33 - Special ex rights (XR)</li> <li>34 - Special cum capital repayments (CP)</li> <li>35 - Special ex capital repayments (XP)</li> <li>36 - Special cum bonus (CB)</li> <li>37 - Special ex bonus (XB)</li> <li>38 - Block trade (same as large trade)</li> <li>39 - Worked principal trade (UK-specific)</li> <li>40 - Block Trades - after market</li> <li>41 - Name change</li> <li>42 - Portfolio transfer</li> <li>43 - Prorogation buy - Euronext Paris only. Is used to defer settlement under French SRD (deferred settlement system) . Trades must be reported as crosses at zero price</li> <li>44 - Prorogation sell - see prorogation buy</li> <li>45 - Option exercise</li> <li>46 - Delta neutral transaction</li> <li>47 - Financing transaction (includes repo and stock lending)</li> </ul>	
--	--	--	---	--

			or any value conforming to the data type Reserved1000Plus	
829	TrdSubType	int	<p>Further qualification to the trade type</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - CMTA</li> <li>1 - Internal transfer or adjustment</li> <li>2 - External transfer or transfer of account</li> <li>3 - Reject for submitting side</li> <li>4 - Advisory for contra side</li> <li>5 - Offset due to an allocation</li> <li>6 - Onset due to an allocation</li> <li>7 - Differential spread</li> <li>8 - Implied spread leg executed against an outright</li> <li>9 - Transaction from exercise</li> <li>10 - Transaction from assignment</li> <li>11 - ACATS</li> <li>33 - Off Hours Trade</li> <li>34 - On Hours Trade</li> <li>35 - OTC Quote</li> <li>36 - Converted SWAP</li> </ul> <p>MiFID Values</p> <ul style="list-style-type: none"> <li>14 - AI (Automated input facility disabled in response to an exchange request.)</li> <li>15 - B (Transaction between two member firms where neither member firm is registered as a market maker in the security in question and neither is a designated fund manager. Also used by broker dealers when dealing with another broker which is not a member firm. Non-order book securities only.)</li> <li>16 - K (Transaction using block trade facility.)</li> <li>17 - LC (Correction submitted more than three days after publication of the original trade report.)</li> <li>18 - M (Transaction, other than a transaction resulting from a stock swap or stock switch, between two market makers registered in that security including</li> </ul>	TrdSubTyp

			<p>IDB or a public display system trades. Non-order book securities only.)</p> <p>19 - N (Non-protected portfolio transaction or a fully disclosed portfolio transaction)</p> <p>20 - NM ( i) transaction where Exchange has granted permission for non-publication</p> <p>ii)IDB is reporting as seller</p> <p>iii) submitting a transaction report to the Exchange, where the transaction report is not also a trade report.)</p> <p>21 - NR (Non-risk transaction in a SEATS security other than an AIM security)</p> <p>22 - P (Protected portfolio transaction or a worked principal agreement to effect a portfolio transaction which includes order book securities)</p> <p>23 - PA (Protected transaction notification)</p> <p>24 - PC (Contra trade for transaction which took place on a previous day and which was automatically executed on the Exchange trading system)</p> <p>25 - PN (Worked principal notification for a portfolio transaction which includes order book securities)</p> <p>26 - R ( ( i) riskless principal transaction between non-members where the buying and selling transactions are executed at different prices or on different terms (requires a trade report with trade type indicator R for each transaction)</p> <p>(ii) market maker is reporting all the legs of a riskless principal transaction where the buying and selling transactions are executed at different prices (requires a trade report with trade type indicator R for each transaction)or</p> <p>(iii) market maker is reporting the onward leg of a riskless principal transaction where the legs are executed at different prices, and another market maker has submitted a trade report using trade type indicator M for the first leg (this requires a single trade report with trade type indicator R).)</p>	
--	--	--	---	--

			<p>27 - RO (Transaction which resulted from the exercise of a traditional option or a stock-settled covered warrant)</p> <p>28 - RT (Risk transaction in a SEATS security, (excluding AIM security) reported by a market maker registered in that security)</p> <p>29 - SW (Transactions resulting from stock swap or a stock switch (one report is required for each line of stock))</p> <p>30 - T (If reporting a single protected transaction)</p> <p>31 - WN (Worked principal notification for a single order book security)</p> <p>32 - WT (Worked principal transaction (other than a portfolio transaction))</p> <p>37 - Crossed Trade (X)</p> <p>38 - Interim Protected Trade (I)</p> <p>39 - Large in Scale (L)</p> <p>or any value conforming to the data type Reserved1000Plus</p>	
830	TransferReason	String	Reason trade is being transferred	TrnsfrRsn
<del>831</del>	<del>AsgnReqID</del>	<del>String</del>	<del>Deprecated in FIX.4.4 Unique identifier for the Assignment Report Request</del>	<del>ReqID</del>
832	TotNumAssignmentReports	int	Total Number of Assignment Reports being returned to a firm	TotNumAsgnRpts
833	AsgnRptID	String	Unique identifier for the Assignment Report	RptID
834	ThresholdAmount	PriceOffset	Amount that a position has to be in the money before it is exercised.	ThresholdAmt
835	PegMoveType	int	Describes whether peg is static or floats Valid values: 0 - Floating (default) 1 - Fixed	MoveTyp
836	PegOffsetType	int	Type of Peg Offset value	OfstTyp

			Valid values: 0 - Price (default) 1 - Basis Points 2 - Ticks 3 - Price Tier / Level	
837	PegLimitType	int	Type of Peg Limit  Valid values: 0 - Or better (default) - price improvement allowed 1 - Strict - limit is a strict limit 2 - Or worse - for a buy the peg limit is a minimum and for a sell the peg limit is a maximum (for use for orders which have a price range)	LmtTyp
838	PegRoundDirection	int	If the calculated peg price is not a valid tick price, specifies whether to round the price to be more or less aggressive  Valid values: 1 - More aggressive - on a buy order round the price up to the nearest tick; on a sell order round down to the nearest tick 2 - More passive - on a buy order round down to the nearest tick; on a sell order round up to the nearest tick	RndDir
839	PeggedPrice	Price	The price the order is currently pegged at	PeggedPx
840	PegScope	int	The scope of the peg  Valid values: 1 - Local (Exchange, ECN, ATS) 2 - National 3 - Global 4 - National excluding local	Scope
841	DiscretionMoveType	int	Describes whether discretionay price is static or floats  Valid values: 0 - Floating (default) 1 - Fixed	MoveTyp

842	DiscretionOffsetType	int	Type of Discretion Offset value Valid values: 0 - Price (default) 1 - Basis Points 2 - Ticks 3 - Price Tier / Level	OfstTyp
843	DiscretionLimitType	int	Type of Discretion Limit Valid values: 0 - Or better (default) - price improvement allowed 1 - Strict - limit is a strict limit 2 - Or worse - for a buy the discretion price is a minimum and for a sell the discretion price is a maximum (for use for orders which have a price range)	LimitTyp
844	DiscretionRoundDirection	int	If the calculated discretionary price is not a valid tick price, specifies whether to round the price to be more or less aggressive Valid values: 1 - More aggressive - on a buy order round the price up to the nearest tick; on a sell round down to the nearest tick 2 - More passive - on a buy order round down to the nearest tick; on a sell order round up to the nearest tick	RndDir
845	DiscretionPrice	Price	The current discretionary price of the order	DsctnPx
846	DiscretionScope	int	The scope of the discretion Valid values: 1 - Local (Exchange, ECN, ATS) 2 - National 3 - Global 4 - National excluding local	Scope
847	TargetStrategy	int	The target strategy of the order 1000+ = Reserved and available for bi-laterally agreed upon user defined values	TgtStrategy

			Valid values: 1 - VWAP 2 - Participate (i.e. aim to be x percent of the market volume) 3 - Minimize market impact  or any value conforming to the data type Reserved1000Plus	
848	TargetStrategyParameters	String	Deprecated in FIX.5.0 Field to allow further specification of the TargetStrategy - usage to be agreed between counterparties	TgtStrategyParameters
849	ParticipationRate	Percentage	Deprecated in FIX.5.0 For a TargetStrategy=Participate order specifies the target participation rate. For other order types this is a volume limit (i.e. do not be more than this percent of the market volume)	ParticipationRt
850	TargetStrategyPerformance	float	For communication of the performance of the order versus the target strategy	TgtStrategyPerformance
851	LastLiquidityInd	int	Indicator to identify whether this fill was a result of a liquidity provider providing or liquidity taker taking the liquidity. Applicable only for OrdStatus of Partial or Filled.  Valid values: 1 - Added Liquidity 2 - Removed Liquidity 3 - Liquidity Routed Out 4 - Auction	LastLqdyInd
852	PublishTrdIndicator	Boolean	Deprecated in FIX.5.0 Indicates if a trade should be reported via a market reporting service.  Valid values: N - Do Not Report Trade Y - Report Trade	PubTrdInd
853	ShortSaleReason	int	Reason for short sale.	ShrtSaleRsn

			<p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Dealer Sold Short</li> <li>1 - Dealer Sold Short Exempt</li> <li>2 - Selling Customer Sold Short</li> <li>3 - Selling Customer Sold Short Exempt</li> <li>4 - Qualified Service Representative (QSR) or Automatic Give-up (AGU) Contra Side Sold Short</li> <li>5 - QSR or AGU Contra Side Sold Short Exempt</li> </ul>	
854	QtyType	int	<p>Type of quantity specified in a quantity field:</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Units (shares, par, currency)</li> <li>1 - Contracts (if used - must specify ContractMultiplier (tag 231))</li> <li>2 - Units of Measure per Time Unit (if used - must specify UnitofMeasure (tag 996) and TimeUnit (tag 997))</li> </ul>	QtyTyp
855	SecondaryTrdType	int	<p>Additional TrdType(828) assigned to a trade by trade match system.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Regular Trade</li> <li>1 - Block Trade</li> <li>2 - EFP (Exchange for physical)</li> <li>3 - Transfer</li> <li>4 - Late Trade</li> <li>5 - T Trade</li> <li>6 - Weighted Average Price Trade</li> <li>7 - Bunched Trade</li> <li>8 - Late Bunched Trade</li> <li>9 - Prior Reference Price Trade</li> <li>10 - After Hours Trade</li> <li>11 - Exchange for Risk (EFR)</li> <li>12 - Exchange for Swap (EFS )</li> <li>13 - Exchange of Futures for (in Market) Futures (EFM ) (e.g, full sized for mini)</li> <li>14 - Exchange of Options for Options (EOO)</li> <li>15 - Trading at Settlement</li> </ul>	TrdTyp2

			<ul style="list-style-type: none"> <li>16 - All or None</li> <li>17 - Futures Large Order Execution</li> <li>18 - Exchange of Futures for Futures (external market) (EFF)</li> <li>19 - Option Interim Trade</li> <li>20 - Option Cabinet Trade</li> <li>22 - Privately Negotiated Trades</li> <li>23 - Substitution of Futures for Forwards</li> <li>48 - Non-standard settlement</li> <li>49 - Derivative Related Transaction</li> <li>50 - Portfolio Trade</li> <li>51 - Volume Weighted Average Trade</li> <li>52 - Exchange Granted Trade</li> <li>53 - Repurchase Agreement</li> <li>54 - OTC</li> <li>55 - Exchange Basis Facility (EBF)</li> </ul> <p>MiFID Values</p> <ul style="list-style-type: none"> <li>24 - Error trade</li> <li>25 - Special cum dividend (CD)</li> <li>26 - Special ex dividend (XD)</li> <li>27 - Special cum coupon (CC)</li> <li>28 - Special ex coupon (XC)</li> <li>29 - Cash settlement (CS)</li> <li>30 - Special price (usually net- or all-in price) (SP)</li> <li>31 - Guaranteed delivery (GD)</li> <li>32 - Special cum rights (CR)</li> <li>33 - Special ex rights (XR)</li> <li>34 - Special cum capital repayments (CP)</li> <li>35 - Special ex capital repayments (XP)</li> <li>36 - Special cum bonus (CB)</li> <li>37 - Special ex bonus (XB)</li> <li>38 - Block trade (same as large trade)</li> <li>39 - Worked principal trade (UK-specific)</li> <li>40 - Block Trades - after market</li> <li>41 - Name change</li> <li>42 - Portfolio transfer</li> <li>43 - Prorogation buy - Euronext Paris only. Is used to defer settlement under French SRD (deferred settlement system) . Trades must be reported as crosses</li> </ul>	
--	--	--	--	--

			at zero price 44 - Prorogation sell - see prorogation buy 45 - Option exercise 46 - Delta neutral transaction 47 - Financing transaction (includes repo and stock lending)	
856	TradeReportType	int	Type of Trade Report Valid values: 0 - Submit 1 - Alleged 2 - Accept 3 - Decline 4 - Addendum 5 - No/Was 6 - Trade Report Cancel 7 - (Locked-In) Trade Break 8 - Defaulted 9 - Invalid CMTA 10 - Pended 11 - Alleged New 12 - Alleged Addendum 13 - Alleged No/Was 14 - Alleged Trade Report Cancel 15 - Alleged (Locked-In) Trade Break	RptTyp
857	AllocNoOrdersType	int	Indicates how the orders being booked and allocated by an Allocation Instruction or Allocation Report message are identified, i.e. by explicit definition in the NoOrders group or not. Valid values: 0 - Not Specified 1 - Explicit List Provided	NoOrdsTyp
858	SharedCommission	Amt	Commission to be shared with a third party, e.g. as part of a directed brokerage commission sharing arrangement.	SharedComm
859	ConfirmReqID	String	Unique identifier for a Confirmation Request message	CnfmReqID

860	AvgParPx	Price	Used to express average price as percent of par (used where AvgPx field is expressed in some other way)	AvgParPx
861	ReportedPx	Price	Reported price (used to differentiate from AvgPx on a confirmation of a marked-up or marked-down principal trade)	RptedPx
862	NoCapacities	NumInGroup	Number of repeating OrderCapacity entries.	
863	OrderCapacityQty	Qty	Quantity executed under a specific OrderCapacity (e.g. quantity executed as agent, quantity executed as principal)	CpctyQty
864	NoEvents	NumInGroup	Number of repeating EventType entries.	
865	EventType	int	Code to represent the type of event Valid values: 1 - Put 2 - Call 3 - Tender 4 - Sinking Fund Call 5 - Activation 6 - Inactivation 7 - Last Eligible Trade Date 8 - Swap Start Date 9 - Swap End Date 10 - Swap Roll Date 11 - Swap Next Start Date 12 - Swap Next Roll Date 13 - First Delivery Date 14 - Last Delivery Date 15 - Initial Inventory Due Date 16 - Final Inventory Due Date 17 - First Intent Date 18 - Last Intent Date 19 - Position Removal Date 99 - Other	EventTyp

			or any value conforming to the data type Reserved100Plus	
866	EventDate	LocalMkt Date	Date of event	Dt
867	EventPx	Price	Predetermined price of issue at event, if applicable	Px
868	EventText	String	Comments related to the event.	Txt
869	PctAtRisk	Percentage	Percent at risk due to lowest possible call.	PctAtRisk
870	NoInstrAttrib	NumInGroup	Number of repeating InstrAttribType entries.	
871	InstrAttribType	int	Code to represent the type of instrument attribute Valid values: 1 - Flat (securities pay interest on a current basis but are traded without interest) 2 - Zero coupon 3 - Interest bearing (for Euro commercial paper when not issued at discount) 4 - No periodic payments 5 - Variable rate 6 - Less fee for put 7 - Stepped coupon 8 - Coupon period (if not semi-annual). Supply redemption date in the InstrAttribValue (872) field. 9 - When [and if] issued 10 - Original issue discount 11 - Callable, puttable 12 - Escrowed to Maturity 13 - Escrowed to redemption date - callable. Supply redemption date in the InstrAttribValue (872) field 14 - Pre-refunded 15 - In default 16 - Unrated	Typ

			17 - Taxable 18 - Indexed 19 - Subject To Alternative Minimum Tax 20 - Original issue discount price. Supply price in the InstrAttribValue (872) field 21 - Callable below maturity value 22 - Callable without notice by mail to holder unless registered 23 - Price tick rules for security. 24 - Trade type eligibility details for security. 25 - Instrument Denominator 26 - Instrument Numerator 27 - Instrument Price Precision 28 - Instrument Strike Price 29 - Tradeable Indicator 99 - Text. Supply the text of the attribute or disclaimer in the InstrAttribValue (872) field.  or any value conforming to the data type Reserved100Plus	
872	InstrAttribValue	String	Attribute value appropriate to the InstrAttribType (87) field.	Val
873	DatedDate	LocalMkt Date	The effective date of a new securities issue determined by its underwriters. Often but not always the same as the Issue Date and the Interest Accrual Date	Dated
874	InterestAccrualDate	LocalMkt Date	The start date used for calculating accrued interest on debt instruments which are being sold between interest payment dates. Often but not always the same as the Issue Date and the Dated Date	IntAcrl
875	CPPProgram	int	The program under which a commercial paper is issued  Valid values: 1 - 3(a)(3) 2 - 4(2) 99 - Other	CPPgm

			or any value conforming to the data type Reserved100Plus	
876	CRegType	String	The registration type of a commercial paper issuance	CRegT
877	UnderlyingCPPProgram	String	The program under which the underlying commercial paper is issued	CPPgm
878	UnderlyingCRegType	String	The registration type of the underlying commercial paper issuance	CRegTyp
879	UnderlyingQty	Qty	Unit amount of the underlying security (par, shares, currency, etc.)	Qty
880	TrdMatchID	String	Identifier assigned to a trade by a matching system.	MtchID
881	SecondaryTradeReportRefID	String	Deprecated in FIX.5.0 Used to refer to a previous SecondaryTradeReportRefID when amending the transaction (cancel, replace, release, or reversal).	TrdRptRefID2 RptRefID2 in TradeCapture category messages
882	UnderlyingDirtyPrice	Price	Price (percent-of-par or per unit) of the underlying security or basket. "Dirty" means it includes accrued interest	DirtPx
883	UnderlyingEndPrice	Price	Price (percent-of-par or per unit) of the underlying security or basket at the end of the agreement.	EndPx
884	UnderlyingStartValue	Amt	Currency value attributed to this collateral at the start of the agreement	StartVal
885	UnderlyingCurrentValue	Amt	Currency value currently attributed to this collateral	CurVal
886	UnderlyingEndValue	Amt	Currency value attributed to this collateral at the end of the agreement	EndVal
887	NoUnderlyingStips	NumInGroup	Number of underlying stipulation entries	
888	UnderlyingStipType	String	Type of stipulation. Same values as StipulationType (233)  Valid values:	Typ

			<p>AMT - Alternative Minimum Tax (Y/N)  AUTOREINV - Auto Reinvestment at &lt;rate&gt; or better  BANKQUAL - Bank qualified (Y/N)  BGNCON - Bargain conditions (see StipulationValue (234) for values)  COUPON - Coupon range  CURRENCY - ISO Currency Code  CUSTOMDATE - Custom start/end date  GEOG - Geographics and % range (ex. 234=CA 0-80 [minimum of 80% California assets])  HAIRCUT - Valuation Discount  INSURED - Insured (Y/N)  ISSUE - Year Or Year/Month of Issue (ex. 234=2002/09)  ISSUER - Issuer's ticker  ISSUESIZE - issue size range  LOOKBACK - Lookback Days  LOT - Explicit lot identifier  LOTVAR - Lot Variance (value in percent maximum over- or under-allocation allowed)  MAT - Maturity Year And Month  MATURITY - Maturity range  MAXSUBS - Maximum substitutions (Repo)  MINDNOM - Minimum denomination  MININCR - Minimum increment  MINQTY - Minimum quantity  PAYFREQ - Payment frequency, calendar  PIECES - Number Of Pieces  PMAX - Pools Maximum  PPL - Pools per Lot  PPM - Pools per Million  PPT - Pools per Trade  PRICE - Price Range  PRICEFREQ - Pricing frequency  PROD - Production Year  PROTECT - Call protection  PURPOSE - Purpose  PXSOURCE - Benchmark price source</p>	
--	--	--	--	--

			<p>RATING - Rating source and range</p> <p>REDEMPTION - Type Of Redemption - values are: NonCallable, Prefunded, EscrowedToMaturity, Puttable, Convertible</p> <p>RESTRICTED - Restricted (Y/N)</p> <p>SECTOR - Market Sector</p> <p>SECTYPE - Security Type included or excluded</p> <p>STRUCT - Structure</p> <p>SUBSFREQ - Substitutions frequency (Repo)</p> <p>SUBSLEFT - Substitutions left (Repo)</p> <p>TEXT - Freeform Text</p> <p>TRDVAR - Trade Variance (value in percent maximum over- or under-allocation allowed)</p> <p>WAC - Weighted Average Coupon - value in percent (exact or range) plus "Gross" or "Net" of servicing spread (the default) (ex. 234=6.5-Net [minimum of 6.5% net of servicing fee])</p> <p>WAL - Weighted Average Life Coupon - value in percent (exact or range)</p> <p>WALA - Weighted Average Loan Age - value in months (exact or range)</p> <p>WAM - Weighted Average Maturity - value in months (exact or range)</p> <p>WHOLE - Whole Pool (Y/N)</p> <p>YIELD - Yield Range</p> <p>Other</p> <p>AVFICO - Average FICO Score</p> <p>AVSIZE - Average Loan Size</p> <p>MAXBAL - Maximum Loan Balance</p> <p>POOL - Pool Identifier</p> <p>ROLLTYPE - Type of Roll trade</p> <p>REFTRADE - reference to rolling or closing trade</p> <p>REFPRIN - principal of rolling or closing trade</p> <p>REFINT - interest of rolling or closing trade</p> <p>AVAILQTY - Available offer quantity to be shown to the street</p> <p>BROKERCREDIT - Broker's sales credit</p> <p>INTERNALPX - Offer price to be shown to internal brokers</p>	
--	--	--	---	--

			<p>INTERNALQTY - Offer quantity to be shown to internal brokers</p> <p>LEAVEQTY - The minimum residual offer quantity</p> <p>MAXORDQTY - Maximum order size</p> <p>ORDRINCR - Order quantity increment</p> <p>PRIMARY - Primary or Secondary market indicator</p> <p>SALESCREDITOVR - Broker sales credit override</p> <p>TRADERCREDIT - Trader's credit</p> <p>DISCOUNT - Discount Rate (when price is denominated in percent of par)</p> <p>YTM - Yield to Maturity (when YieldType(235) and Yield(236) show a different yield)</p> <p>Prepayment Speeds</p> <p>ABS - Absolute Prepayment Speed</p> <p>CPP - Constant Prepayment Penalty</p> <p>CPR - Constant Prepayment Rate</p> <p>CPY - Constant Prepayment Yield</p> <p>HEP - final CPR of Home Equity Prepayment</p> <p>Curve</p> <p>MHP - Percent of Manufactured Housing</p> <p>Prepayment Curve</p> <p>MPR - Monthly Prepayment Rate</p> <p>PPC - Percent of Prospectus Prepayment Curve</p> <p>PSA - Percent of BMA Prepayment Curve</p> <p>SMM - Single Monthly Mortality</p>	
889	UnderlyingStipValue	String	Value of stipulation. Same values as StipulationValue (234)	Val
890	MaturityNetMoney	Amt	Net Money at maturity if Zero Coupon and maturity value is different from par value	MatNetMny
891	MiscFeeBasis	int	Defines the unit for a miscellaneous fee.  Valid values: 0 - Absolute 1 - Per Unit	Basis

			2 - Percentage	
892	TotNoAllocs	int	Total number of NoAlloc entries across all messages. Should be the sum of all NoAllocs in each message that has repeating NoAlloc entries related to the same AllocID or AllocReportID. Used to support fragmentation.	TotNoAllocs
893	LastFragment	Boolean	Indicates whether this message is the last in a sequence of messages for those messages that support fragmentation, such as Allocation Instruction, Mass Quote, Security List, Derivative Security List  Valid values: N - Not Last Message Y - Last Message	LastFragment
894	CollReqID	String	Collateral Request Identifier	ReqID
895	CollAsgnReason	int	Reason for Collateral Assignment  Valid values: 0 - Initial 1 - Scheduled 2 - Time Warning 3 - Margin Deficiency 4 - Margin Excess 5 - Forward Collateral Demand 6 - Event of default 7 - Adverse tax event	AsgnRsn
896	CollInquiryQualifier	int	Collateral inquiry qualifiers:  Valid values: 0 - Trade Date 1 - GC Instrument 2 - Collateral Instrument 3 - Substitution Eligible 4 - Not Assigned 5 - Partially Assigned 6 - Fully Assigned 7 - Outstanding Trades (Today < end date)	Qual

897	NoTrades	NumInGroup	Number of trades in repeating group.	
898	MarginRatio	Percentage	The fraction of the cash consideration that must be collateralized, expressed as a percent. A MarginRatio of 02% indicates that the value of the collateral (after deducting for "haircut") must exceed the cash consideration by 2%.	MgnRatio
899	MarginExcess	Amt	Excess margin amount (deficit if value is negative)	MgnExcess
900	TotalNetValue	Amt	TotalNetValue is determined as follows: At the initial collateral assignment TotalNetValue is the sum of (UnderlyingStartValue * (1-haircut)). In a collateral substitution TotalNetValue is the sum of (UnderlyingCurrentValue * (1-haircut)). For listed derivatives clearing margin management, this is the collateral value which equals (Market value * haircut)	TotNetValu
901	CashOutstanding	Amt	Starting consideration less repayments	CshOutstanding
902	CollAsgnID	String	Collateral Assignment Identifier	ID
903	CollAsgnTransType	int	Collateral Assignment Transaction Type  Valid values: 0 - New 1 - Replace 2 - Cancel 3 - Release 4 - Reverse	TransTyp
904	CollRespID	String	Collateral Response Identifier	RespID
905	CollAsgnRespType	int	Collateral Assignment Response Type  Valid values: 0 - Received 1 - Accepted 2 - Declined 3 - Rejected	RespTyp

906	CollAsgnRejectReason	int	Collateral Assignment Reject Reason  Valid values: 0 - Unknown deal (order / trade) 1 - Unknown or invalid instrument 2 - Unauthorized transaction 3 - Insufficient collateral 4 - Invalid type of collateral 5 - Excessive substitution 99 - Other  or any value conforming to the data type Reserved100Plus	RejRsn
907	CollAsgnRefID	String	Collateral Assignment Identifier to which a transaction refers	RefID
908	CollRptID	String	Collateral Report Identifier	RptID
909	CollInquiryID	String	Collateral Inquiry Identifier	ID
910	CollStatus	int	Collateral Status  Valid values: 0 - Unassigned 1 - Partially Assigned 2 - Assignment Proposed 3 - Assigned (Accepted) 4 - Challenged	Stat
911	TotNumReports	int	Total number of reports returned in response to a request.	TotNumRpts
912	LastRptRequested	Boolean	Indicates whether this message is that last report message in response to a request, such as Order Mass Status Request.  Valid values: N - Not last message Y - Last message	LastRptReqed
913	AgreementDesc	String	The full name of the base standard agreement, annexes	AgmtDesc

			and amendments in place between the principals applicable to a financing transaction.	
914	AgreementID	String	A common reference to the applicable standing agreement between the counterparties to a financing transaction.	AgmtID
915	AgreementDate	LocalMkt Date	A reference to the date the underlying agreement specified by AgreementID and AgreementDesc was executed.	AgmtDt
916	StartDate	LocalMkt Date	Start date of a financing deal, i.e. the date the buyer pays the seller cash and takes control of the collateral	StartDt
917	EndDate	LocalMkt Date	End date of a financing deal, i.e. the date the seller reimburses the buyer and takes back control of the collateral	EndDt
918	AgreementCurrency	Currency	Contractual currency forming the basis of a financing agreement and associated transactions. Usually, but not always, the same as the trade currency.	AgmtCcy
919	DeliveryType	int	Identifies type of settlement Valid values: 0 - "Versus Payment": Deliver (if sell) or Receive (if buy) vs. (against) Payment 1 - "Free": Deliver (if sell) or Receive (if buy) Free 2 - Tri-Party 3 - Hold In Custody	DlvryTyp
920	EndAccruedInterestAmt	Amt	Accrued Interest Amount applicable to a financing transaction on the End Date.	EndAcrdIntAmt
921	StartCash	Amt	Starting dirty cash consideration of a financing deal, i.e. paid to the seller on the Start Date.	StartCsh
922	EndCash	Amt	Ending dirty cash consideration of a financing deal. i.e. reimbursed to the buyer on the End Date.	EndCsh
923	UserRequestID	String	Unique identifier for a User Request.	UserReqID
924	UserRequestType	int	Indicates the action required by a User Request Message	UserReqTyp

			Valid values: 1 - Log On User 2 - Log Off User 3 - Change Password For User 4 - Request Individual User Status	
925	NewPassword	String	New Password or passphrase	NewPassword
926	UserStatus	int	Indicates the status of a user  Valid values: 1 - Logged In 2 - Not Logged In 3 - User Not Recognised 4 - Password Incorrect 5 - Password Changed 6 - Other 7 - Forced user logout by Exchange 8 - Session shutdown warning	UserStat
927	UserStatusText	String	A text description associated with a user status.	UserStatText
928	StatusValue	int	Indicates the status of a network connection  Valid values: 1 - Connected 2 - Not Connected - down expected up 3 - Not Connected - down expected down 4 - In Process	StatValu
929	StatusText	String	A text description associated with a network status.	StatText
930	RefCompID	String	Assigned value used to identify a firm.	RefCompID
931	RefSubID	String	Assigned value used to identify specific elements within a firm.	RefSubID
932	NetworkResponseID	String	Unique identifier for a network response.	NtwkRspID
933	NetworkRequestID	String	Unique identifier for a network request.	NtwkReqID
934	LastNetworkResponse ID	String	Identifier of the previous Network Response message sent to a counterparty, used to allow incremental	LastNtwkRspID

			updates.	
935	NetworkRequestType	int	Indicates the type and level of details required for a Network Status Request Message Boolean logic applies EG If you want to subscribe for changes to certain id's then UserRequestType =0 (8+2), Snapshot for certain ID's = 9 (8+1)  Valid values: 1 - Snapshot 2 - Subscribe 4 - Stop Subscribing 8 - Level of Detail, then NoCompID's becomes required	NtwkReqTyp
936	NoCompIDs	NumInGroup	Number of CompID entries in a repeating group.	
937	NetworkStatusResponseType	int	Indicates the type of Network Response Message.  Valid values: 1 - Full 2 - Incremental Update	NtwkStatRspTyp
938	NoCollInquiryQualifier	NumInGroup	Number of CollInquiryQualifier entries in a repeating group.	
939	TrdRptStatus	int	Trade Report Status  Valid values: 0 - Accepted 1 - Rejected 3 - Accepted with errors	TrdRptStat
940	AffirmStatus	int	Identifies the status of the ConfirmationAck.  Valid values: 1 - Received 2 - Confirm rejected, i.e. not affirmed 3 - Affirmed	AffirmStat
941	UnderlyingStrikeCurrency	Currency	Currency in which the strike price of an underlying instrument is denominated	StrkCcy

942	LegStrikeCurrency	Currency	Currency in which the strike price of a instrument leg of a multileg instrument is denominated	StrkCcy
943	TimeBracket	String	A code that represents a time interval in which a fill or trade occurred. Required for US futures markets.	TmBkt
944	CollAction	int	Action proposed for an Underlying Instrument instance.  Valid values: 0 - Retain 1 - Add 2 - Remove	Actn
945	CollInquiryStatus	int	Status of Collateral Inquiry  Valid values: 0 - Accepted 1 - Accepted With Warnings 2 - Completed 3 - Completed With Warnings 4 - Rejected	Stat
946	CollInquiryResult	int	Result returned in response to Collateral Inquiry 4000+ Reserved and available for bi-laterally agreed upon user-defined values  Valid values: 0 - Successful (default) 1 - Invalid or unknown instrument 2 - Invalid or unknown collateral type 3 - Invalid Parties 4 - Invalid Transport Type requested 5 - Invalid Destination requested 6 - No collateral found for the trade specified 7 - No collateral found for the order specified 8 - Collateral inquiry type not supported 9 - Unauthorized for collateral inquiry 99 - Other (further information in Text (58) field)	Rslt

			or any value conforming to the data type Reserved100Plus	
947	StrikeCurrency	Currency	Currency in which the StrikePrice is denominated.	StrkCcy
948	NoNested3PartyIDs	NumInGroup	Number of Nested3PartyID (949), Nested3PartyIDSource (950), and Nested3PartyRole (95) entries	
949	Nested3PartyID	String	PartyID value within a "third instance" Nested repeating group. Same values as PartyID (448)	ID
950	Nested3PartyIDSource	char	PartyIDSource value within a "third instance" Nested repeating group. Same values as PartyIDSource (447)  Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant identifier (e.g. NASD mnemonic) D - Proprietary / Custom code E - ISO Country Code F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values) G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C") H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number) For PartyRole = "InvestorID" and for CIV 6 - UK National Insurance or Pension Number 7 - US Social Security Number 8 - US Employer or Tax ID Number 9 - Australian Business Number A - Australian Tax File Number For PartyRole = "InvestorID" and for Equities 1 - Korean Investor ID	Src

			<p>2 - Taiwanese Qualified Foreign Investor ID QFII/FID</p> <p>3 - Taiwanese Trading Acct</p> <p>4 - Malaysian Central Depository (MCD) number</p> <p>5 - Chinese Investor ID</p> <p>For PartyRole="Broker of Credit"</p> <p>I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	
951	Nested3PartyRole	int	<p>PartyRole value within a "third instance" Nested repeating group. Same values as PartyRole (452)</p> <p>Valid values:</p> <p>82 - Central Registration Depository (CRD)</p> <p>83 - Clearing Account</p> <p>84 - Acceptable Settling Counterparty</p> <p>85 - Unacceptable Settling Counterparty</p> <p>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</p> <p>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</p> <p>3 - Client ID (formerly FIX 4.2 ClientID)</p> <p>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</p> <p>5 - Investor ID</p> <p>6 - Introducing Firm</p> <p>7 - Entering Firm</p> <p>8 - Locate / Lending Firm (for short-sales)</p> <p>9 - Fund Manager Client ID (for CIV)</p> <p>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</p> <p>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</p> <p>12 - Executing Trader (associated with Executing Firm - actually executes)</p> <p>13 - Order Origination Firm (e.g. buy-side firm)</p> <p>14 - Giveup Clearing Firm (firm to which trade is given up)</p>	R

			<ul style="list-style-type: none"><li>15 - Corresondant Clearing Firm</li><li>16 - Executing System</li><li>17 - Contra Firm</li><li>18 - Contra Clearing Firm</li><li>19 - Sponsoring Firm</li><li>20 - Underlying Contra Firm</li><li>21 - Clearing Organization</li><li>22 - Exchange</li><li>24 - Customer Account</li><li>25 - Correspondent Clearing Organization</li><li>26 - Correspondent Broker</li><li>27 - Buyer/Seller (Receiver/Deliverer)</li><li>28 - Custodian</li><li>29 - Intermediary</li><li>30 - Agent</li><li>31 - Sub-custodian</li><li>32 - Beneficiary</li><li>33 - Interested party</li><li>34 - Regulatory body</li><li>35 - Liquidity provider</li><li>36 - Entering trader</li><li>37 - Contra trader</li><li>38 - Position account</li><li>39 - Contra Investor ID</li><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li><li>50 - Pledgor Account</li><li>51 - Pledgee Account</li><li>52 - Large Trader Reportable Account</li><li>53 - Trader mnemonic</li><li>54 - Sender Location</li></ul>	
--	--	--	---	--

			55 - Session ID 56 - Acceptable Counterparty 57 - Unacceptable Counterparty 58 - Entering Unit 59 - Executing Unit 60 - Introducing Broker 61 - Quote originator 62 - Report originator 63 - Systematic internaliser (SI) 64 - Multilateral Trading Facility (MTF) 65 - Regulated Market (RM) 66 - Market Maker 67 - Investment Firm 68 - Host Competent Authority (Host CA) 69 - Home Competent Authority (Home CA) 70 - Competent Authority of the most relevant market in terms of liquidity (CAL) 71 - Competent Authority of the Transaction (Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue 74 - Market data entry originator 75 - Location ID 76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services 80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
952	NoNested3PartySubIDs	NumInGroups	Number of Nested3PartySubIDs (953) entries	
953	Nested3PartySubID	String	PartySubID value within a "third instance" Nested repeating group. Same values as PartySubID (523)	ID
954	Nested3PartySubIDTy	int	PartySubIDType value within a "third instance" Nested	Typ

	pe		repeating group. Same values as PartySubIDType (803)  Valid values: 1 - Firm 2 - Person 3 - System 4 - Application 5 - Full legal name of firm 6 - Postal address 7 - Phone number 8 - Email address 9 - Contact name 10 - Securities account number (for settlement instructions) 11 - Registration number (for settlement instructions and confirmations) 12 - Registered address (for confirmation purposes) 13 - Regulatory status (for confirmation purposes) 14 - Registration name (for settlement instructions) 15 - Cash account number (for settlement instructions) 16 - BIC 17 - CSD participant member code 18 - Registered address 19 - Fund account name 20 - Telex number 21 - Fax number 22 - Securities account name 23 - Cash account name 24 - Department 25 - Location desk 26 - Position account type 27 - Security locate ID 28 - Market maker 29 - Eligible counterparty 30 - Professional client 31 - Location	
--	----	--	---	--

			32 - Execution venue 33 - Currency delivery identifier	
955	LegContractSettlMonth	MonthYear	Specifies when the contract (i.e. MBS/TBA) will settle.	CSetMo
956	LegInterestAccrualDate	LocalMktDate	The start date used for calculating accrued interest on debt instruments which are being sold between interest payment dates. Often but not always the same as the Issue Date and the Dated Date	IntAcrl
957	NoStrategyParameters	NumInGroup	Indicates number of strategy parameters	
958	StrategyParameterName	String	Name of parameter	StrtPrmNme
959	StrategyParameterType	int	Datatype of the parameter Valid values: 25 - Country 26 - Language 27 - TZTimeOnly 28 - TZTimestamp 29 - Tenor 1 - Int 2 - Length 3 - NumInGroup 4 - SeqNum 5 - TagNum 6 - float 7 - Qty 8 - Price 9 - PriceOffset 10 - Amt 11 - Percentage 12 - Char 13 - Boolean 14 - String 15 - MultipleCharValue 16 - Currency	StrtPrmTyp

			17 - Exchange 18 - MonthYear 19 - UTCTimestamp 20 - UTCTimeOnly 21 - LocalMktDate 22 - UTCDateOnly 23 - data 24 - MultipleStringValue	
960	StrategyParameterValue	String	Value of the parameter	StrtPrmVal
961	HostCrossID	String	Host assigned entity ID that can be used to reference all components of a cross; sides + strategy + legs. Used as the primary key with which to refer to the Cross Order for cancellation and replace. The HostCrossID will also be used to link together components of the Cross Order. For example, each individual Execution Report associated with the order will carry HostCrossID in order to tie back to the original cross order.	HstCxID
962	SideTimeInForce	UTCTimestamp	Indicates how long the order as specified in the side stays in effect. SideTimeInForce allows a two-sided cross order to specify order behavior separately for each side. Absence of this field indicates that TimeInForce should be referenced. SideTimeInForce will override TimeInForce if both are provided.	SideTmFrc
963	MDReportID	int	Unique identifier for the Market Data Report.	RptID
964	SecurityReportID	int	Identifies a Security List message.	RptID
965	SecurityStatus	String	Used for derivatives. Denotes the current state of the Instrument.  Valid values: 1 - Active 2 - Inactive	Status
966	SettleOnOpenFlag	String	Indicator to determine if instrument is settle on open	SettlOnOpenFlag
967	StrikeMultiplier	float	Used for derivatives. Multiplier applied to the strike price for the purpose of calculating the settlement	StrkMult

			value.	
968	StrikeValue	float	Used for derivatives. The number of shares/units for the financial instrument involved in the option trade.	StrkValu
969	MinPriceIncrement	float	Minimum price increase for a given exchange-traded Instrument	MinPxIncr
970	PositionLimit	int	Position Limit for a given exchange-traded product.	PosLmt
971	NTPositionLimit	int	Position Limit in the near-term contract for a given exchange-traded product.	NTPosLmt
972	UnderlyingAllocationPercent	Percentage	Percent of the Strike Price that this underlying represents.	AllocPct
973	UnderlyingCashAmount	Amt	Cash amount associated with the underlying component.	CashAmt
974	UnderlyingCashType	String	Used for derivatives that deliver into cash underlying. Valid values: FIXED - FIXED DIFF - DIFF	CashTyp
975	UnderlyingSettlementType	int	Indicates order settlement period for the underlying instrument. Valid values: 2 - T+1 4 - T+3 5 - T+4	SettlTyp
976	QuantityDate	LocalMktDate	Date associated to the quantity that is being reported for the position.	QtyDt
977	ContIntRptID	String	Unique identifier for the Contrary Intention report	RptID
978	LateIndicator	Boolean	Indicates if the contrary intention was received after the exchange imposed cutoff time	LateInd
979	InputSource	String	Source of the contrary intention	InptSrc
980	SecurityUpdateAction	char	Valid values:	UpdActn

			A - Add D - Delete M - Modify	
981	NoExpiration	NumInGroup	Number of Expiration Qty entries	
982	ExpirationQtyType	int	Expiration Quantity type  Valid values: 1 - Auto Exercise 2 - Non Auto Exercise 3 - Final Will Be Exercised 4 - Contrary Intention 5 - Difference	ExpTyp
983	ExpQty	Qty	Expiration Quantity associated with the Expiration Type	ExpQty
984	NoUnderlyingAmounts	NumInGroup	Total number of occurrences of Amount to pay in order to receive the underlying instrument	
985	UnderlyingPayAmount	Amt	Amount to pay in order to receive the underlying instrument	PayAmt
986	UnderlyingCollectAmount	Amt	Amount to collect in order to deliver the underlying instrument	ColAmt
987	UnderlyingSettlementDate	LocalMktDate	Date the underlying instrument will settle. Used for derivatives that deliver into more than one underlying instrument. Settlement dates can vary across underlying instruments.	StlDt
988	UnderlyingSettlementStatus	String	Settlement status of the underlying instrument. Used for derivatives that deliver into more than one underlying instrument. Settlement can be delayed for an underlying instrument.	SetStat
989	SecondaryIndividualAllocationID	String	Will allow the intermediary to specify an allocation ID generated by their system.	IndAllocID2
990	LegReportID	String	Additional attribute to store the Trade ID of the Leg.	RptID
991	RndPx	Price	Specifies average price rounded to quoted precision.	RndPx

992	IndividualAllocType	int	Identifies whether the allocation is to be sub-allocated or allocated to a third party  Valid values: 1 - Sub Allocate 2 - Third Party Allocation	Typ
993	AllocCustomerCapacity	String	Capacity of customer in the allocation block.	CustCpcty
994	TierCode	String	The Tier the trade was matched by the clearing system.	TierCD
996	UnitOfMeasure	String	The unit of measure of the underlying commodity upon which the contract is based. Two groups of units of measure enumerations are supported. Fixed Magnitude UOMs are primarily used in energy derivatives and specify a magnitude (such as, MM, Kilo, M, etc.) and the dimension (such as, watt hours, BTU's) to produce standard fixed measures (such as MWh - Megawatt-hours, MMBtu - One million BTUs). The second group, Variable Quantity UOMs, specifies the dimension as a single unit without a magnitude (or more accurately a magnitude of one) and uses the UnitOfMeasureQty(1147) field to define the quantity of units per contract. Variable Quantity UOMs are used for both commodities (such as lbs of lean cattle, bushels of corn, ounces of gold) and financial futures. Examples: For lean cattle futures contracts, a UnitOfMeasure of 'lbs' with a UnitOfMeasureQty(1147) of 40,000, means each lean cattle futures contract represents 40,000 lbs of lean cattle. For Eurodollars futures contracts, a UnitOfMeasure of USD with a UnitOfMeasureQty(1147) of 1,000,000, means a Eurodollar futures contract represents 1,000,000 USD. For gold futures contracts, a UnitOfMeasure is oz_tr (Troy ounce) with a UnitOfMeasureQty(1147) of 1,000, means each gold futures contract represents 1,000 troy ounces of gold.	UOM

			<p>Valid values:  Fixed Magnitude UOM  Bcf - Billion cubic feet  MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 )  MMBtu - One Million BTU  MWh - Megawatt hours  Variable Quantity UOM  Bbl - Barrels  Bu - Bushels  lbs - pounds  Gal - Gallons  oz_tr - Troy Ounces  t - Metric Tons (aka Tonne)  tn - Tons (US)  USD - US Dollars  Alw - Allowances</p>	
997	TimeUnit	String	<p>Unit of time associated with the contract.  NOTE: Additional values may be used by mutual agreement of the counterparties</p> <p>Valid values:  H - Hour  Min - Minute  S - Second  D - Day  Wk - Week  Mo - Month  Yr - Year</p>	TmUnit
998	UnderlyingUnitOfMeasure	String	<p>Refer to defintion of UnitOfMeasure(996)</p> <p>Valid values:  Fixed Magnitude UOM  Bcf - Billion cubic feet  MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 )  MMBtu - One Million BTU  MWh - Megawatt hours</p>	UOM

			<p>Variable Quantity UOM</p> <ul style="list-style-type: none"> <li>Bbl - Barrels</li> <li>Bu - Bushels</li> <li>lbs - pounds</li> <li>Gal - Gallons</li> <li>oz_tr - Troy Ounces</li> <li>t - Metric Tons (aka Tonne)</li> <li>tn - Tons (US)</li> <li>USD - US Dollars</li> <li>Alw - Allowances</li> </ul>	
999	LegUnitOfMeasure	String	<p>Refer to definition of UnitOfMeasure(996)</p> <p>Valid values:</p> <p>Fixed Magnitude UOM</p> <ul style="list-style-type: none"> <li>Bcf - Billion cubic feet</li> <li>MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 )</li> <li>MMBtu - One Million BTU</li> <li>MWh - Megawatt hours</li> </ul> <p>Variable Quantity UOM</p> <ul style="list-style-type: none"> <li>Bbl - Barrels</li> <li>Bu - Bushels</li> <li>lbs - pounds</li> <li>Gal - Gallons</li> <li>oz_tr - Troy Ounces</li> <li>t - Metric Tons (aka Tonne)</li> <li>tn - Tons (US)</li> <li>USD - US Dollars</li> <li>Alw - Allowances</li> </ul>	UOM
1000	UnderlyingTimeUnit	String	<p>Same as TimeUnit.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>H - Hour</li> <li>Min - Minute</li> <li>S - Second</li> <li>D - Day</li> <li>Wk - Week</li> <li>Mo - Month</li> </ul>	TmUnit

			Yr - Year	
1001	LegTimeUnit	String	Same as TimeUnit. Valid values: H - Hour Min - Minute S - Second D - Day Wk - Week Mo - Month Yr - Year	TmUnit
1002	AllocMethod	int	Specifies the method under which a trade quantity was allocated. Valid values: 1 - Automatic 2 - Guarantor 3 - Manual	Meth
1003	TradeID	String	The unique ID assigned to the trade entity once it is received or matched by the exchange or central counterparty.	TrdID
1005	SideTradeReportID	String	Used on a multi-sided trade to designate the ReportID	RptID
1006	SideFillStationCd	String	Used on a multi-sided trade to convey order routing information	FillStationCd
1007	SideReasonCd	String	Used on a multi-sided trade to convey reason for execution	RsnCD
1008	SideTrdSubTyp	int	Used on a multi-sided trade to specify the type of trade for a given side. Same values as TrdSubType ( <del>828829</del> ). Valid values: 0 - CMTA 1 - Internal transfer or adjustment 2 - External transfer or transfer of account 3 - Reject for submitting side 4 - Advisory for contra side 5 - Offset due to an allocation	TrdSubTyp

			<p>6 - Onset due to an allocation  7 - Differential spread  8 - Implied spread leg executed against an outright  9 - Transaction from exercise  10 - Transaction from assignment  11 - ACATS  33 - Off Hours Trade  34 - On Hours Trade  35 - OTC Quote  36 - Converted SWAP</p> <p>MiFID Values</p> <p>14 - AI (Automated input facility disabled in response to an exchange request.)</p> <p>15 - B (Transaction between two member firms where neither member firm is registered as a market maker in the security in question and neither is a designated fund manager. Also used by broker dealers when dealing with another broker which is not a member firm. Non-order book securities only.)</p> <p>16 - K (Transaction using block trade facility.)</p> <p>17 - LC (Correction submitted more than three days after publication of the original trade report.)</p> <p>18 - M (Transaction, other than a transaction resulting from a stock swap or stock switch, between two market makers registered in that security including IDB or a public display system trades. Non-order book securities only.)</p> <p>19 - N (Non-protected portfolio transaction or a fully disclosed portfolio transaction)</p> <p>20 - NM ( i) transaction where Exchange has granted permission for non-publication</p> <p>ii)IDB is reporting as seller</p> <p>iii) submitting a transaction report to the Exchange, where the transaction report is not also a trade report.)</p> <p>21 - NR (Non-risk transaction in a SEATS security other than an AIM security)</p> <p>22 - P (Protected portfolio transaction or a worked principal agreement to effect a portfolio transaction</p>	
--	--	--	---	--

			<p>which includes order book securities)</p> <p>23 - PA (Protected transaction notification)</p> <p>24 - PC (Contra trade for transaction which took place on a previous day and which was automatically executed on the Exchange trading system)</p> <p>25 - PN (Worked principal notification for a portfolio transaction which includes order book securities)</p> <p>26 - R ( (i) riskless principal transaction between non-members where the buying and selling transactions are executed at different prices or on different terms (requires a trade report with trade type indicator R for each transaction)</p> <p>(ii) market maker is reporting all the legs of a riskless principal transaction where the buying and selling transactions are executed at different prices (requires a trade report with trade type indicator R for each transaction)or</p> <p>(iii) market maker is reporting the onward leg of a riskless principal transaction where the legs are executed at different prices, and another market maker has submitted a trade report using trade type indicator M for the first leg (this requires a single trade report with trade type indicator R.)</p> <p>27 - RO (Transaction which resulted from the exercise of a traditional option or a stock-settled covered warrant)</p> <p>28 - RT (Risk transaction in a SEATS security, (excluding AIM security) reported by a market maker registered in that security)</p> <p>29 - SW (Transactions resulting from stock swap or a stock switch (one report is required for each line of stock))</p> <p>30 - T (If reporting a single protected transaction)</p> <p>31 - WN (Worked principal notification for a single order book security)</p> <p>32 - WT (Worked principal transaction (other than a portfolio transaction))</p>	
--	--	--	---	--

			37 - Crossed Trade (X) 38 - Interim Protected Trade (I) 39 - Large in Scale (L)	
1009	SideLastQty	int	Used to indicate the quantity on one of a multi-sided Trade Capture Report	SideQty
1011	MessageEventSource	String	Used to identify the event or source which gave rise to a message. Valid values will be based on an exchange's implementation. Example values are: "MQM" (originated at Firm Back Office) "Clear" (originated in Clearing System) "Reg" (static data generated via Register request)	MsgEvtSrc
1012	SideTrdRegTimestamp	UTCTime stamp	Will be used in a multi-sided message. Traded Regulatory timestamp value Use to store time information required by government regulators or self regulatory organizations such as an exchange or clearing house	TS
1013	SideTrdRegTimestampType	int	Same as TrdRegTimeStampType Valid values: 7 - Submission to Clearing 1 - Execution Time 2 - Time In 3 - Time Out 4 - Broker Receipt 5 - Broker Execution 6 - Desk Receipt	Typ
1014	SideTrdRegTimestampSrc	String	Same as TrdRegTimestampOrigin Text which identifies the origin i.e. system which was used to generate the time stamp for the Traded Regulatory timestamp value	Src
1015	AsOfIndicator	char	Used to indicate that a floor-trade was originally submitted "as of" a specific trade date which is earlier than its clearing date.	AsOfInd

			Valid values: 0 - false - trade is not an AsOf trade 1 - true - trade is an AsOf trade	
1016	NoSideTrdRegTS	NumInGroup	Indicates number of SideTimestamps contained in group	
1017	LegOptionRatio	float	Expresses the risk of an option leg Value must be between -1 and 1. A Call Option will require a ratio value between 0 and 1 A Put Option will require a ratio value between -1 and 0	LegOptionRatio
1018	NoInstrumentParties	NumInGroup	Identifies the number of parties identified with an instrument	
1019	InstrumentPartyID	String	PartyID value within an instrument party repeating group. Same values as PartyID (448)	ID
1020	TradeVolume	Qty	Used to report volume with a trade	TrdVol
1021	MDBookType	int	Describes the type of book for which the feed is intended. Used when multiple feeds are provided over the same connection  Valid values: 1 - Top of Book 2 - Price Depth 3 - Order Depth	MDBkTyp
1022	MDFeedType	String	Describes a class of service for a given data feed, ie Regular and Market Maker, Bandwidth Intensive or Bandwidth Conservative	MDFeedTyp
1023	MDPriceLevel	int	Integer to convey the level of a bid or offer at a given price level. This is in contrast to MDEntryPositionNo which is used to convey the position of an order within a Price level	MDPxLvl
1024	MDOriOriginType	int	Used to describe the origin of an entry in the book  Valid values:	MDOriTyp

			0 - Book 1 - Off-Book 2 - Cross	
1025	FirstPx	Price	Indicates the first trade price of the day/session	FirstPx
1026	MDEntrySpotRate	float	The spot rate for an FX entry	MDEntrySpotRt
1027	MDEntryForwardPoints	PriceOffset	Used for an F/X entry. The forward points to be added to or subtracted from the spot rate to get the "all-in" rate in MDEntryPx. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	MDEntryFwdPnts
1028	ManualOrderIndicator	Boolean	Indicates if the order was initially received manually (as opposed to electronically)	ManOrdInd
1029	CustDirectedOrder	Boolean	Indicates if the customer directed this order to a specific execution venue "Y" or not "N". A default of "N" customer did not direct this order should be used in the case where the information is both missing and essential.	CustDrctdOrd
1030	ReceivedDeptID	String	Identifies the Broker / Dealer Department that first took the order.	RcvdDptID
1031	CustOrderHandlingInst	MultipleStringValue	Codes that apply special information that the Broker / Dealer needs to report, as specified by the customer. NOTE: This field and its values have no bearing on the ExecInst and TimeInForce fields. These values should not be used instead of ExecInst or TimeInForce. This field and its values are intended for compliance reporting only. Valid values are grouped by OrderHandlingInstSource(1032).  Valid values: NASD OATS ADD - Add-on Order AON - All or None CNH - Cash Not Held DIR - Directed Order	CustOrdHdlInst

			<p>E.W - Exchange for Physical Transaction  FOK - Fill or Kill  IO - Imbalance Only  IOC - Immediate or Cancel  LOO - Limit On Open  LOC - Limit on Close  MAO - Market at Open  MAC - Market at Close  MOO - Market on Open  MOC - Market On Close  MQT - Minimum Quantity  NH - Not Held  OVD - Over the Day  PEG - Pegged  RSV - Reserve Size Order  S.W - Stop Stock Transaction  SCL - Scale  TMO - Time Order  TS - Trailing Stop  WRK - Work</p>	
1032	OrderHandlingInstSource	int	<p>Identifies the class or source of the "OrderHandlingInst" values. Scope of this will apply to both CustOrderHandlingInst and DeskOrderHandlingInst fields. Required if CustOrderHandlingInst and/or DeskOrderHandlingInst is specified.</p> <p><b>Valid values:</b></p> <p>Valid values:  1 - NASD OATS</p>	OrdHndlInstSrc
1033	DeskType	String	<p>Type of trading desk. Valid values are grouped by DeskTypeSource(1034).</p> <p>Valid values:  NASD OATS  A - Agency  AR - Arbitrage  D - Derivatives</p>	DskTyp

			IN - International IS - Institutional O - Other PF - Preferred Trading PR - Proprietary PT - Program Trading S - Sales T - Trading	
1034	DeskTypeSource	int	Identifies the class or source of DeskType(1033) values. Required if DeskType(1033) is specified.  Valid values: 1 - NASD OATS	DskTypSrc
1035	DeskOrderHandlingInst	MultipleStringValue	Codes that apply special information that the Broker / Dealer needs to report. NOTE: This field and its values have no bearing on the ExecInst and TimeInForce fields. These values should not be used instead of ExecInst or TimeInForce. This field and its values are intended for compliance reporting only. Valid values are grouped by OrderHandlingInstSource(1032).  Valid values: NASD OATS ADD - Add-on Order AON - All or None CNH - Cash Not Held DIR - Directed Order E.W - Exchange for Physical Transaction FOK - Fill or Kill IO - Imbalance Only IOC - Immediate or Cancel LOO - Limit On Open LOC - Limit on Close MAO - Market at Open MAC - Market at Close MOO - Market on Open	DskOrdHndlInst

			MOC - Market On Close MQT - Minimum Quantity NH - Not Held OVD - Over the Day PEG - Pegged RSV - Reserve Size Order S.W - Stop Stock Transaction SCL - Scale TMO - Time Order TS - Trailing Stop WRK - Work	
1036	ExecAckStatus	char	The status of this execution acknowledgement message.  Valid values: 0 - Received, not yet processed 1 - Accepted 2 - Don't know / Rejected	ExecAckStat
1037	UnderlyingDeliveryAmount	Amt	Indicates the underlying position amount to be delivered	UndlyDlvAmt
1038	UnderlyingCapValue	Amt	Maximum notional value for a capped financial instrument	CapValu
1039	UnderlyingSettlMethod	String		SetMeth
1040	SecondaryTradeID	String	Used to carry an internal trade entity ID which may or may not be reported to the firm	TrdID2
1041	FirmTradeID	String	The ID assigned to a trade by the Firm to track a trade within the Firm system. This ID can be assigned either before or after submission to the exchange or central counterparty	FirmTrdID
1042	SecondaryFirmTradeID	String	Used to carry an internal firm assigned ID which may or may not be reported to the exchange or central counterparty	FirmTrdID2
1043	CollApplType	int	conveys how the collateral should be/has been applied  Valid values:	ApplTyp

			0 - Specific Deposit 1 - General	
1044	UnderlyingAdjustedQuantity	Qty	Unit amount of the underlying security (shares) adjusted for pending corporate action not yet allocated.	AdjQty
1045	UnderlyingFXRate	float	Foreign exchange rate used to compute UnderlyingCurrentValue(885) (or market value) from UnderlyingCurrency(318) to Currency(15).	FxRate
1046	UnderlyingFXRateCalc	char	Specifies whether the UnderlyingFxRate(1045) should be multiplied or divided.  Valid values: D - Divide M - Multiply	FxRateCalc
1047	AllocPositionEffect	char	Indicates whether the resulting position after a trade should be an opening position or closing position. Used for omnibus accounting - where accounts are held on a gross basis instead of being netted together.  Valid values: O - Open C - Close R - Rolled F - FIFO	AllocPosEfct
1048	DealingCapacity	char	Identifies role of dealer; Agent, Principal, RisklessPrincipal  Valid values: A - Agent P - Principal R - Riskless Principal	DealingCpcty
1049	InstrmtAssignmentMethod	char	Method under which assignment was conducted  Valid values: R = Random P = ProRata	AsgnMeth
1050	InstrumentPartyIDSource	char	PartyIDSource value within an instrument partyrepeating group.	Src

			<p>Same values as PartyIDSource (447)</p> <p>Valid values:</p> <p>For all PartyRoles</p> <ul style="list-style-type: none"> <li>B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B")</li> <li>C - Generally accepted market participant identifier (e.g. NASD mnemonic)</li> <li>D - Proprietary / Custom code</li> <li>E - ISO Country Code</li> <li>F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)</li> <li>G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C")</li> <li>H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)</li> </ul> <p>For PartyRole = "InvestorID" and for CIV</p> <ul style="list-style-type: none"> <li>6 - UK National Insurance or Pension Number</li> <li>7 - US Social Security Number</li> <li>8 - US Employer or Tax ID Number</li> <li>9 - Australian Business Number</li> <li>A - Australian Tax File Number</li> </ul> <p>For PartyRole = "InvestorID" and for Equities</p> <ul style="list-style-type: none"> <li>1 - Korean Investor ID</li> <li>2 - Taiwanese Qualified Foreign Investor ID</li> </ul> <p>QFII/FID</p> <ul style="list-style-type: none"> <li>3 - Taiwanese Trading Acct</li> <li>4 - Malaysian Central Depository (MCD) number</li> <li>5 - Chinese Investor ID</li> </ul> <p>For PartyRole="Broker of Credit"</p> <ul style="list-style-type: none"> <li>I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</li> </ul>	
1051	InstrumentPartyRole	int	<p>PartyRole value within an instrument party repeating group.</p> <p>Same values as PartyRole (452)</p> <p>Valid values:</p>	R

			82 - Central Registration Depository (CRD) 83 - Clearing Account 84 - Acceptable Settling Counterparty 85 - Unacceptable Settling Counterparty 1 - Executing Firm (formerly FIX 4.2 ExecBroker) 2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit) 3 - Client ID (formerly FIX 4.2 ClientID) 4 - Clearing Firm (formerly FIX 4.2 ClearingFirm) 5 - Investor ID 6 - Introducing Firm 7 - Entering Firm 8 - Locate / Lending Firm (for short-sales) 9 - Fund Manager Client ID (for CIV) 10 - Settlement Location (formerly FIX 4.2 SettLocation) 11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order) 12 - Executing Trader (associated with Executing Firm - actually executes) 13 - Order Origination Firm (e.g. buy-side firm) 14 - Giveup Clearing Firm (firm to which trade is given up) 15 - Correspondant Clearing Firm 16 - Executing System 17 - Contra Firm 18 - Contra Clearing Firm 19 - Sponsoring Firm 20 - Underlying Contra Firm 21 - Clearing Organization 22 - Exchange 24 - Customer Account 25 - Correspondent Clearing Organization 26 - Correspondent Broker 27 - Buyer/Seller (Receiver/Deliverer) 28 - Custodian 29 - Intermediary 30 - Agent	
--	--	--	--	--

			<ul style="list-style-type: none"><li>31 - Sub-custodian</li><li>32 - Beneficiary</li><li>33 - Interested party</li><li>34 - Regulatory body</li><li>35 - Liquidity provider</li><li>36 - Entering trader</li><li>37 - Contra trader</li><li>38 - Position account</li><li>39 - Contra Investor ID</li><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li><li>50 - Pledgor Account</li><li>51 - Pledgee Account</li><li>52 - Large Trader Reportable Account</li><li>53 - Trader mnemonic</li><li>54 - Sender Location</li><li>55 - Session ID</li><li>56 - Acceptable Counterparty</li><li>57 - Unacceptable Counterparty</li><li>58 - Entering Unit</li><li>59 - Executing Unit</li><li>60 - Introducing Broker</li><li>61 - Quote originator</li><li>62 - Report originator</li><li>63 - Systematic internaliser (SI)</li><li>64 - Multilateral Trading Facility (MTF)</li><li>65 - Regulated Market (RM)</li><li>66 - Market Maker</li><li>67 - Investment Firm</li><li>68 - Host Competent Authority (Host CA)</li><li>69 - Home Competent Authority (Home CA)</li></ul>	
--	--	--	---	--

			<p>70 - Competent Authority of the most relevant market in terms of liquidity (CAL)</p> <p>71 - Competent Authority of the Transaction (Execution) Venue (CATV)</p> <p>72 - Reporting intermediary (medium/vendor via which report has been published)</p> <p>73 - Execution Venue</p> <p>74 - Market data entry originator</p> <p>75 - Location ID</p> <p>76 - Desk ID</p> <p>77 - Market data market</p> <p>78 - Allocation Entity</p> <p>79 - Prime Broker providing General Trade Services</p> <p>80 - Step-Out Firm (Prime Broker)</p> <p>81 - BrokerClearingID</p>	
1052	NoInstrumentPartySubIDs	NumInGroup	Number of InstrumentPartySubID (1053) and InstrumentPartySubIDType (1054) entries	
1053	InstrumentPartySubID	String	PartySubID value within an instrument party repeating group. Same values as PartySubID (523)	ID
1054	InstrumentPartySubID Type	int	<p>Type of InstrumentPartySubID (1053) value. Same values as PartySubIDType (803)</p> <p>Valid values:</p> <p>1 - Firm</p> <p>2 - Person</p> <p>3 - System</p> <p>4 - Application</p> <p>5 - Full legal name of firm</p> <p>6 - Postal address</p> <p>7 - Phone number</p> <p>8 - Email address</p> <p>9 - Contact name</p> <p>10 - Securities account number (for settlement instructions)</p> <p>11 - Registration number (for settlement</p>	Typ

			instructions and confirmations) 12 - Registered address (for confirmation purposes) 13 - Regulatory status (for confirmation purposes) 14 - Registration name (for settlement instructions) 15 - Cash account number (for settlement instructions) 16 - BIC 17 - CSD participant member code 18 - Registered address 19 - Fund account name 20 - Telex number 21 - Fax number 22 - Securities account name 23 - Cash account name 24 - Department 25 - Location desk 26 - Position account type 27 - Security locate ID 28 - Market maker 29 - Eligible counterparty 30 - Professional client 31 - Location 32 - Execution venue 33 - Currency delivery identifier	
1055	PositionCurrency	String	The Currency in which the position Amount is denominated	Ccy
1056	CalculatedCcyLastQty	Qty	Used for the calculated quantity of the other side of the currency trade. Can be derived from LastQty and LastPx.	CalcCcyLastQty
1057	AggressorIndicator	Boolean	Used to identify whether the order initiator is an aggressor or not in the trade.  Valid values: Y - Order initiator is aggressor N - Order initiator is passive	AgrsrInd
1058	NoUndlyInstrumentPa	NumInGr	Identifies the number of parties identified with an	

	rties	oup	underlying instrument	
1059	UnderlyingInstrument PartyID	String	PartyID value within an underlying instrument party repeating group. Same values as PartyID (448)	ID
1060	UnderlyingInstrument PartyIDSource	char	<p>PartyIDSource value within an underlying instrument partyrepeating group. Same values as PartyIDSource (447)</p> <p>Valid values: For all PartyRoles</p> <ul style="list-style-type: none"> <li>B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B")</li> <li>C - Generally accepted market participant identifier (e.g. NASD mnemonic)</li> <li>D - Proprietary / Custom code</li> <li>E - ISO Country Code</li> <li>F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)</li> <li>G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C")</li> <li>H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)</li> </ul> <p>For PartyRole = "InvestorID" and for CIV</p> <ul style="list-style-type: none"> <li>6 - UK National Insurance or Pension Number</li> <li>7 - US Social Security Number</li> <li>8 - US Employer or Tax ID Number</li> <li>9 - Australian Business Number</li> <li>A - Australian Tax File Number</li> </ul> <p>For PartyRole = "InvestorID" and for Equities</p> <ul style="list-style-type: none"> <li>1 - Korean Investor ID</li> <li>2 - Taiwanese Qualified Foreign Investor ID</li> </ul> <p>QFII/FID</p> <ul style="list-style-type: none"> <li>3 - Taiwanese Trading Acct</li> <li>4 - Malaysian Central Depository (MCD) number</li> <li>5 - Chinese Investor ID</li> </ul> <p>For PartyRole="Broker of Credit"</p> <ul style="list-style-type: none"> <li>I - Directed broker three character acronym as</li> </ul>	Src

			defined in ISITC "ETC Best Practice" guidelines document	
1061	UnderlyingInstrument PartyRole	int	<p>PartyRole value within an underlying instrument party repeating group. Same values as PartyRole (452)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>82 - Central Registration Depository (CRD)</li> <li>83 - Clearing Account</li> <li>84 - Acceptable Settling Counterparty</li> <li>85 - Unacceptable Settling Counterparty</li> <li>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</li> <li>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</li> <li>3 - Client ID (formerly FIX 4.2 ClientID)</li> <li>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</li> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> <li>12 - Executing Trader (associated with Executing Firm - actually executes)</li> <li>13 - Order Origination Firm (e.g. buy-side firm)</li> <li>14 - Giveup Clearing Firm (firm to which trade is given up)</li> <li>15 - Correspondant Clearing Firm</li> <li>16 - Executing System</li> <li>17 - Contra Firm</li> <li>18 - Contra Clearing Firm</li> <li>19 - Sponsoring Firm</li> <li>20 - Underlying Contra Firm</li> <li>21 - Clearing Organization</li> </ul>	R

			22 - Exchange 24 - Customer Account 25 - Correspondent Clearing Organization 26 - Correspondent Broker 27 - Buyer/Seller (Receiver/Deliverer) 28 - Custodian 29 - Intermediary 30 - Agent 31 - Sub-custodian 32 - Beneficiary 33 - Interested party 34 - Regulatory body 35 - Liquidity provider 36 - Entering trader 37 - Contra trader 38 - Position account 39 - Contra Investor ID 40 - Transfer to Firm 41 - Contra Position Account 42 - Contra Exchange 43 - Internal Carry Account 44 - Order Entry Operator ID 45 - Secondary Account Number 46 - Foreign Firm 47 - Third Party Allocation Firm 48 - Claiming Account 49 - Asset Manager 50 - Pledgor Account 51 - Pledgee Account 52 - Large Trader Reportable Account 53 - Trader mnemonic 54 - Sender Location 55 - Session ID 56 - Acceptable Counterparty 57 - Unacceptable Counterparty 58 - Entering Unit 59 - Executing Unit 60 - Introducing Broker 61 - Quote originator	
--	--	--	---	--

			62 - Report originator 63 - Systematic internaliser (SI) 64 - Multilateral Trading Facility (MTF) 65 - Regulated Market (RM) 66 - Market Maker 67 - Investment Firm 68 - Host Competent Authority (Host CA) 69 - Home Competent Authority (Home CA) 70 - Competent Authority of the most relevant market in terms of liquidity (CAL) 71 - Competent Authority of the Transaction (Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue 74 - Market data entry originator 75 - Location ID 76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services 80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
1062	NoUndlyInstrumentPartySubIDs	NumInGroup	Number of Underlying InstrumentPartySubID (1053) and InstrumentPartySubIDType (1054) entries	
1063	UnderlyingInstrumentPartySubID	String	PartySubID value within an underlying instrument party repeating group. Same values as PartySubID (523)	ID
1064	UnderlyingInstrumentPartySubIDType	int	Type of underlying InstrumentPartySubID (1053) value. Same values as PartySubIDType (803)  Valid values: 1 - Firm 2 - Person 3 - System	Typ

			<ul style="list-style-type: none"> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> <li>15 - Cash account number (for settlement instructions)</li> <li>16 - BIC</li> <li>17 - CSD participant member code</li> <li>18 - Registered address</li> <li>19 - Fund account name</li> <li>20 - Telex number</li> <li>21 - Fax number</li> <li>22 - Securities account name</li> <li>23 - Cash account name</li> <li>24 - Department</li> <li>25 - Location desk</li> <li>26 - Position account type</li> <li>27 - Security locate ID</li> <li>28 - Market maker</li> <li>29 - Eligible counterparty</li> <li>30 - Professional client</li> <li>31 - Location</li> <li>32 - Execution venue</li> <li>33 - Currency delivery identifier</li> </ul>	
1065	BidSwapPoints	PriceOffset	The bid FX Swap points for an FX Swap. It is the "far bid forward points - near offer forward point". Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as	BidSwapPnts

			0.006199	
1066	OfferSwapPoints	PriceOffset	The offer FX Swap points for an FX Swap. It is the "far offer forward points - near bid forward points". Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	OfrSwapPnts
1067	LegBidForwardPoints	PriceOffset	The bid FX forward points for the leg of an FX Swap. Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	LegBidFwdPnts
1068	LegOfferForwardPoints	PriceOffset	The offer FX forward points for the leg of an FX Swap. Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	LegOfrFwdPnts
1069	SwapPoints	PriceOffset	For FX Swap, this is used to express the differential between the far leg's bid/offer and the near leg's bid/offer. Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	SwapPnts
1070	MDQuoteType	int	Identifies market data quote type.  Valid values: 0 - Indicative 1 - Tradeable 2 - Restricted Tradeable 3 - Counter 4 - Indicative and Tradeable	MDQteTyp
1071	LastSwapPoints	PriceOffset	For FX Swap, this is used to express the last market event for the differential between the far leg's bid/offer and the near leg's bid/offer in a fill or partial fill. Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	LastSwapPnts
1072	SideGrossTradeAmt	Amt	The gross trade amount for this side of the trade. See also GrossTradeAmt (381) for additional definition.	SideGrossTradeAmt

1073	LegLastForwardPoints	PriceOffset	The forward points for this leg's fill event. Value can be negative. Expressed in decimal form. For example, 61.99 points is expressed and sent as 0.006199	LegLastFwdPnts
1074	LegCalculatedCcyLastQty	Qty	Used for the calculated quantity of the other side of the currency for this leg. Can be derived from LegQty and LegLastPx.	LegCalcCcyLastQty
1075	LegGrossTradeAmt	Amt	The gross trade amount of the leg. For FX Futures this is used to express the notional value of a fill when LegLastQty and other quantity fields are expressed in terms of contract size.	LegGrossTrdAmt
1079	MaturityTime	TZTimeOnly	Time of security's maturity expressed in local time with offset to UTC specified	MatTm
1080	RefOrderID	String	The ID reference to the order being hit or taken	RefOrdID
1081	RefOrderIDSource	char	Used to specify what identifier, provided in order depth market data, to use when hitting (taking) a specific order.  Valid values: 4 - Original order ID 0 - SecondaryOrderID(198) 1 - OrderID(37) 2 - MDEntryID(278) 3 - QuoteEntryID(299)	RefOrdIDSrc
1082	SecondaryDisplayQty	Qty	Used for reserve orders when DisplayQty applies to the primary execution market (e.g. an ECN) and another quantity is to be shown at other markets (e.g. the exchange). On orders specifies the qty to be displayed, on execution reports the currently displayed quantity.	SecDspQty
1083	DisplayWhen	char	Instructs when to refresh DisplayQty (1138).  Valid values: 1 - Immediate (after each fill) 2 - Exhaust (when DisplayQty = 0)	DspWhn
1084	DisplayMethod	char	Defines what value to use in DisplayQty (1138). If not specified the default DisplayMethod is "1"	DspMthd

			Valid values: 4 - Undisclosed (invisible order) 1 - Initial (use original DisplayQty) 2 - New (use RefreshQty) 3 - Random (randomize value)	
1085	DisplayLowQty	Qty	Defines the lower quantity limit to a randomized refresh of DisplayQty.	DsplLwQty
1086	DisplayHighQty	Qty	Defines the upper quantity limit to a randomized refresh of DisplayQty.	DisplayHighQty
1087	DisplayMinIncr	Qty	Defines the minimum increment to be used when calculating a random refresh of DisplayQty. A user specifies this when he wants a larger increment than the standard provided by the market (e.g. the round lot size).	DspMinIncr
1088	RefreshQty	Qty	Defines the quantity used to refresh DisplayQty.	RfrshQty
1089	MatchIncrement	Qty	Allows orders to specify a minimum quantity that applies to every execution (one execution could be for multiple counter-orders). The order may still fill against smaller orders, but the cumulative quantity of the execution must be in multiples of the MatchIncrement.	MtchInc
1090	MaxPriceLevels	int	Allows an order to specify a maximum number of price levels to trade through. Only valid for aggressive orders and during continuous (autoexecution) trading sessions. Property lost when order is put on book. A partially filled order is assigned last trade price as limit price. Non-filled order behaves as ordinary Market or Limit.	MxPxLvls
1091	PreTradeAnonymity	Boolean	Allows trader to explicitly request anonymity or disclosure in pre-trade market data feeds. Anonymity is relevant in markets where counterparties are regularly disclosed in order depth feeds. Disclosure is relevant when counterparties are not normally visible.	PrTrdAnon
1092	PriceProtectionScope	char	Defines the type of price protection the customer requires on their order.	PxPrtScp

			Valid values: 0 - None 1 - Local (Exchange, ECN, ATS) 2 - National (Across all national markets) 3 - Global (Across all markets)	
1093	LotType	char	Defines the lot type assigned to the order.  Valid values: 1 - Odd Lot 2 - Round Lot 3 - Block Lot 4 - Round lot based upon UnitOfMeasure(996)	LotTyp
1094	PegPriceType	int	Defines the type of peg.  Valid values: 1 - Last peg (last sale) 2 - Mid-price peg (midprice of inside quote) 3 - Opening peg 4 - Market peg 5 - Primary peg (primary market - buy at bid or sell at offer) 7 - Peg to VWAP 8 - Trailing Stop Peg 9 - Peg to Limit Price	PegPxTyp
1095	PeggedRefPrice	Price	The value of the reference price that the order is pegged to. PeggedRefPrice + PegOffsetValue (211) = PeggedPrice (839) unless the limit price (44, Price) is breached. The values may not be exact due to rounding.	PggdRefPx
1096	PegSecurityIDSource	String	Defines the identity of the security off whose prices the order will peg. Same values as SecurityIDSource (22)  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code	PegSecurityIDSource

			6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	
1097	PegSecurityID	String	Defines the identity of the security off whose prices the order will peg.	PegSecID
1098	PegSymbol	String	Defines the common, 'human understood' representation of the security off whose prices the order will Peg.	PgSymbl
1099	PegSecurityDesc	String	Security description of the security off whose prices the order will Peg.	PegSecDesc
1100	TriggerType	char	Defines when the trigger will hit, i.e. the action specified by the trigger instructions will come into effect.  Valid values: 1 - Partial Execution 2 - Specified Trading Session 3 - Next Auction 4 - Price Movement	TrgrTyp

1101	TriggerAction	char	Defines the type of action to take when the trigger hits.  Valid values: 1 - Activate 2 - Modify 3 - Cancel	TrgrActn
1102	TriggerPrice	Price	The price at which the trigger should hit.	TrgrPx
1103	TriggerSymbol	String	Defines the common, 'human understood' representation of the security whose prices will be tracked by the trigger logic.	TrgrSym
1104	TriggerSecurityID	String	Defines the identity of the security whose prices will be tracked by the trigger logic.	TrgrSecID
1105	TriggerSecurityIDSource	String	Defines the identity of the security whose prices will be tracked by the trigger logic. Same values as SecurityIDSource (22).  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc)	TrgrSecIDSrc

			J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	
1106	TriggerSecurityDesc	String	Defines the security description of the security whose prices will be tracked by the trigger logic.	TrgrSecDesc
1107	TriggerPriceType	char	The type of price that the trigger is compared to. Valid values: 1 - Best Offer 2 - Last Trade 3 - Best Bid 4 - Best Bid or Last Trade 5 - Best Offer or Last Trade 6 - Best Mid	TrgrPxTyp
1108	TriggerPriceTypeScope	char	Defines the type of price protection the customer requires on their order. Valid values: 0 - None 1 - Local (Exchange, ECN, ATS) 2 - National (Across all national markets) 3 - Global (Across all markets)	TrgrPxTypScp
1109	TriggerPriceDirection	char	The side from which the trigger price is reached. Valid values: U - Trigger if the price of the specified type goes UP to or through the specified Trigger Price. D - Trigger if the price of the specified type goes DOWN to or through the specified Trigger Price.	TrgrPxDir
1110	TriggerNewPrice	Price	The Price that the order should have after the trigger has hit. Could be applicable for any trigger type, but must be specified for Trigger Type 1.	TrgrNewPx
1111	TriggerOrderType	char	The OrdType the order should have after the trigger has hit. Required to express orders that change from Limit to Market. Other values from OrdType (40) may be	TrgrOrdTyp

			used if appropriate and bilaterally agreed upon. Valid values: 1 - Market 2 - Limit	
1112	TriggerNewQty	Qty	The Quantity the order should have after the trigger has hit.	TrgrNewQty
1113	TriggerTradingSession ID	String	Defines the trading session at which the order will be activated.	TrgrTrdSessID
1114	TriggerTradingSession SubID	String	Defines the subordinate trading session at which the order will be activated.	TrgrTrdSessSubID
1115	OrderCategory	char	Defines the type of interest behind a trade (fill or partial fill). Valid values: 1 - Order 2 - Quote 3 - Privately Negotiated Trade 4 - Multileg order 5 - Linked order 6 - Quote Request 7 - Implied Order 8 - Cross Order 9 - Streaming price (quote)	OrdCat
1116	NoRootPartyIDs	NumInGroup	Number of RootPartyID (1117), RootPartyIDSource (1118), and RootPartyRole (1119) entries	
1117	RootPartyID	String	PartyID value within a root parties component. Same values as PartyID (448)	ID
1118	RootPartyIDSource	char	PartyIDSource value within a root parties component. Same values as PartyIDSource (447) Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant	Src

			<p>identifier (e.g. NASD mnemonic)</p> <ul style="list-style-type: none"> <li>D - Proprietary / Custom code</li> <li>E - ISO Country Code</li> <li>F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)</li> <li>G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C")</li> <li>H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)</li> </ul> <p>For PartyRole = "InvestorID" and for CIV</p> <ul style="list-style-type: none"> <li>6 - UK National Insurance or Pension Number</li> <li>7 - US Social Security Number</li> <li>8 - US Employer or Tax ID Number</li> <li>9 - Australian Business Number</li> <li>A - Australian Tax File Number</li> </ul> <p>For PartyRole = "InvestorID" and for Equities</p> <ul style="list-style-type: none"> <li>1 - Korean Investor ID</li> <li>2 - Taiwanese Qualified Foreign Investor ID</li> </ul> <p>QFII/FID</p> <ul style="list-style-type: none"> <li>3 - Taiwanese Trading Acct</li> <li>4 - Malaysian Central Depository (MCD) number</li> <li>5 - Chinese Investor ID</li> </ul> <p>For PartyRole="Broker of Credit"</p> <ul style="list-style-type: none"> <li>I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</li> </ul>	
1119	RootPartyRole	int	<p>PartyRole value within a root parties component. Same values as PartyRole (452)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>82 - Central Registration Depository (CRD)</li> <li>83 - Clearing Account</li> <li>84 - Acceptable Settling Counterparty</li> <li>85 - Unacceptable Settling Counterparty</li> <li>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</li> <li>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</li> </ul>	R

			<ul style="list-style-type: none"> <li>3 - Client ID (formerly FIX 4.2 ClientID)</li> <li>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</li> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> <li>12 - Executing Trader (associated with Executing Firm - actually executes)</li> <li>13 - Order Origination Firm (e.g. buy-side firm)</li> <li>14 - Giveup Clearing Firm (firm to which trade is given up)</li> <li>15 - Correspondant Clearing Firm</li> <li>16 - Executing System</li> <li>17 - Contra Firm</li> <li>18 - Contra Clearing Firm</li> <li>19 - Sponsoring Firm</li> <li>20 - Underlying Contra Firm</li> <li>21 - Clearing Organization</li> <li>22 - Exchange</li> <li>24 - Customer Account</li> <li>25 - Correspondent Clearing Organization</li> <li>26 - Correspondent Broker</li> <li>27 - Buyer/Seller (Receiver/Deliverer)</li> <li>28 - Custodian</li> <li>29 - Intermediary</li> <li>30 - Agent</li> <li>31 - Sub-custodian</li> <li>32 - Beneficiary</li> <li>33 - Interested party</li> <li>34 - Regulatory body</li> <li>35 - Liquidity provider</li> <li>36 - Entering trader</li> <li>37 - Contra trader</li> </ul>	
--	--	--	--	--

			<p>38 - Position account 39 - Contra Investor ID 40 - Transfer to Firm 41 - Contra Position Account 42 - Contra Exchange 43 - Internal Carry Account 44 - Order Entry Operator ID 45 - Secondary Account Number 46 - Foreign Firm 47 - Third Party Allocation Firm 48 - Claiming Account 49 - Asset Manager 50 - Pledgor Account 51 - Pledgee Account 52 - Large Trader Reportable Account 53 - Trader mnemonic 54 - Sender Location 55 - Session ID 56 - Acceptable Counterparty 57 - Unacceptable Counterparty 58 - Entering Unit 59 - Executing Unit 60 - Introducing Broker 61 - Quote originator 62 - Report originator 63 - Systematic internaliser (SI) 64 - Multilateral Trading Facility (MTF) 65 - Regulated Market (RM) 66 - Market Maker 67 - Investment Firm 68 - Host Competent Authority (Host CA) 69 - Home Competent Authority (Home CA) 70 - Competent Authority of the most relevant market in terms of liquidity (CAL) 71 - Competent Authority of the Transaction (Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue</p>	
--	--	--	--	--

			<p>74 - Market data entry originator  75 - Location ID  76 - Desk ID  77 - Market data market  78 - Allocation Entity  79 - Prime Broker providing General Trade Services  80 - Step-Out Firm (Prime Broker)  81 - BrokerClearingID</p>	
1120	NoRootPartySubIDs	NumInGroup	Number of RootPartySubID (1121) and RootPartySubIDType (1122) entries	
1121	RootPartySubID	String	PartySubID value within a root parties component. Same values as PartySubID (523)	ID
1122	RootPartySubIDType	int	<p>Type of RootPartySubID (1121) value. Same values as PartySubIDType (803)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Firm</li> <li>2 - Person</li> <li>3 - System</li> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> <li>15 - Cash account number (for settlement instructions)</li> <li>16 - BIC</li> </ul>	Typ

			<ul style="list-style-type: none"> <li>17 - CSD participant member code</li> <li>18 - Registered address</li> <li>19 - Fund account name</li> <li>20 - Telex number</li> <li>21 - Fax number</li> <li>22 - Securities account name</li> <li>23 - Cash account name</li> <li>24 - Department</li> <li>25 - Location desk</li> <li>26 - Position account type</li> <li>27 - Security locate ID</li> <li>28 - Market maker</li> <li>29 - Eligible counterparty</li> <li>30 - Professional client</li> <li>31 - Location</li> <li>32 - Execution venue</li> <li>33 - Currency delivery identifier</li> </ul>	
1123	TradeHandlingInstr	char	<p>Specified how the Trade Capture Report should be handled by the Respondent.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Trade Confirmation</li> <li>1 - Two-Party Report</li> <li>2 - One-Party Report for Matching</li> <li>3 - One-Party Report for Pass Through</li> <li>4 - Automated Floor Order Routing</li> <li>5 - Two Party Report for Claim</li> </ul>	TrdHandlInst
1124	OrigTradeHandlingInstr	char	<p>Optionally used with TradeHandlingInstr = 0 to relay the trade handling instruction used when reporting the trade to the marketplace. Same values as TradeHandlingInstr (1123)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Trade Confirmation</li> <li>1 - Two-Party Report</li> <li>2 - One-Party Report for Matching</li> <li>3 - One-Party Report for Pass Through</li> <li>4 - Automated Floor Order Routing</li> </ul>	OrigTrdHandlInst

5 - Two Party Report for Claim				
1125	OrigTradeDate	LocalMkt Date	Used to preserve original trade date when original trade is being referenced in a subsequent trade transaction such as a transfer	OrigTrdDt
1126	OrigTradeID	String	Used to preserve original trade id when original trade is being referenced in a subsequent trade transaction such as a transfer	OrigTrdID
1127	OrigSecondaryTradeID	String	Used to preserve original secondary trade id when original trade is being referenced in a subsequent trade transaction such as a transfer	OrignTrdID2
1128	ApplVerID	String	Specifies the service pack release being applied at message level. Enumerated field with values assigned at time of service pack release  Valid values: 9 - FIX50SP2 0 - FIX27 1 - FIX30 2 - FIX40 3 - FIX41 4 - FIX42 5 - FIX43 6 - FIX44 7 - FIX50 8 - FIX50SP1	<del>ApplVerID</del>
1129	CstmApplVerID	String	Specifies a custom extension to a message being applied at the message level. Enumerated field	<del>CstmApplVerID</del>
1130	RefApplVerID	String	Specifies the service pack release being applied to a message at the session level. Enumerated field with values assigned at time of service pack release. Uses same values as ApplVerID  Valid values: 9 - FIX50SP2 0 - FIX27 1 - FIX30	RefApplVerID

			2 - FIX40 3 - FIX41 4 - FIX42 5 - FIX43 6 - FIX44 7 - FIX50 8 - FIX50SP1	
1131	RefCstmApplVerID	String	Specifies a custom extension to a message being applied at the session level.	RefCstmApplVerID
1132	TZTransactTime	TZTimeStam p	Transact time in the local date-time stamp with a TZ offset to UTC identified	TZTransactTime
1133	ExDestinationIDSour ce	char	The ID source of ExDestination  Valid values: B - BIC (Bank Identification Code) (ISO 9362) C - Generally accepted market participant identifier (e.g. NASD mnemonic) D - Proprietary / Custom code E - ISO Country Code G - MIC (ISO 10383 - Market Identifier Code)	ExDestIDSrc
1134	ReportedPxDiff	Boolean	Indicates that the reported price that is different from the market price. The price difference should be stated by using field 828 TrdType and, if required, field 829 TrdSubType	ReportedPxDiff
1135	RptSys	String	Indicates the system or medium on which the report has been published	RptSys
1136	AllocClearingFeeIndic ator	String	ClearingFeeIndicator(635) for Allocation, see ClearingFeeIndicator(635) for permitted values.	ClrFeeInd
1137	DefaultApplVerID	String	Specifies the service pack release being applied, by default, to message at the session level. Enumerated field with values assigned at time of service pack release. Uses same values as ApplVerID  Valid values: 9 - FIX50SP2 0 - FIX27	DefApplVerID

			1 - FIX30 2 - FIX40 3 - FIX41 4 - FIX42 5 - FIX43 6 - FIX44 7 - FIX50 8 - FIX50SP1	
1138	DisplayQty	Qty	The quantity to be displayed . Required for reserve orders. On orders specifies the qty to be displayed, on execution reports the currently displayed quantity.	DisplayQty
1139	ExchangeSpecialInstructions	String	Free format text string related to exchange.	ExchSpecInstr
1140	MaxTradeVol	Qty	The maximum order quantity that can be submitted for a security.	MaxTrdVol
1141	NoMDFeedTypes	NumInGroup	The number of feed types and corresponding book depths associated with a security	
1142	MatchAlgorithm	String	The types of algorithm used to match orders in a specific security. Possilbe value types are FIFO, Allocation, Pro-rata, Lead Market Maker, Currency Calender.	MtchAlgo
1143	MaxPriceVariation	float	The maximum price variation of an execution from one event to the next for a given security.	MxPxVar
1144	ImpliedMarketIndicator	int	<p>Indicates that an implied market should be created for either the legs of a multi-leg instrument (Implied-in) or for the multi-leg instrument based on the existence of the legs (Implied-out). Determination as to whether implied markets should be created is generally done at the level of the multi-leg instrument. Commonly used in listed derivatives.</p> <p>Valid values:            0 - Not implied            1 - Implied-in - The existence of a multi-leg instrument is implied by the legs of that instrument</p>	ImpldMktInd

			<p>2 - Implied-out - The existence of the underlying legs are implied by the multi-leg instrument</p> <p>3 - Both Implied-in and Implied-out</p>	
1145	EventTime	UTCTime stamp	Specific time of event. To be used in combination with EventDate [866]	Tm
1146	MinPriceIncrementAmount	Amt	Minimum price increment amount associated with the MinPriceIncrement ( tag 969). For listed derivatives, the value can be calculated by multiplying MinPriceIncrement by ContractValueFactor(231).	MinPxIncrAmt
1147	UnitOfMeasureQty	Qty	Used to indicate the quantity of the underlying commodity unit of measure on which the contract is based, such as, 2500 lbs of lean cattle, 1000 barrels of crude oil, 1000 bushels of corn, etc. UnitOfMeasureQty is required for UnitOfMeasure(996) Variable Quantity UOMs enumerations. Refer to the definition of UnitOfMeasure(996) for more information on the use of UnitOfMeasureQty.	UOMQty
1148	LowLimitPrice	Price	Allowable low limit price for the trading day. A key parameter in validating order price. Used as the lower band for validating order prices. Orders submitted with prices below the lower limit will be rejected	LowLmtPx
1149	HighLimitPrice	Price	Allowable high limit price for the trading day. A key parameter in validating order price. Used as the upper band for validating order prices. Orders submitted with prices above the upper limit will be rejected	HiLmtPx
1150	TradingReferencePrice	Price	Reference price for the current trading price range usually representing the mid price between the HighLimitPrice and LowLimitPrice. The value may be the settlement price or closing price of the prior trading day.	TrdgRefPx
1151	SecurityGroup	String	An exchange specific name assigned to a group of related securities which may be concurrently affected by market events and actions.	SecGrp
1152	LegNumber	int	Allow sequencing of Legs for a Strategy to be captured	LegNo

1153	SettlementCycleNo	int	Settlement cycle in which the settlement obligation was generated	CycleNo
1154	SideCurrency	Currency	Used to identify the trading currency on the Trade Capture Report Side	Ccy
1155	SideSettlCurrency	Currency	Used to identify the settlement currency on the Trade Capture Report Side	SettlCcy
1156	AppExtID	int	The extension pack number associated with an application message.	<del>AppExtID</del>
1157	CcyAmt	Amt	Net flow of Currency 1	CcyAmt
1158	NoSettlDetails	NumInGroup	Used to group Each Settlement Party	
1159	SettlObligMode	int	Used to identify the reporting mode of the settlement obligation which is either preliminary or final  Valid values: 1 - Preliminary 2 - Final	SettlMode
1160	SettlObligMsgID	String	Message identifier for Settlement Obligation Report	SettlMsgID
1161	SettlObligID	String	Unique ID for this settlement instruction.	SettlID
1162	SettlObligTransType	char	Transaction Type - required except where SettlInstMode is 5=Reject SSI request  Valid values: C - Cancel N - New R - Replace T - Restate	SettlTransTyp
1163	SettlObligRefID	String	Required where SettlInstTransType is Cancel or Replace	SettlRefID
1164	SettlObligSource	char	Used to identify whether these delivery instructions are for the buy side or the sell side.  Valid values:	SettlSrc

			1 - Instructions of Broker 2 - Instructions for Institution 3 - Investor	
1165	NoSettlOblig	NumInGroup	Number of settlement obligations	
1166	QuoteMsgID	String	Unique identifier for a quote message.	QtMsgID
1167	QuoteEntryStatus	int	Identifies the status of an individual quote. See also QuoteStatus(297) which is used for single Quotes.  Valid values: 0 - Accepted 5 - Rejected 6 - Removed from Market 7 - Expired 12 - Locked Market Warning 13 - Cross Market Warning 14 - Canceled due to Lock Market 15 - Canceled due to Cross Market 16 - Active	QtEntSts
1168	TotNoCxlDQuotes	int	Specifies the number of canceled quotes	TotNoCxlDQts
1169	TotNoAccQuotes	int	Specifies the number of accepted quotes	TotNoAccQts
1170	TotNoRejQuotes	int	Specifies the number of rejected quotes	TotNoRejQts
1171	PrivateQuote	Boolean	Specifies whether a quote is public, i.e. available to the market, or private, i.e. available to a specified counterparty only.  Valid values:  <del>_____</del> 'Y' = <u>Y</u> - Private Quote <del>_____</del> 'N' = <u>N</u> - Public Quote	PrvtQt
1172	RespondentType	int	Specifies the type of respondents requested.  Valid values: 1 - All market participants 2 - Specified market participants 3 - All Market Makers	RspDntTyp

			4 - Primary Market Maker(s)	
1173	MDSubBookType	int	Describes a class of sub book, e.g. for the separation of various lot types. The Sub Book Type indicates that the following Market Data Entries belong to a non-integrated Sub Book. Whenever provided the Sub Book must be used together with MDPriceLevel and MDEntryPositionNo in order to sort the order properly. Values are bilaterally agreed.	MDSubBkTyp
1174	SecurityTradingEvent	int	Identifies an event related to a SecurityTradingStatus(326). An event occurs and is gone, it is not a state that applies for a period of time.  Valid values: <ul style="list-style-type: none"> <li>1 - Order imbalance, auction is extended</li> <li>2 - Trading resumes (after Halt)</li> <li>3 - Price Volatility Interruption</li> <li>4 - Change of Trading Session</li> <li>5 - Change of Trading Subsession</li> <li>6 - Change of Security Trading Status</li> <li>7 - Change of Book Type</li> <li>8 - Change of Market Depth</li> </ul> or any value conforming to the data type Reserved100Plus	SecTrdEvnt
1175	NoStatsIndicators	NumInGroup	Number of statistics indicator repeating group entries	
1176	StatsType	int	Type of statistics  Valid values: <ul style="list-style-type: none"> <li>1 - Exchange Last</li> <li>2 - High / Low Price</li> <li>3 - Average Price (VWAP, TWAP ... )</li> <li>4 - Turnover (Price * Qty)</li> </ul>	StatsTyp
1177	NoOfSecSizes	NumInGroup	The number of secondary sizes specifies in this entry	

1178	MDSecSizeType	int	Specifies the type of secondary size.  Valid values: 1 - Customer  or any value conforming to the data type Reserved100Plus	MDSecSizeType
1179	MDSecSize	Qty	A part of the MDEntrySize(271) that represents secondary interest as specified by MDSecSizeType(1178).	MDSecSize
1180	ApplID	String	Identifies the application with which a message is associated. Used only if application sequencing is in effect.	ApplID
1181	ApplSeqNum	SeqNum	Data sequence number to be used when FIX session is not in effect	ApplSeqNum
1182	ApplBegSeqNum	SeqNum	Beginning range of application sequence numbers	ApplBegSeqNum
1183	ApplEndSeqNum	SeqNum	Ending range of application sequence numbers	ApplEndSeq
1184	SecurityXMLLen	Length	Length of the SecurityXML data block.	
1185	SecurityXML	XMLData	Actual XML data stream describing a security, normally FpML.	
1186	SecurityXMLSchema	String	The schema used to validate the contents of SecurityXML	Schema
1187	RefreshIndicator	Boolean	Set by the sender to tell the receiver to perform an immediate refresh of the book due to disruptions in the accompanying real-time feed 'Y' - Mandatory refresh by all participants 'N' - Process as required	RefInd
1188	Volatility	float	Annualized volatility for option model calculations	Vol
1189	TimeToExpiration	float	Time to expiration in years calculated as the number of days remaining to expiration divided by 365 days per year.	TmToExp

1190	RiskFreeRate	float	Interest rate. Usually some form of short term rate.	RFR
1191	PriceUnitOfMeasure	String	Used to express the UOM of the price if different from the contract. In futures, this can be different for cross-rate products in which the price is quoted in units differently from the contract  Valid values: Fixed Magnitude UOM Bcf - Billion cubic feet MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 ) MMBtu - One Million BTU MWh - Megawatt hours Variable Quantity UOM Bbl - Barrels Bu - Bushels lbs - pounds Gal - Gallons oz_tr - Troy Ounces t - Metric Tons (aka Tonne) tn - Tons (US) USD - US Dollars Alw - Allowances	PxUOM
1192	PriceUnitOfMeasureQty	Qty	Used to express the UOM Quantity of the price if different from the contract. In futures, this can be different for physically delivered products in which price is quoted in a unit size different from the contract, i.e. a Cattle Future contract has a UOMQty of 40,000 and a PriceUOMQty of 100.	PxUOMQty
1193	SettlMethod	char	Settlement method for a contract. Can be used as an alternative to CFI Code value  Valid values: C - Cash settlement required P - Physical settlement required	SettlMeth
1194	ExerciseStyle	int	Type of exercise of a derivatives security	ExerStyle

			Valid values: 0 - European 1 - American 2 - Bermuda	
1195	OptPayoutAmount	Amt	Cash amount indicating the pay out associated with an option. For binary options this is a fixed amount. Conditionally required if OptPayoutType(1482) is set to binary.	OptPayAmt
1196	PriceQuoteMethod	String	Method for price quotation  Valid values: PCTPAR - Percent of Par STD - Standard, money per unit of a physical INX - Index INT - Interest rate Index	PxQteMeth
1197	ValuationMethod	String	Specifies the type of valuation method applied.  Valid values: CDS - CDS style collateralization of market to market and coupon CSDS - CDS in delivery - use recovery rate to calculate obligation EQTY - premium style FUT - futures style mark-to-market FUTDA - futures style with an attached cash adjustment	ValMeth
1198	ListMethod	int	Indicates whether instruments are pre-listed only or can also be defined via user request  Valid values: 0 - pre-listed only 1 - user requested	ListMeth
1199	CapPrice	Price	Used to express the ceiling price of a capped call	CapPx
1200	FloorPrice	Price	Used to express the floor price of a capped put	FlrPx
1201	NoStrikeRules	NumInGroup	Number of strike rule entries. This block specifies the rules for determining how new strikes should be listed	

			within the stated price range of the underlying instrument	
1202	StartStrikePxRange	Price	Starting price for the range to which the StrikeIncrement applies. Price refers to the price of the underlying	StartStrkPxRng
1203	EndStrikePxRange	Price	Ending price of the range to which the StrikeIncrement applies. Price refers to the price of the underlying	EndStrkPxRng
1204	StrikeIncrement	float	Value by which strike price should be incremented within the specified price range.	StrkIncr
1205	NoTickRules	NumInGroup	Number of tick rules. This block specifies the rules for determining how a security ticks, i.e. the price increments at which it can be quoted and traded, depending on the current price of the security	
1206	StartTickPriceRange	Price	Starting price range for specified tick increment	StartTickPxRng
1207	EndTickPriceRange	Price	Ending price range for the specified tick increment	EndTickPxRng
1208	TickIncrement	Price	Tick increment for stated price range. Specifies the valid price increments at which a security can be quoted and traded	TickIncr
1209	TickRuleType	int	Specifies the type of tick rule which is being described  Valid values: 0 - Regular 1 - Variable 2 - Fixed 3 - Traded as a spread leg 4 - Settled as a spread leg	TickRuleTyp
1210	NestedInstrAttribType	int	Code to represent the type of instrument attribute  Valid values: 1 - Flat (securities pay interest on a current basis but are traded without interest) 2 - Zero coupon 3 - Interest bearing (for Euro commercial paper when not issued at discount)	Typ

			<p>4 - No periodic payments  5 - Variable rate  6 - Less fee for put  7 - Stepped coupon  8 - Coupon period (if not semi-annual). Supply redemption date in the InstrAttribValue (872) field.  9 - When [and if] issued  10 - Original issue discount  11 - Callable, puttable  12 - Escrowed to Maturity  13 - Escrowed to redemption date - callable. Supply redemption date in the InstrAttribValue (872) field  14 - Pre-refunded  15 - In default  16 - Unrated  17 - Taxable  18 - Indexed  19 - Subject To Alternative Minimum Tax  20 - Original issue discount price. Supply price in the InstrAttribValue (872) field  21 - Callable below maturity value  22 - Callable without notice by mail to holder unless registered  23 - Price tick rules for security.  24 - Trade type eligibility details for security.  25 - Instrument Denominator  26 - Instrument Numerator  27 - Instrument Price Precision  28 - Instrument Strike Price  29 - Tradeable Indicator  99 - Text. Supply the text of the attribute or disclaimer in the InstrAttribValue (872) field.</p>	
1211	NestedInstrAttribValue	String	Attribute value appropriate to the NestedInstrAttribType field	Val
1212	LegMaturityTime	TZTimeOnly	Time of security's maturity expressed in local time with offset to UTC specified	MatTm

1213	UnderlyingMaturityTime	TZTimeOnly	Time of security's maturity expressed in local time with offset to UTC specified	MatTm
1214	DerivativeSymbol	String	Refer to definition for Symbol(55)	Sym
1215	DerivativeSymbolSfx	String	Refer to definition for SymbolSfx(65)  Valid values: For Fixed Income CD - EUCP with lump-sum interest rather than discount price WI - "When Issued" for a security to be reissued under an old CUSIP or ISIN	Sfx
1216	DerivativeSecurityID	String	Refer to definition for SecurityID(48)	ID
1217	DerivativeSecuritySource	String	Refer to definition for SecuritySource(22)  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in	Src

			SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	
1218	NoDerivativeSecurityAltID	NumInGroup	Refer to definition for NoSecurityAltID(454)	
1219	DerivativeSecurityAltID	String	Refer to definition for SecurityAltID(455)	ID
1220	DerivativeSecurityAltIDSource	String	Refer to definition for SecurityAltIDSource(456)  Valid values: 1 - CUSIP 2 - SEDOL 3 - QUIK 4 - ISIN number 5 - RIC code 6 - ISO Currency Code 7 - ISO Country Code 8 - Exchange Symbol 9 - Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format) A - Bloomberg Symbol B - Wertpapier C - Dutch D - Valoren E - Sicovam F - Belgian G - "Common" (Clearstream and Euroclear) H - Clearing House / Clearing Organization I - ISDA/FpML Product Specification (XML in EncodedSecurityDesc) J - Option Price Reporting Authority K - ISDA/FpML Product URL (URL in SecurityID) L - Letter of Credit M - Marketplace-assigned Identifier	Src
1221	SecondaryLowLimitPrice	Price	Refer to definition of LowLimitPrice(1148)	LowLmtPx

1222	MaturityRuleID	String	Allows maturity rule to be referenced via an identifier so that rules do not need to be explicitly enumerated	MatRuleID
1223	StrikeRuleID	String	Allows strike rule to be referenced via an identifier so that rules do not need to be explicitly enumerated	StrkRule
1224	LegUnitOfMeasureQty	Qty	Refer to definition of UnitOfMeasureQty(1147)	UOMQty
1225	DerivativeOptPayAmount	Amt	Cash amount indicating the pay out associated with an option. For binary options this is a fixed amount	OptPayAmt
1226	EndMaturityMonthYear	MonthYear	Ending maturity month year for an option class	EndMMY
1227	ProductComplex	String	Identifies an entire suite of products for a given market. In Futures this may be "interest rates", "agricultural", "equity indexes", etc.	ProdCmplx
1228	DerivativeProductComplex	String	Refer to ProductComplex(1227)	ProdCmplx
1229	MaturityMonthYearIncrement	int	Increment between successive maturities for an option class	MMYIncr
1230	SecondaryHighLimitPrice	Price	Refer to definition of HighLimitPrice(1149)	HiLmtPx
1231	MinLotSize	Qty	Minimum lot size allowed based on lot type specified in LotType(1093)	MinLotSz
1232	NoExecInstRules	NumInGroup	Number of execution instructions	
1234	NoLotTypeRules	NumInGroup	Number of Lot Type Rules	
1235	NoMatchRules	NumInGroup	Number of Match Rules	
1236	NoMaturityRules	NumInGroup	Number of maturity rules in MarurityRules component block	
1237	NoOrdTypeRules	NumInGroup	Number of order types	

1239	NoTimeInForceRules	NumInGroup	Number of time in force techniques	
1240	SecondaryTradingReferencePrice	Price	Refer to definition for TradingReferencePrice(1150)	TrdgRefPx
1241	StartMaturityMonthYear	MonthYear	Starting maturity month year for an option class	StartMMY
1242	FlexProductEligibilityIndicator	Boolean	Used to indicate if a product or group of product supports the creation of flexible securities	FlexProdElig
1243	DerivFlexProductEligibilityIndicator	Boolean	Refer to FlexProductEligibilityIndicator(1242)	FlexProdElig
1244	FlexibleIndicator	Boolean	Used to indicate a derivatives security that can be defined using flexible terms. The terms commonly permitted to be defined by market participants are expiration date and strike price. FlexibleIndicator is an alternative CFICode(461) Standard/Non-standard attribute.	FlexInd
1245	TradingCurrency	Currency	Used when the trading currency can differ from the price currency	TrdCcy
1246	DerivativeProduct	int	Valid values: 1 - AGENCY 2 - COMMODITY 3 - CORPORATE 4 - CURRENCY 5 - EQUITY 6 - GOVERNMENT 7 - INDEX 8 - LOAN 9 - MONEYMARTKET 10 - MORTGAGE 11 - MUNICIPAL 12 - OTHER 13 - FINANCING	Prod

1247	DerivativeSecurityGroup	String		SecGrp
1248	DerivativeCFIcode	String		CFI
1249	DerivativeSecurityType	String	<p>Valid values:</p> <ul style="list-style-type: none"> <li>UST - US Treasury Note (Deprecated Value Use TNOTE) (Deprecated in <a href="#">FIX.4.4</a>)</li> <li>USTB - US Treasury Bill (Deprecated Value Use TBILL) (Deprecated in <a href="#">FIX.4.4</a>)</li> <li>Agency <ul style="list-style-type: none"> <li>EUSUPRA - Euro Supranational Coupons *</li> <li>FAC - Federal Agency Coupon</li> <li>FADN - Federal Agency Discount Note</li> <li>PEF - Private Export Funding *</li> <li>SUPRA - USD Supranational Coupons *</li> </ul> </li> <li>Corporate <ul style="list-style-type: none"> <li>CORP - Corporate Bond</li> <li>CPP - Corporate Private Placement</li> <li>CB - Convertible Bond</li> <li>DUAL - Dual Currency</li> <li>EUCORP - Euro Corporate Bond</li> <li>EUFRN - Euro Corporate Floating Rate Notes</li> <li>FRN - US Corporate Floating Rate Notes</li> <li>XLINKD - Indexed Linked</li> <li>STRUCT - Structured Notes</li> <li>YANK - Yankee Corporate Bond</li> </ul> </li> <li>Currency <ul style="list-style-type: none"> <li>FOR - Foreign Exchange Contract (Deprecated in <a href="#">FIX.5.0SP20SP1</a>)</li> <li>FXNDF - Non-deliverable forward</li> <li>FXSPOT - FX Spot</li> <li>FXFWD - FX Forward</li> <li>FXSWAP - FX Swap</li> </ul> </li> <li>Derivatives <ul style="list-style-type: none"> <li>CDS - Credit Default Swap</li> <li>FUT - Future</li> </ul> </li> </ul>	SecTyp

			<p>OPT - Option  OOF - Options on Futures  OOP - Options on Physical - use not recommended  IRS - Interest Rate Swap  OOC - Options on Combo</p> <p>Equity  CS - Common Stock  PS - Preferred Stock</p> <p>Financing  REPO - Repurchase  FORWARD - Forward  BUYSELL - Buy Sellback  SECLOAN - Securities Loan  SECPLEDGE - Securities Pledge</p> <p>Government  BRADY - Brady Bond  CAN - Canadian Treasury Notes  CTB - Canadian Treasury Bills  EUSOV - Euro Sovereigns *  PROV - Canadian Provincial Bonds  TB - Treasury Bill - non US  TBOND - US Treasury Bond  TINT - Interest Strip From Any Bond Or Note  TBILL - US Treasury Bill  TIPS - Treasury Inflation Protected Securities  TCAL - Principal Strip Of A Callable Bond Or</p> <p>Note  TPRN - Principal Strip From A Non-Callable  Bond Or Note  TNOTE - US Treasury Note</p> <p>Loan  TERM - Term Loan  RVLV - Revolver Loan  RVLVTRM - Revolver/Term Loan  BRIDGE - Bridge Loan  LOFC - Letter Of Credit  SWING - Swing Line Facility  DINP - Debtor In Possession  DEFLTED - Defaulted</p>	
--	--	--	---	--

			<p>WITHDRN - Withdrawn  REPLACD - Replaced  MATURED - Matured  AMENDED - Amended &amp; Restated  RETIRED - Retired</p> <p>Money Market</p> <p>BA - Bankers Acceptance  BDN - Bank Depository Note  BN - Bank Notes  BOX - Bill Of Exchanges  CAMM - Canadian Money Markets  CD - Certificate Of Deposit  CL - Call Loans  CP - Commercial Paper  DN - Deposit Notes  EUCD - Euro Certificate Of Deposit  EUCP - Euro Commercial Paper  LQN - Liquidity Note  MTN - Medium Term Notes  ONITE - Overnight  PN - Promissory Note  STN - Short Term Loan Note  PZPJ - Plazos Fijos  SLQN - Secured Liquidity Note  TD - Time Deposit  TLQN - Term Liquidity Note  XCN - Extended Comm Note  YCD - Yankee Certificate Of Deposit</p> <p>Mortgage</p> <p>ABS - Asset-backed Securities  CMB - Canadian Mortgage Bonds  CMBS - Corp. Mortgage-backed Securities  CMO - Collateralized Mortgage Obligation  IET - IOETTE Mortgage  MBS - Mortgage-backed Securities  MIO - Mortgage Interest Only  MPO - Mortgage Principal Only  MPP - Mortgage Private Placement  MPT - Miscellaneous Pass-through</p>	
--	--	--	--	--

			PFAND - Pfandbriefe * TBA - To Be Announced Municipal AN - Other Anticipation Notes (BAN, GAN, etc.) COFO - Certificate Of Obligation COFP - Certificate Of Participation GO - General Obligation Bonds MT - Mandatory Tender RAN - Revenue Anticipation Note REV - Revenue Bonds SPCLA - Special Assessment SPCLO - Special Obligation SPCLT - Special Tax TAN - Tax Anticipation Note TAXA - Tax Allocation TECP - Tax Exempt Commercial Paper TMCP - Taxable Municipal CP TRAN - Tax Revenue Anticipation Note VRDN - Variable Rate Demand Note WAR - Warrant Other MF - Mutual Fund MLEG - Multileg Instrument NONE - No Security Type ? - Wildcard entry for use on Security Definition Request CASH - Cash	
1250	DerivativeSecuritySubType	String		SecSubTyp
1251	DerivativeMaturityMonthYear	MonthYear		MMY
1252	DerivativeMaturityDate	LocalMktDate		MatDt
1253	DerivativeMaturityTime	TZTimeOnly		MatTm
1254	DerivativeSettleOnOp	String		OpenCloseSettlFlag

	enFlag			
1255	DerivativeInstrmtAssignmentMethod	char	<u>Valid values:</u> <u>R - Random</u> <u>P - ProRata</u>	AsgnMeth
1256	DerivativeSecurityStatus	String	Valid values: 1 - Active 2 - Inactive	Status
1257	DerivativeInstrRegistry	String		Rgstry
1258	DerivativeCountryOfIssue	Country		Ctry
1259	DerivativeStateOrProvinceOfIssue	String		StPrv
1260	DerivativeLocaleOfIssue	String		Lcl
1261	DerivativeStrikePrice	Price		StrkPx
1262	DerivativeStrikeCurrency	Currency		StrkCcy
1263	DerivativeStrikeMultiplier	float		StrkMult
1264	DerivativeStrikeValue	float		StrkValu
1265	DerivativeOptAttribute	char		OptAt
1266	DerivativeContractMultiplier	float		Mult
1267	DerivativeMinPriceIncrement	float		MinPxIncr
1268	DerivativeMinPriceIncrement	Amt		MinPxIncrAmt

	rementAmount			
1269	DerivativeUnitOfMeasure	String	<p>Valid values:</p> <p>Fixed Magnitude UOM</p> <p>Bcf - Billion cubic feet</p> <p>MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 )</p> <p>MMBtu - One Million BTU</p> <p>MWh - Megawatt hours</p> <p>Variable Quantity UOM</p> <p>Bbl - Barrels</p> <p>Bu - Bushels</p> <p>lbs - pounds</p> <p>Gal - Gallons</p> <p>oz_tr - Troy Ounces</p> <p>t - Metric Tons (aka Tonne)</p> <p>tn - Tons (US)</p> <p>USD - US Dollars</p> <p>Alw - Allowances</p>	UOM
1270	DerivativeUnitOfMeasureQty	Qty		UOMQty
1271	DerivativeTimeUnit	String	<p>Valid values:</p> <p>H - Hour</p> <p>Min - Minute</p> <p>S - Second</p> <p>D - Day</p> <p>Wk - Week</p> <p>Mo - Month</p> <p>Yr - Year</p>	TmUnit
1272	DerivativeSecurityExchange	Exchange		Exch
1273	DerivativePositionLimit	int		PosLmt

1274	DerivativeNTPositionLimit	int		NTPosLmt
1275	DerivativeIssuer	String		Issr
1276	DerivativeIssueDate	LocalMktDate		IssDt
1277	DerivativeEncodedIssuerLen	Length		EncIssrLen
1278	DerivativeEncodedIssuer	data		EncIssr
1279	DerivativeSecurityDesc	String		Desc
1280	DerivativeEncodedSecurityDescLen	Length		EncSecDescLen
1281	DerivativeEncodedSecurityDesc	data		EncSecDesc
1282	DerivativeSecurityXMLLen	Length	Refer to definition SecurityXMLLen(1184)	
1283	DerivativeSecurityXML	data	Refer to definition of SecurityXML(1185)	
1284	DerivativeSecurityXMLSchema	String	Refer to definition of SecurityXMLSchema(1186)	Schema
1285	DerivativeContractSettlementMonth	MonthYear		CSetMo
1286	NoDerivativeEvents	NumInGroup		
1287	DerivativeEventType	int	Valid values: 1 - Put 2 - Call 3 - Tender	EventTyp

			4 - Sinking Fund Call 5 - Activation 6 - Inactivation 7 - Last Eligible Trade Date 8 - Swap Start Date 9 - Swap End Date 10 - Swap Roll Date 11 - Swap Next Start Date 12 - Swap Next Roll Date 13 - First Delivery Date 14 - Last Delivery Date 15 - Initial Inventory Due Date 16 - Final Inventory Due Date 17 - First Intent Date 18 - Last Intent Date 19 - Position Removal Date 99 - Other	
1288	DerivativeEventDate	LocalMkt Date		Dt
1289	DerivativeEventTime	UTCTime stamp		Tm
1290	DerivativeEventPx	Price		Px
1291	DerivativeEventText	String		Txt
1292	NoDerivativeInstrumentParties	NumInGroup	Refer to definition of NoParties(453)	
1293	DerivativeInstrumentPartyID	String	Refer to definition of PartyID(448)	ID
1294	DerivativeInstrumentPartyIDSource	String	Refer to definition of PartyIDSource(447)  Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant identifier (e.g. NASD mnemonic)	Src

			<p>D - Proprietary / Custom code  E - ISO Country Code  F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)  G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C")  H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)  For PartyRole = "InvestorID" and for CIV  6 - UK National Insurance or Pension Number  7 - US Social Security Number  8 - US Employer or Tax ID Number  9 - Australian Business Number  A - Australian Tax File Number  For PartyRole = "InvestorID" and for Equities  1 - Korean Investor ID  2 - Taiwanese Qualified Foreign Investor ID  QFII/FID  3 - Taiwanese Trading Acct  4 - Malaysian Central Depository (MCD) number  5 - Chinese Investor ID  For PartyRole="Broker of Credit"  I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	
1295	DerivativeInstrumentPartyRole	int	<p>Refer to definition of PartyRole(452)  Valid values:  82 - Central Registration Depository (CRD)  83 - Clearing Account  84 - Acceptable Settling Counterparty  85 - Unacceptable Settling Counterparty  1 - Executing Firm (formerly FIX 4.2 ExecBroker)  2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)  3 - Client ID (formerly FIX 4.2 ClientID)  4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</p>	R

			<ul style="list-style-type: none"> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> <li>12 - Executing Trader (associated with Executing Firm - actually executes)</li> <li>13 - Order Origination Firm (e.g. buy-side firm)</li> <li>14 - Giveup Clearing Firm (firm to which trade is given up)</li> <li>15 - Correspondant Clearing Firm</li> <li>16 - Executing System</li> <li>17 - Contra Firm</li> <li>18 - Contra Clearing Firm</li> <li>19 - Sponsoring Firm</li> <li>20 - Underlying Contra Firm</li> <li>21 - Clearing Organization</li> <li>22 - Exchange</li> <li>24 - Customer Account</li> <li>25 - Correspondent Clearing Organization</li> <li>26 - Correspondent Broker</li> <li>27 - Buyer/Seller (Receiver/Deliverer)</li> <li>28 - Custodian</li> <li>29 - Intermediary</li> <li>30 - Agent</li> <li>31 - Sub-custodian</li> <li>32 - Beneficiary</li> <li>33 - Interested party</li> <li>34 - Regulatory body</li> <li>35 - Liquidity provider</li> <li>36 - Entering trader</li> <li>37 - Contra trader</li> <li>38 - Position account</li> <li>39 - Contra Investor ID</li> </ul>	
--	--	--	--	--

			<ul style="list-style-type: none"><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li><li>50 - Pledgor Account</li><li>51 - Pledgee Account</li><li>52 - Large Trader Reportable Account</li><li>53 - Trader mnemonic</li><li>54 - Sender Location</li><li>55 - Session ID</li><li>56 - Acceptable Counterparty</li><li>57 - Unacceptable Counterparty</li><li>58 - Entering Unit</li><li>59 - Executing Unit</li><li>60 - Introducing Broker</li><li>61 - Quote originator</li><li>62 - Report originator</li><li>63 - Systematic internaliser (SI)</li><li>64 - Multilateral Trading Facility (MTF)</li><li>65 - Regulated Market (RM)</li><li>66 - Market Maker</li><li>67 - Investment Firm</li><li>68 - Host Competent Authority (Host CA)</li><li>69 - Home Competent Authority (Home CA)</li><li>70 - Competent Authority of the most relevant market in terms of liquidity (CAL)</li><li>71 - Competent Authority of the Transaction (Execution) Venue (CATV)</li><li>72 - Reporting intermediary (medium/vendor via which report has been published)</li><li>73 - Execution Venue</li><li>74 - Market data entry originator</li><li>75 - Location ID</li></ul>	
--	--	--	--	--

			76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services 80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
1296	NoDerivativeInstrumentPartySubIDs	NumInGroup	Refer to definition for NoPartySubIDs(802)	
1297	DerivativeInstrumentPartySubID	String	Refer to definition for PartySubID(523)	ID
1298	DerivativeInstrumentPartySubIDType	int	Refer to definition for PartySubIDType(803) Valid values: 1 - Firm 2 - Person 3 - System 4 - Application 5 - Full legal name of firm 6 - Postal address 7 - Phone number 8 - Email address 9 - Contact name 10 - Securities account number (for settlement instructions) 11 - Registration number (for settlement instructions and confirmations) 12 - Registered address (for confirmation purposes) 13 - Regulatory status (for confirmation purposes) 14 - Registration name (for settlement instructions) 15 - Cash account number (for settlement instructions) 16 - BIC 17 - CSD participant member code 18 - Registered address 19 - Fund account name	Typ

			20 - Telex number 21 - Fax number 22 - Securities account name 23 - Cash account name 24 - Department 25 - Location desk 26 - Position account type 27 - Security locate ID 28 - Market maker 29 - Eligible counterparty 30 - Professional client 31 - Location 32 - Execution venue 33 - Currency delivery identifier	
1299	DerivativeExerciseStyle	char	Type of exercise of a derivatives security Valid values: 0 - European 1 - American 2 - Bermuda	ExerStyle
1300	MarketSegmentID	String	Identifies the market segment	MktSegID
1301	MarketID	Exchange	Identifies the Market	MktID
1302	MaturityMonthYearIncrementUnits	int	Unit of measure for the Maturity Month Year Increment Valid values: 0 - Months 1 - Days 2 - Weeks 3 - Years	MMYIncrUnits
1303	MaturityMonthYearFormat	int	Format used to generate the MaturityMonthYear for each option Valid values: 0 - YearMonth Only (default) 1 - YearMonthDay 2 - YearMonthWeek	MMYFmt

1304	StrikeExerciseStyle	int	Expiration Style for an option class:  Valid values: 0 - European 1 - American 2 - Bermuda	StrkExrStyle
1305	SecondaryPriceLimitType	int	Describes the how the price limits are expressed  Valid values: 0 - Price 1 - Ticks 2 - Percentage	PxLmtTyp
1306	PriceLimitType	int	Describes the how the price limits are expressed  Valid values: 0 - Price 1 - Ticks 2 - Percentage	PxLmtTyp
1307	<del>DerivativeSecurityListRequestType</del>	int	<del>Identifies the type of Security List Request</del>  <del>Valid values:</del> <del>0 - Symbol</del> <del>1 - SecurityType and or CFICode</del> <del>2 - Product</del> <del>3 - TradingSessionID</del> <del>4 - All Securities</del> <del>5 - UnderlyingSymbol</del> <del>6 - Underlying SecurityType and or CFICode</del> <del>7 - Underlying Product</del> <del>8 - MarketID or MarketID + MarketSegmentID</del>	ListReqTyp
1308	ExecInstValue	char	Indicates execution instructions that are valid for the specified market segment  Valid values: 0 - Stay on offer side 1 - Not held 2 - Work 3 - Go along	ExecInstValu

			<p>4 - Over the day</p> <p>5 - Held</p> <p>6 - <del>Participant</del><u>Participate</u> don't initiate</p> <p>7 - Strict scale</p> <p>8 - Try to scale</p> <p>9 - Stay on bid side</p> <p>A - No cross (cross is forbidden)</p> <p>B - OK to cross</p> <p>C - Call first</p> <p>D - Percent of volume (indicates that the sender does not want to be all of the volume on the floor vs. a specific percentage)</p> <p>E - Do not increase - DNI</p> <p>F - Do not reduce - DNR</p> <p>G - All or none - AON</p> <p>H - Reinstate on system failure (mutually exclusive with Q and l)</p> <p>I - Institutions only</p> <p>J - Reinstate on Trading Halt (mutually exclusive with K and m)</p> <p>K - Cancel on Trading Halt (mutually exclusive with J and m)</p> <p>L - Last peg (last sale) ( Deprecated in <u>FIX.5.0</u> )</p> <p>M - Mid-price peg (midprice of inside quote) ( Deprecated in <u>FIX.5.0</u> )</p> <p>N - Non-negotiable</p> <p>O - Opening peg ( Deprecated in <u>FIX.5.0</u> )</p> <p>P - Market peg ( Deprecated in <u>FIX.5.0</u> )</p> <p>Q - Cancel on system failure (mutually exclusive with H and l)</p> <p>R - Primary peg (primary market - buy at bid/sell at offer) ( Deprecated in <u>FIX.5.0</u> )</p> <p>S - Suspend</p> <p>T - Fixed Peg to Local best bid or offer at time of order ( Deprecated in <u>FIX.5.0</u> )</p> <p>U - Customer Display Instruction (Rule 11Ac1-1/4)</p> <p>V - Netting (for Forex)</p> <p>W - Peg to VWAP ( Deprecated in <u>FIX.5.0</u> )</p>	
--	--	--	--	--

			<ul style="list-style-type: none"> <li>X - Trade Along</li> <li>Y - Try To Stop</li> <li>Z - Cancel if not best</li> <li>a - Trailing Stop Peg ( Deprecated in FIX.5.0 )</li> <li>b - Strict Limit (No price improvement)</li> <li>c - Ignore Price Validity Checks</li> <li>d - Peg to Limit Price ( Deprecated in FIX.5.0 )</li> <li>e - Work to Target Strategy</li> <li>f - Intermarket Sweep</li> <li>g - External Routing Allowed</li> <li>h - External Routing Not Allowed</li> <li>i - Imbalance Only</li> <li>j - Single execution requested for block trade</li> <li>k - Best Execution</li> <li>l - Suspend on system failure (mutually exclusive with H and Q)</li> <li>m - Suspend on Trading Halt (mutually exclusive with J and K)</li> <li>n - Reinstate on connection loss (mutually exclusive with o and p)</li> <li>o - Cancel on connection loss (mutually exclusive with n and p)</li> <li>p - Suspend on connection loss (mutually exclusive with n and o)</li> <li>q - Release from suspension (mutually exclusive with S)</li> <li>r - Execute as delta neutral using volatility provided</li> <li>s - Execute as duration neutral</li> <li>t - Execute as FX neutral</li> </ul>	
1309	NoTradingSessionRules	NumInGroup	Allows trading rules to be expressed by trading session	
1310	NoMarketSegments	NumInGroup	Number of Market Segments on which a security may trade.	
1311	NoDerivativeInstrAttrib	NumInGroup		

1312	NoNestedInstrAttrib	NumInGroup		
1313	DerivativeInstrAttribType	int	<p>Refer to definition of InstrAttribType(871)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Flat (securities pay interest on a current basis but are traded without interest)</li> <li>2 - Zero coupon</li> <li>3 - Interest bearing (for Euro commercial paper when not issued at discount)</li> <li>4 - No periodic payments</li> <li>5 - Variable rate</li> <li>6 - Less fee for put</li> <li>7 - Stepped coupon</li> <li>8 - Coupon period (if not semi-annual). Supply redemption date in the InstrAttribValue (872) field.</li> <li>9 - When [and if] issued</li> <li>10 - Original issue discount</li> <li>11 - Callable, puttable</li> <li>12 - Escrowed to Maturity</li> <li>13 - Escrowed to redemption date - callable. Supply redemption date in the InstrAttribValue (872) field</li> <li>14 - Pre-refunded</li> <li>15 - In default</li> <li>16 - Unrated</li> <li>17 - Taxable</li> <li>18 - Indexed</li> <li>19 - Subject To Alternative Minimum Tax</li> <li>20 - Original issue discount price. Supply price in the InstrAttribValue (872) field</li> <li>21 - Callable below maturity value</li> <li>22 - Callable without notice by mail to holder unless registered</li> <li>23 - Price tick rules for security.</li> <li>24 - Trade type eligibility details for security.</li> <li>25 - Instrument Denominator</li> <li>26 - Instrument Numerator</li> </ul>	Typ

			27 - Instrument Price Precision 28 - Instrument Strike Price 29 - Tradeable Indicator 99 - Text. Supply the text of the attribute or disclaimer in the InstrAttribValue (872) field.	
1314	DerivativeInstrAttribValue	String	Refer to definition of InstrAttribValue(872)	Val
1315	DerivativePriceUnitOfMeasure	String	Refer to definition for PriceUnitOfMeasure(1191) Valid values: Fixed Magnitude UOM Bcf - Billion cubic feet MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 ) MMBtu - One Million BTU MWh - Megawatt hours Variable Quantity UOM Bbl - Barrels Bu - Bushels lbs - pounds Gal - Gallons oz_tr - Troy Ounces t - Metric Tons (aka Tonne) tn - Tons (US) USD - US Dollars Alw - Allowances	PxUOM
1316	DerivativePriceUnitOfMeasureQty	Qty	Refer to definition of PriceUnitOfMeasureQty(1192)	PxUOMQty
1317	DerivativeSettlMethod	char	Refer to definition of SettlMethod(1193) Valid values: C - Cash settlement required P - Physical settlement required	SettlMeth
1318	DerivativePriceQuoteMethod	String	Refer to definition of PriceQuoteMethod(1196) Valid values: PCTPAR - Percent of Par	PxQteMeth

			STD - Standard, money per unit of a physical INX - Index INT - Interest rate Index	
1319	DerivativeValuationMethod	String	Refer to definition of ValuationMethod(1197).  Valid values: CDS - CDS style collateralization of market to market and coupon CSDS - CDS in delivery - use recovery rate to calculate obligation EQTY - premium style FUT - futures style mark-to-market FUTDA - futures style with an attached cash adjustment	ValMeth
1320	DerivativeListMethod	int	Indicates whether instruments are pre-listed only or can also be defined via user request  Valid values: 0 - pre-listed only 1 - user requested	ListMeth
1321	DerivativeCapPrice	Price	Refer to definition of CapPrice(1199)	CapPx
1322	DerivativeFloorPrice	Price	Refer to definition of FloorPrice(1200)	FlrPx
1323	DerivativePutOrCall	int	Indicates whether an Option is for a put or call  Valid values: 0 - Put 1 - Call	PutCall
1324	ListUpdateAction	char	If provided, then Instrument occurrence has explicitly changed  Valid values: A - Add D - Delete M - Modify	ListUpdActn
1325	ParentMktSegmID	String	Reference to a parent Market Segment. See MarketSegmentID(1300)	ParentMktSegmID

1326	TradingSessionDesc	String	Trading Session description	TradingSessionDesc
1327	TradSesUpdateAction	char	Specifies the action taken for the specified trading sessions.  Valid values: A - Add D - Delete M - Modify	TradSesUpdtActn
1328	RejectText	String	Those will be used by Firms to send a reason for rejecting a trade in an allocate claim model.	RejTxt
1329	FeeMultiplier	float	This is a multiplier that Clearing (Fee system) will use to calculate fees and will be sent to the firms on their confirms.	FeeMult
1330	UnderlyingLegSymbol	String	Refer to definition for Symbol(55)	Sym
1331	UnderlyingLegSymbolSfx	String	Refer to definition for SymbolSfx(65)	Sfx
1332	UnderlyingLegSecurityID	String	Refer to definition for SecurityID(48)	ID
1333	UnderlyingLegSecurityIDSource	String	Refer to definition for SecurityIDSource(22)	Src
1334	NoUnderlyingLegSecurityAltID	NumInGroup	Refer to definition for NoSecurityAltID(454)	
1335	UnderlyingLegSecurityAltID	String	Refer to definition for SecurityAltID(455)	AltID
1336	UnderlyingLegSecurityAltIDSource	String	Refer to definition for SecurityAltIDSource(456)	AltIDSrc
1337	UnderlyingLegSecurityType	String	Refer to definition for SecurityType(167)	SecType
1338	UnderlyingLegSecuritySubType	String	Refer to definition for SecuritySubType(762)	SubType
1339	UnderlyingLegMaturity	MonthYear	Refer to definition for MaturityMonthYear(200)	MMY

	yMonthYear	r		
1340	UnderlyingLegStrikePrice	Price	Refer to definition for StrikePrice(202)	StrkPx
1341	UnderlyingLegSecurityExchange	String	Refer to definition for SecurityExchange(207)	Exch
1342	NoOfLegUnderlyings	NumInGroup	Number of Underlyings, Identifies the Underlying of the Leg	
1343	UnderlyingLegPutOrCall	int	Refer to definition for PutOrCall(201)	PutCall
1344	UnderlyingLegCFICode	String	Refer to definition for CFICode(461)	CFI
1345	UnderlyingLegMaturityDate	LocalMktDate	Date of maturity.	MatDt
1346	ApplReqID	String	Unique identifier for request	ApplReqID
1347	ApplReqType	int	Type of Application Message Request being made. Valid values: 5 - Cancel retransmission 6 - Cancel retransmission and unsubscribe to the specified applications 0 - Retransmission of application messages for the specified Applications 1 - Subscription to the specified Applications 2 - Request for the last ApplLastSeqNum published for the specified Applications 3 - Request valid set of Applications 4 - Unsubscribe to the specified Applications	ApplReqTyp
1348	ApplResponseType	int	Used to indicate the type of acknowledgement being sent. Valid values: 0 - Request successfully processed 1 - Application does not exist 2 - Messages not available	ApplRespTyp

1349	ApplTotalMessageCount	int	Total number of messages included in transmission.	ApplTotMsgCnt
1350	ApplLastSeqNum	SeqNum	Application sequence number of last message in transmission	ApplLastSeqNum
1351	NoApplIDs	NumInGroup	Specifies number of application id occurrences	
1352	ApplResendFlag	Boolean	Used to indicate that a message is being sent in response to an Application Message Request. It is possible for both ApplResendFlag and PossDupFlag to be set on the same message if the Sender's cache size is greater than zero and the message is being resent due to a session level resend request	ApplResendFlag
1353	ApplResponseID	String	Identifier for the Application Message Request Ack	ApplRespID
1354	ApplResponseError	int	Used to return an error code or text associated with a response to an Application Request.  Valid values: 0 - Application does not exist 1 - Messages requested are not available 2 - User not authorized for application	ApplRespErr
1355	RefApplID	String	Reference to the unique application identifier which corresponds to ApplID(1180) from the Application Sequence Group component	RefApplID
1356	ApplReportID	String	Identifier for the Application Sequence Reset	ApplRptID
1357	RefApplLastSeqNum	SeqNum	Application sequence number of last message in transmission.	RefApplLastSeqNum
1358	LegPutOrCall	int	Refer to definition of PutOrCall(201)	PutCall
<del>1359</del>	<del>EncodedSymbolLen</del>	<del>Length</del>	<del>Byte length of encoded (non-ASCII characters) EncodedSymbol(1360) field.</del>	<del>EncodedSymbolLen</del>
<del>1360</del>	<del>EncodedSymbol</del>	<del>data</del>	<del>Encoded (non-ASCII characters) representation of the Symbol(55) field in the encoded format specified via the MessageEncoding(347) field. If used, the ASCII</del>	<del>EncodedSymbol</del>

			<del>(English) representation can also be specified in the Symbol field.</del>	
1361	TotNoFills	int	Total number of fill entries across all messages. Should be the sum of all NoFills(1362) in each message that has repeating list of fill entries related to the same ExecID(17). Used to support fragmentation.	TotNoFills
1362	NoFills	NumInGroup		
1363	FillExecID	String	Refer to ExecID(17). Used when multiple partial fills are reported in single Execution Report. ExecID and FillExecID should not overlap,	FillExecID
1364	FillPx	Price	Price of Fill. Refer to LastPx(31).	FillPx
1365	FillQty	Qty	Quantity of Fill. Refer to LastQty(32).	FillQty
1366	LegAllocID	String	The AllocID(70) of an individual leg of a multileg order.	LegAllocID
1367	LegAllocSettlCurrency	Currency	Identifies settlement currency for the leg level allocation.	AllocSettlCcy
1368	TradSesEvent	int	Identifies an event related to a TradSesStatus(340). An event occurs and is gone, it is not a state that applies for a period of time.  Valid values: 0 - Trading resumes (after Halt) 1 - Change of Trading Session 2 - Change of Trading Subsession 3 - Change of Trading Status  or any value conforming to the data type Reserved100Plus	TradSesEvent
1369	MassActionReportID	String	Unique identifier of Order Mass Cancel Report or Order Mass Action Report message as assigned by sell-side (broker, exchange, ECN)	MassActionReportID

1370	NoNotAffectedOrders	NumInGroup	Number of not affected orders in the repeating group of order ids.	
1371	NotAffectedOrderID	String	OrderID(37) of an order not affected by a mass cancel request.	NotAffectedOrderID
1372	NotAffOrigClOrdID	String	ClOrdID(11) of the previous order (NOT the initial order of the day) as assigned by the institution, used to identify the previous order in cancel and cancel/replace requests.	NotAffOrigClOrdID
1373	MassActionType	int	Specifies the type of action requested  Valid values: 1 - Suspend orders 2 - Release orders from suspension 3 - Cancel orders	MassActionType
1374	MassActionScope	int	Specifies scope of Order Mass Action Request.  Valid values: 11 - Cancel for Security Issuer 12 - Cancel for Issuer of Underlying Security 1 - All orders for a security 2 - All orders for an underlying security 3 - All orders for a Product 4 - All orders for a CFICode 5 - All orders for a SecurityType 6 - All orders for a trading session 7 - All orders 8 - All orders for a Market 9 - All orders for a Market Segment 10 - All orders for a Security Group  or any value conforming to the data type Reserved100Plus	MassActionScope
1375	MassActionResponse	int	Specifies the action taken by counterparty order handling system as a result of the action type indicated in MassActionType of the Order Mass Action Request.	MassActionResponse

			Valid values: 0 - Rejected - See MassActionRejectReason(1376) 1 - Accepted	
1376	MassActionRejectReason	int	Reason Order Mass Action Request was rejected Valid values: 10 - Invalid or unknown Security Issuer 11 - Invalid or unknown Issuer of Underlying Security 0 - Mass Action Not Supported 1 - Invalid or unknown security 2 - Invalid or unknown underlying security 3 - Invalid or unknown Product 4 - Invalid or unknown CFICode 5 - Invalid or unknown SecurityType 6 - Invalid or unknown trading session 7 - Invalid or unknown Market 8 - Invalid or unknown Market Segment 9 - Invalid or unknown Security Group 99 - Other  or any value conforming to the data type Reserved100Plus	MassActionRejectReason
1377	MultilegModel	int	Specifies the type of multileg order. Valid values: 0 - Predefined Multileg Security 1 - User-defined Multileg Security 2 - User-defined, Non-Securitized, Multileg	MlegModel
1378	MultilegPriceMethod	int	Code to represent how the multileg price is to be interpreted when applied to the legs. (See Volume : "Glossary" for further value definitions) Valid values: 0 - Net Price 1 - Reversed Net Price 2 - Yield Difference	MlegPxMeth

			3 - Individual 4 - Contract Weighted Average Price 5 - Multiplied Price	
1379	LegVolatility	float	Specifies the volatility of an instrument leg.	LegVolatility
1380	DividendYield	Percentage	The continuously-compounded annualized dividend yield of the underlying(s) of an option. Used as a parameter to theoretical option pricing models.	DividendYield
1381	LegDividendYield	Percentage	Refer to definition for DividendYield(1380).	LegDividendYield
1382	CurrencyRatio	float	Specifies the currency ratio between the currency used for a multileg price and the currency used by the outright book defined by the leg. Example: Multileg quoted in EUR, outright leg in USD and 1 EUR = 0,7 USD then CurrencyRatio = 0.7	CurrencyRatio
1383	LegCurrencyRatio	float	Specifies the currency ratio between the currency used for a multileg price and the currency used by the outright book defined by the leg. Example: Multileg quoted in EUR, outright leg in USD and 1 EUR = 0,7 USD then LegCurrencyRatio = 0.7	LegCurrencyRatio
1384	LegExecInst	MultipleCharacterValue	Refer to ExecInst(18) Same values as ExecInst(18)  Valid values: 0 - Stay on offer side 1 - Not held 2 - Work 3 - Go along 4 - Over the day 5 - Held 6 - <del>Participant</del> <a href="#">Participate</a> don't initiate 7 - Strict scale 8 - Try to scale 9 - Stay on bid side A - No cross (cross is forbidden) B - OK to cross C - Call first	LegExecInst

			<p>D - Percent of volume (indicates that the sender does not want to be all of the volume on the floor vs. a specific percentage)</p> <p>E - Do not increase - DNI</p> <p>F - Do not reduce - DNR</p> <p>G - All or none - AON</p> <p>H - Reinstate on system failure (mutually exclusive with Q and l)</p> <p>I - Institutions only</p> <p>J - Reinstate on Trading Halt (mutually exclusive with K and m)</p> <p>K - Cancel on Trading Halt (mutually exclusive with J and m)</p> <p>L - Last peg (last sale) ( Deprecated in FIX.5.0 )</p> <p>M - Mid-price peg (midprice of inside quote) ( Deprecated in FIX.5.0 )</p> <p>N - Non-negotiable</p> <p>O - Opening peg ( Deprecated in FIX.5.0 )</p> <p>P - Market peg ( Deprecated in FIX.5.0 )</p> <p>Q - Cancel on system failure (mutually exclusive with H and l)</p> <p>R - Primary peg (primary market - buy at bid/sell at offer) ( Deprecated in FIX.5.0 )</p> <p>S - Suspend</p> <p>T - Fixed Peg to Local best bid or offer at time of order ( Deprecated in FIX.5.0 )</p> <p>U - Customer Display Instruction (Rule 11Ac1-1/4)</p> <p>V - Netting (for Forex)</p> <p>W - Peg to VWAP ( Deprecated in FIX.5.0 )</p> <p>X - Trade Along</p> <p>Y - Try To Stop</p> <p>Z - Cancel if not best</p> <p>a - Trailing Stop Peg ( Deprecated in FIX.5.0 )</p> <p>b - Strict Limit (No price improvement)</p> <p>c - Ignore Price Validity Checks</p> <p>d - Peg to Limit Price ( Deprecated in FIX.5.0 )</p> <p>e - Work to Target Strategy</p> <p>f - Intermarket Sweep</p>	
--	--	--	--	--

			<p>g - External Routing Allowed  h - External Routing Not Allowed  i - Imbalance Only  j - Single execution requested for block trade  k - Best Execution  l - Suspend on system failure (mutually exclusive with H and Q)  m - Suspend on Trading Halt (mutually exclusive with J and K)  n - Reinstate on connection loss (mutually exclusive with o and p)  o - Cancel on connection loss (mutually exclusive with n and p)  p - Suspend on connection loss (mutually exclusive with n and o)  q - Release from suspension (mutually exclusive with S)  r - Execute as delta neutral using volatility provided  s - Execute as duration neutral  t - Execute as FX neutral</p>	
1385	ContingencyType	int	<p>Defines the type of contingency.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - One Cancels the Other (OCO)</li> <li>2 - One Triggers the Other (OTO)</li> <li>3 - One Updates the Other (OUO) - Absolute Quantity Reduction</li> <li>4 - One Updates the Other (OUO) - Proportional Quantity Reduction</li> </ul> <p>or any value conforming to the data type  Reserved100Plus</p>	ContingencyType
1386	ListRejectReason	int	<p>Identifies the reason for rejection of a New Order List message. Note that OrdRejReason(103) is used if the rejection is based on properties of an individual order part of the List.</p>	ListRejectReason

			<p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Broker / Exchange option</li> <li>2 - Exchange closed</li> <li>4 - Too late to enter</li> <li>5 - Unknown order</li> <li>6 - Duplicate Order (e.g. dupe ClOrdID)</li> <li>11 - Unsupported order characteristic</li> <li>99 - Other</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	
1387	NoTrdRepIndicators	NumInGroup	Number of trade reporting indicators	
1388	TrdRepPartyRole	int	<p>Identifies the type of party for trade reporting. Same values as PartyRole(452).</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>82 - Central Registration Depository (CRD)</li> <li>83 - Clearing Account</li> <li>84 - Acceptable Settling Counterparty</li> <li>85 - Unacceptable Settling Counterparty</li> <li>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</li> <li>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</li> <li>3 - Client ID (formerly FIX 4.2 ClientID)</li> <li>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</li> <li>5 - Investor ID</li> <li>6 - Introducing Firm</li> <li>7 - Entering Firm</li> <li>8 - Locate / Lending Firm (for short-sales)</li> <li>9 - Fund Manager Client ID (for CIV)</li> <li>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</li> <li>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</li> </ul>	PtyRole

			<ul style="list-style-type: none"><li>12 - Executing Trader (associated with Executing Firm - actually executes)</li><li>13 - Order Origination Firm (e.g. buy-side firm)</li><li>14 - Giveup Clearing Firm (firm to which trade is given up)</li><li>15 - Correspondant Clearing Firm</li><li>16 - Executing System</li><li>17 - Contra Firm</li><li>18 - Contra Clearing Firm</li><li>19 - Sponsoring Firm</li><li>20 - Underlying Contra Firm</li><li>21 - Clearing Organization</li><li>22 - Exchange</li><li>24 - Customer Account</li><li>25 - Correspondent Clearing Organization</li><li>26 - Correspondent Broker</li><li>27 - Buyer/Seller (Receiver/Deliverer)</li><li>28 - Custodian</li><li>29 - Intermediary</li><li>30 - Agent</li><li>31 - Sub-custodian</li><li>32 - Beneficiary</li><li>33 - Interested party</li><li>34 - Regulatory body</li><li>35 - Liquidity provider</li><li>36 - Entering trader</li><li>37 - Contra trader</li><li>38 - Position account</li><li>39 - Contra Investor ID</li><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li></ul>	
--	--	--	---	--

			<ul style="list-style-type: none"> <li>50 - Pledgor Account</li> <li>51 - Pledgee Account</li> <li>52 - Large Trader Reportable Account</li> <li>53 - Trader mnemonic</li> <li>54 - Sender Location</li> <li>55 - Session ID</li> <li>56 - Acceptable Counterparty</li> <li>57 - Unacceptable Counterparty</li> <li>58 - Entering Unit</li> <li>59 - Executing Unit</li> <li>60 - Introducing Broker</li> <li>61 - Quote originator</li> <li>62 - Report originator</li> <li>63 - Systematic internaliser (SI)</li> <li>64 - Multilateral Trading Facility (MTF)</li> <li>65 - Regulated Market (RM)</li> <li>66 - Market Maker</li> <li>67 - Investment Firm</li> <li>68 - Host Competent Authority (Host CA)</li> <li>69 - Home Competent Authority (Home CA)</li> <li>70 - Competent Authority of the most relevant market in terms of liquidity (CAL)</li> <li>71 - Competent Authority of the Transaction (Execution) Venue (CATV)</li> <li>72 - Reporting intermediary (medium/vendor via which report has been published)</li> <li>73 - Execution Venue</li> <li>74 - Market data entry originator</li> <li>75 - Location ID</li> <li>76 - Desk ID</li> <li>77 - Market data market</li> <li>78 - Allocation Entity</li> <li>79 - Prime Broker providing General Trade Services</li> <li>80 - Step-Out Firm (Prime Broker)</li> <li>81 - BrokerClearingID</li> </ul>	
1389	TrdRepIndicator	Boolean	Specifies whether the trade should be reported (or not) to parties of the provided TrdRepPartyRole(1388).	TrdRepInd

			Used to override standard reporting behavior by the receiver of the trade report and thereby complements the PublTrdIndicator( tag1390).	
1390	TradePublishIndicator	int	Indicates if a trade should be reported via a market reporting service. The indicator governs all reporting services of the recipient. Replaces PublishTrdIndicator(852).  Valid values: 0 - Do Not Publish Trade 1 - Publish Trade 2 - Deferred Publication	TrdPubInd
1391	UnderlyingLegOptAttribute	char	Refer to definition of OptAttribute(206)	OptAt
1392	UnderlyingLegSecurityDesc	String	Refer to definition of SecurityDesc(107)	Desc
1393	MarketReqID	String	Unique ID of a Market Definition Request message.	MktReqID
1394	MarketReportID	String	Market Definition message identifier.	MktRptID
1395	MarketUpdateAction	char	Specifies the action taken for the specified MarketID(1301) + MarketSegmentID(1300).  Valid values: A - Add D - Delete M - Modify	MktUpdtActn
1396	MarketSegmentDesc	String	Description or name of Market Segment	MarketSegmentDesc
1397	EncodedMktSegmDescLen	Length	Byte length of encoded (non-ASCII characters) EncodedMktSegmDesc(1324) field.	EncodedMktSegmDescLen
1398	EncodedMktSegmDesc	data	Encoded (non-ASCII characters) representation of the MarketSegmDesc(1396) field in the encoded format specified via the MessageEncoding(347) field. If used, the ASCII (English) representation should also be specified in the MarketSegmDesc field.	EncodedMktSegmDesc
1399	ApplNewSeqNum	SeqNum	Used to specify a new application sequence number.	ApplNewSeqNum

1400	EncryptedPasswordMethod	int	Enumeration defining the encryption method used to encrypt password fields. At this time there are no encryption methods defined by FPL.  Valid values:  or any value conforming to the data type Reserved100Plus	EncPwdMethod
1401	EncryptedPasswordLength	Length	Length of the EncryptedPassword(1402) field	
1402	EncryptedPassword	data	Encrypted password - encrypted via the method specified in the field EncryptedPasswordMethod(1400)	EncPwd
1403	EncryptedNewPasswordLen	Length	Length of the EncryptedNewPassword(1404) field	
1404	EncryptedNewPassword	data	Encrypted new password - encrypted via the method specified in the field EncryptedPasswordMethod(1400)	EncNewPwd
1405	UnderlyingLegMaturityTime	TZTimeOnly	Time of security's maturity expressed in local time with offset to UTC specified	MatTm
1406	RefApplExtID	int	The extension pack number associated with an application message.	RefApplExtID
1407	DefaultApplExtID	int	The extension pack number that is the default for a FIX session.	DfltApplExtID
1408	DefaultCstmApplVerID	String	The default custom application version ID that is the default for a session.	<del>DefaultCstmApplVerID</del>
1409	SessionStatus	int	Status of a FIX session  Valid values: 0 - Session active 1 - Session password changed 2 - Session password due to expire 3 - New session password does not comply with policy	SessStat

			<ul style="list-style-type: none"> <li>4 - Session logout complete</li> <li>5 - Invalid username or password</li> <li>6 - Account locked</li> <li>7 - Logons are not allowed at this time</li> <li>8 - Password expired</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	
1410	DefaultVerIndicator	Boolean		DfltVerInd
1411	Nested4PartySubIDType	int	<p>Refer to definition of PartySubIDType(803)</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Firm</li> <li>2 - Person</li> <li>3 - System</li> <li>4 - Application</li> <li>5 - Full legal name of firm</li> <li>6 - Postal address</li> <li>7 - Phone number</li> <li>8 - Email address</li> <li>9 - Contact name</li> <li>10 - Securities account number (for settlement instructions)</li> <li>11 - Registration number (for settlement instructions and confirmations)</li> <li>12 - Registered address (for confirmation purposes)</li> <li>13 - Regulatory status (for confirmation purposes)</li> <li>14 - Registration name (for settlement instructions)</li> <li>15 - Cash account number (for settlement instructions)</li> <li>16 - BIC</li> <li>17 - CSD participant member code</li> <li>18 - Registered address</li> <li>19 - Fund account name</li> <li>20 - Telex number</li> <li>21 - Fax number</li> </ul>	Typ

			22 - Securities account name 23 - Cash account name 24 - Department 25 - Location desk 26 - Position account type 27 - Security locate ID 28 - Market maker 29 - Eligible counterparty 30 - Professional client 31 - Location 32 - Execution venue 33 - Currency delivery identifier	
1412	Nested4PartySubID	String	Refer to definition of PartySubID(523)	ID
1413	NoNested4PartySubIDs	NumInGroups	Refer to definition of NoPartySubIDs(802)	NoNested4PartySubIDs
1414	NoNested4PartyIDs	NumInGroups	Refer to definition of NoPartyIDs(453)	NoNested4PartyIDs
1415	Nested4PartyID	String	Refer to definition of PartyID(448)	ID
1416	Nested4PartyIDSource	char	Refer to definition of PartyIDSource(447)  Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant identifier (e.g. NASD mnemonic) D - Proprietary / Custom code E - ISO Country Code F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values) G - MIC (ISO 10383 - Market Identifier Code) (See "Appendix 6-C") H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number) For PartyRole = "InvestorID" and for CIV	Src

			<p>6 - UK National Insurance or Pension Number  7 - US Social Security Number  8 - US Employer or Tax ID Number  9 - Australian Business Number  A - Australian Tax File Number</p> <p>For PartyRole = "InvestorID" and for Equities</p> <p>1 - Korean Investor ID  2 - Taiwanese Qualified Foreign Investor ID</p> <p>QFII/FID</p> <p>3 - Taiwanese Trading Acct  4 - Malaysian Central Depository (MCD) number  5 - Chinese Investor ID</p> <p>For PartyRole="Broker of Credit"</p> <p>I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	
1417	Nested4PartyRole	int	<p>Refer to definition of PartyRole(452)</p> <p>Valid values:</p> <p>82 - Central Registration Depository (CRD)  83 - Clearing Account  84 - Acceptable Settling Counterparty  85 - Unacceptable Settling Counterparty  1 - Executing Firm (formerly FIX 4.2 ExecBroker)  2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</p> <p>3 - Client ID (formerly FIX 4.2 ClientID)  4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)  5 - Investor ID  6 - Introducing Firm  7 - Entering Firm  8 - Locate / Lending Firm (for short-sales)  9 - Fund Manager Client ID (for CIV)  10 - Settlement Location (formerly FIX 4.2 SettlLocation)</p> <p>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</p>	R

			<ul style="list-style-type: none"><li>12 - Executing Trader (associated with Executing Firm - actually executes)</li><li>13 - Order Origination Firm (e.g. buy-side firm)</li><li>14 - Giveup Clearing Firm (firm to which trade is given up)</li><li>15 - Correspondant Clearing Firm</li><li>16 - Executing System</li><li>17 - Contra Firm</li><li>18 - Contra Clearing Firm</li><li>19 - Sponsoring Firm</li><li>20 - Underlying Contra Firm</li><li>21 - Clearing Organization</li><li>22 - Exchange</li><li>24 - Customer Account</li><li>25 - Correspondent Clearing Organization</li><li>26 - Correspondent Broker</li><li>27 - Buyer/Seller (Receiver/Deliverer)</li><li>28 - Custodian</li><li>29 - Intermediary</li><li>30 - Agent</li><li>31 - Sub-custodian</li><li>32 - Beneficiary</li><li>33 - Interested party</li><li>34 - Regulatory body</li><li>35 - Liquidity provider</li><li>36 - Entering trader</li><li>37 - Contra trader</li><li>38 - Position account</li><li>39 - Contra Investor ID</li><li>40 - Transfer to Firm</li><li>41 - Contra Position Account</li><li>42 - Contra Exchange</li><li>43 - Internal Carry Account</li><li>44 - Order Entry Operator ID</li><li>45 - Secondary Account Number</li><li>46 - Foreign Firm</li><li>47 - Third Party Allocation Firm</li><li>48 - Claiming Account</li><li>49 - Asset Manager</li></ul>	
--	--	--	---	--

			50 - Pledgor Account 51 - Pledgee Account 52 - Large Trader Reportable Account 53 - Trader mnemonic 54 - Sender Location 55 - Session ID 56 - Acceptable Counterparty 57 - Unacceptable Counterparty 58 - Entering Unit 59 - Executing Unit 60 - Introducing Broker 61 - Quote originator 62 - Report originator 63 - Systematic internaliser (SI) 64 - Multilateral Trading Facility (MTF) 65 - Regulated Market (RM) 66 - Market Maker 67 - Investment Firm 68 - Host Competent Authority (Host CA) 69 - Home Competent Authority (Home CA) 70 - Competent Authority of the most relevant market in terms of liquidity (CAL) 71 - Competent Authority of the Transaction (Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue 74 - Market data entry originator 75 - Location ID 76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services 80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
1418	LegLastQty	Qty	Fill quantity for the leg instrument	LastQty

1419	UnderlyingExerciseStyle	int	Type of exercise of a derivatives security Valid values: 0 - European 1 - American 2 - Bermuda	ExerStyle
1420	LegExerciseStyle	int	Type of exercise of a derivatives security Valid values: 0 - European 1 - American 2 - Bermuda	ExerStyle
1421	LegPriceUnitOfMeasure	String	Refer to definition for PriceUnitOfMeasure(1191) Valid values: Fixed Magnitude UOM Bcf - Billion cubic feet MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 ) MMBtu - One Million BTU MWh - Megawatt hours Variable Quantity UOM Bbl - Barrels Bu - Bushels lbs - pounds Gal - Gallons oz_tr - Troy Ounces t - Metric Tons (aka Tonne) tn - Tons (US) USD - US Dollars Alw - Allowances	PxUOM
1422	LegPriceUnitOfMeasureQty	Qty	Refer to definition of PriceUnitOfMeasureQty(1192)	PxUOMQty
1423	UnderlyingUnitOfMeasureQty	Qty	Refer to definition of UnitOfMeasureQty(1147)	UOMQty
1424	UnderlyingPriceUnitOfMeasure	String	Refer to definition for PriceUnitOfMeasure(1191)	PxUOM

			<p>Valid values:</p> <p>Fixed Magnitude UOM</p> <p>Bcf - Billion cubic feet</p> <p>MMbbl - Million Barrels ( Deprecated in FIX.5.0SP1 )</p> <p>MMBtu - One Million BTU</p> <p>MWh - Megawatt hours</p> <p>Variable Quantity UOM</p> <p>Bbl - Barrels</p> <p>Bu - Bushels</p> <p>lbs - pounds</p> <p>Gal - Gallons</p> <p>oz_tr - Troy Ounces</p> <p>t - Metric Tons (aka Tonne)</p> <p>tn - Tons (US)</p> <p>USD - US Dollars</p> <p>Alw - Allowances</p>	
1425	UnderlyingPriceUnitOfMeasureQty	Qty	Refer to definition of PriceUnitOfMeasureQty(1192)	PxUOMQty
1426	ApplReportType	int	<p>Type of report</p> <p>Valid values:</p> <p>3 - Application message re-send completed.</p> <p>0 - Reset ApplSeqNum to new value specified in ApplNewSeqNum(1399)</p> <p>1 - Reports that the last message has been sent for the ApplIDs Refer to RefApplLastSeqNum(1357) for the application sequence number of the last message.</p> <p>2 - Heartbeat message indicating that Application identified by RefApplID(1355) is still alive. Refer to RefApplLastSeqNum(1357) for the application sequence number of the previous message.</p>	ApplRptTyp
1427	SideExecID	String	When reporting trades, used to reference the identifier of the execution (ExecID) being reported if different ExecIDs were assigned to each side of the trade.	SideExecID
1428	OrderDelay	int	Time lapsed from order entry until match, based on the	OrdDelay

			unit of time specified in OrderDelayUnit. Default is seconds if OrderDelayUnit is not specified. Value = 0, indicates the aggressor (the initiating side of the trade).	
1429	OrderDelayUnit	int	<p>Time unit in which the OrderDelay(1428) is expressed</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Seconds (default if not specified)</li> <li>1 - Tenths of a second</li> <li>2 - Hundredths of a second</li> <li>3 - milliseconds</li> <li>4 - microseconds</li> <li>5 - nanoseconds</li> <li>10 - minutes</li> <li>11 - hours</li> <li>12 - days</li> <li>13 - weeks</li> <li>14 - months</li> <li>15 - years</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	OrdDelayUnit
1430	VenueType	char	<p>Identifies the type of venue where a trade was executed</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>E - Electronic</li> <li>P - Pit</li> <li>X - Ex-Pit</li> </ul>	VenuTyp
1431	RefOrdIDReason	int	<p>The reason for updating the RefOrdID</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - GTC from previous day</li> <li>1 - Partial Fill Remaining</li> <li>2 - Order Changed</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	RefOrdIDRsn

1432	OrigCustOrderCapacity	int	<p>The customer capacity for this trade at the time of the order/execution.</p> <p>Primarily used by futures exchanges to indicate the CTICode (customer type indicator) as required by the US CFTC (Commodity Futures Trading Commission).</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Member trading for their own account</li> <li>2 - Clearing Firm trading for its proprietary account</li> <li>3 - Member trading for another member</li> <li>4 - All other</li> </ul>	OrigCustOrdCpcty
1433	RefApplReqID	String	<p>Used to reference a previously submitted ApplReqID (1346) from within a subsequent ApplicationMessageRequest(MsgType=BW)</p>	RefID
1434	ModelType	int	<p>Type of pricing model used</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Utility provided standard model</li> <li>1 - Proprietary (user supplied) model</li> </ul>	ModelTyp
1435	ContractMultiplierUnit	int	<p>Indicates the type of multiplier being applied to the contract. Can be optionally used to further define what unit ContractMultiplier(tag 231) is expressed in.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Shares</li> <li>1 - Hours</li> <li>2 - Days</li> </ul>	MultTyp
1436	LegContractMultiplierUnit	int	<p>"Indicates the type of multiplier being applied to the contract. Can be optionally used to further define what unit LegContractMultiplier(tag 614) is expressed in.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>0 - Shares</li> <li>1 - Hours</li> <li>2 - Days</li> </ul>	MultTyp
1437	UnderlyingContractM	int	<p>Indicates the type of multiplier being applied to the</p>	MultTyp

	ultiplierUnit		contract. Can be optionally used to further define what unit UndlyContractMultiplier(tag 436) is expressed in.  Valid values: 0 - Shares 1 - Hours 2 - Days	
1438	DerivativeContractMultiplierUnit	int	Indicates the type of multiplier being applied to the contract. Can be optionally used to further define what unit DerivativeContractMultiplier(tag 1266)is expressed in.  Valid values: 0 - Shares 1 - Hours 2 - Days	MultTyp
1439	FlowScheduleType	int	The industry standard flow schedule by which electricity or natural gas is traded. Schedules exist by regions and on-peak and off-peak status, such as "Western Peak".  Valid values: 0 - NERC Eastern Off-Peak 1 - NERC Western Off-Peak 2 - NERC Calendar-All Days in month 3 - NERC Eastern Peak 4 - NERC Western Peak  or any value conforming to the data type Reserved100Plus	FlowSchedTyp
1440	LegFlowScheduleType	int	The industry standard flow schedule by which electricity or natural gas is traded. Schedules exist by regions and on-peak and off-peak status, such as "Western Peak".  Valid values: 0 - NERC Eastern Off-Peak 1 - NERC Western Off-Peak	FlowSchedTyp

			<p>2 - NERC Calendar-All Days in month 3 - NERC Eastern Peak 4 - NERC Western Peak</p> <p>or any value conforming to the data type Reserved100Plus</p>	
1441	UnderlyingFlowScheduleType	int	<p>The industry standard flow schedule by which electricity or natural gas is traded. Schedules exist by regions and on-peak and off-peak status, such as "Western Peak".</p> <p>Valid values: 0 - NERC Eastern Off-Peak 1 - NERC Western Off-Peak 2 - NERC Calendar-All Days in month 3 - NERC Eastern Peak 4 - NERC Western Peak</p> <p>or any value conforming to the data type Reserved100Plus</p>	FlowSchedTyp
1442	DerivativeFlowScheduleType	int	<p>The industry standard flow schedule by which electricity or natural gas is traded. Schedules exist by regions and on-peak and off-peak status, such as "Western Peak".</p> <p>Valid values: 0 - NERC Eastern Off-Peak 1 - NERC Western Off-Peak 2 - NERC Calendar-All Days in month 3 - NERC Eastern Peak 4 - NERC Western Peak</p> <p>or any value conforming to the data type Reserved100Plus</p>	FlowSchedTyp
1443	FillLiquidityInd	int	Indicator to identify whether this fill was a result of a	LqdyInd

			liquidity provider providing or liquidity taker taking the liquidity. Applicable only for OrdStatus of Partial or Filled  Valid values: 1 - Added Liquidity 2 - Removed Liquidity 3 - Liquidity Routed Out 4 - Auction	
1444	SideLiquidityInd	int	Indicator to identify whether this fill was a result of a liquidity provider providing or liquidity taker taking the liquidity. Applicable only for OrdStatus of Partial or Filled.  Valid values: 1 - Added Liquidity 2 - Removed Liquidity 3 - Liquidity Routed Out 4 - Auction	LqdyInd
1445	NoRateSources	NumInGroup	Number of rate sources being specified.	
1446	RateSource	int	Identifies the source of rate information. For FX, the reference source to be used for the FX spot rate.  Valid values: 0 - Bloomberg 1 - Reuters 2 - Telerate 99 - Other	RtSrc
1447	RateSourceType	int	Indicates whether the rate source specified is a primary or secondary source.  Valid values: 0 - Primary 1 - Secondary	RtSrcTyp
1448	ReferencePage	String	Identifies the reference "page" from the rate source. For FX, the reference page to the spot rate to be used	RefPg

			for the reference FX spot rate.	
1449	RestructuringType	String	A category of CDS credit even in which the underlying bond experiences a restructuring. Used to define a CDS instrument.  Valid values: FR - Full Restructuring MR - Modified Restructuring MM - Modified Mod Restructuring XR - No Restructuring specified	RestrctTyp
1450	Seniority	String	Specifies which issue (underlying bond) will receive payment priority in the event of a default. Used to define a CDS instrument.  Valid values: SD - Senior Secured SR - Senior SB - Subordinated	Snrty
1451	NotionalPercentageOutstanding	Percentage	Indicates the notional percentage of the deal that is still outstanding based on the remaining components of the index. Used to calculate the true value of a CDS trade or position.	NotlPctOut
1452	OriginalNotionalPercentageOutstanding	Percentage	Used to reflect the Original value prior to the application of a credit event. See NotionalPercentageOutstanding(1451).	OrigNotlPctOut
1453	UnderlyingRestructuringType	String	See RestructuringType(1449)  Valid values: FR - Full Restructuring MR - Modified Restructuring MM - Modified Mod Restructuring XR - No Restructuring specified	RestrctTyp
1454	UnderlyingSeniority	String	See Seniority(1450)  Valid values: SD - Senior Secured	Snrty

			SR - Senior SB - Subordinated	
1455	UnderlyingNotionalPercentageOutstanding	Percentage	See NotionalPercentageOutstanding(1451)	NotlPctOut
1456	UnderlyingOriginalNotionalPercentageOutstanding	Percentage	See OriginalNotionalPercentageOutstanding(1452)	OrigNotlPctOut
1457	AttachmentPoint	Percentage	Lower bound percentage of the loss that the tranche can endure.	AttchPnt
1458	DetachmentPoint	Percentage	Upper bound percentage of the loss the tranche can endure.	DetchPnt
1459	UnderlyingAttachmentPoint	Percentage	See AttachmentPoint(1457).	AttchPnt
1460	UnderlyingDetachmentPoint	Percentage	See DetachmentPoint(1458).	DetchPnt
1461	NoTargetPartyIDs	NumInGroup	Identifies the number of target parties identified in a mass action.	
1462	TargetPartyID	String	PartyID value within an target party repeating group.	ID
1463	TargetPartyIDSource	char	PartyIDSource value within an target party repeating group. Same values as PartyIDSource (447)  Valid values: For all PartyRoles B - BIC (Bank Identification Code - SWIFT managed) code (ISO9362 - See "Appendix 6-B") C - Generally accepted market participant identifier (e.g. NASD mnemonic) D - Proprietary / Custom code E - ISO Country Code F - Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values) G - MIC (ISO 10383 - Market Identifier Code)	Src

			<p>(See "Appendix 6-C")</p> <p>H - CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)</p> <p>For PartyRole = "InvestorID" and for CIV</p> <p>6 - UK National Insurance or Pension Number</p> <p>7 - US Social Security Number</p> <p>8 - US Employer or Tax ID Number</p> <p>9 - Australian Business Number</p> <p>A - Australian Tax File Number</p> <p>For PartyRole = "InvestorID" and for Equities</p> <p>1 - Korean Investor ID</p> <p>2 - Taiwanese Qualified Foreign Investor ID</p> <p>QFII/FID</p> <p>3 - Taiwanese Trading Acct</p> <p>4 - Malaysian Central Depository (MCD) number</p> <p>5 - Chinese Investor ID</p> <p>For PartyRole="Broker of Credit"</p> <p>I - Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	
1464	TargetPartyRole	int	<p>PartyRole value within an target party repeating group. Same values as PartyRole (452)</p> <p>Valid values:</p> <p>82 - Central Registration Depository (CRD)</p> <p>83 - Clearing Account</p> <p>84 - Acceptable Settling Counterparty</p> <p>85 - Unacceptable Settling Counterparty</p> <p>1 - Executing Firm (formerly FIX 4.2 ExecBroker)</p> <p>2 - Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</p> <p>3 - Client ID (formerly FIX 4.2 ClientID)</p> <p>4 - Clearing Firm (formerly FIX 4.2 ClearingFirm)</p> <p>5 - Investor ID</p> <p>6 - Introducing Firm</p> <p>7 - Entering Firm</p> <p>8 - Locate / Lending Firm (for short-sales)</p> <p>9 - Fund Manager Client ID (for CIV)</p>	R

			<p>10 - Settlement Location (formerly FIX 4.2 SettlLocation)</p> <p>11 - Order Origination Trader (associated with Order Origination Firm - i.e. trader who initiates/submits the order)</p> <p>12 - Executing Trader (associated with Executing Firm - actually executes)</p> <p>13 - Order Origination Firm (e.g. buy-side firm)</p> <p>14 - Giveup Clearing Firm (firm to which trade is given up)</p> <p>15 - Correspondant Clearing Firm</p> <p>16 - Executing System</p> <p>17 - Contra Firm</p> <p>18 - Contra Clearing Firm</p> <p>19 - Sponsoring Firm</p> <p>20 - Underlying Contra Firm</p> <p>21 - Clearing Organization</p> <p>22 - Exchange</p> <p>24 - Customer Account</p> <p>25 - Correspondent Clearing Organization</p> <p>26 - Correspondent Broker</p> <p>27 - Buyer/Seller (Receiver/Deliverer)</p> <p>28 - Custodian</p> <p>29 - Intermediary</p> <p>30 - Agent</p> <p>31 - Sub-custodian</p> <p>32 - Beneficiary</p> <p>33 - Interested party</p> <p>34 - Regulatory body</p> <p>35 - Liquidity provider</p> <p>36 - Entering trader</p> <p>37 - Contra trader</p> <p>38 - Position account</p> <p>39 - Contra Investor ID</p> <p>40 - Transfer to Firm</p> <p>41 - Contra Position Account</p> <p>42 - Contra Exchange</p> <p>43 - Internal Carry Account</p> <p>44 - Order Entry Operator ID</p>	
--	--	--	--	--

			<p>45 - Secondary Account Number 46 - Foreign Firm 47 - Third Party Allocation Firm 48 - Claiming Account 49 - Asset Manager 50 - Pledgor Account 51 - Pledgee Account 52 - Large Trader Reportable Account 53 - Trader mnemonic 54 - Sender Location 55 - Session ID 56 - Acceptable Counterparty 57 - Unacceptable Counterparty 58 - Entering Unit 59 - Executing Unit 60 - Introducing Broker 61 - Quote originator 62 - Report originator 63 - Systematic internaliser (SI) 64 - Multilateral Trading Facility (MTF) 65 - Regulated Market (RM) 66 - Market Maker 67 - Investment Firm 68 - Host Competent Authority (Host CA) 69 - Home Competent Authority (Home CA) 70 - Competent Authority of the most relevant market in terms of liquidity (CAL) 71 - Competent Authority of the Transaction (Execution) Venue (CATV) 72 - Reporting intermediary (medium/vendor via which report has been published) 73 - Execution Venue 74 - Market data entry originator 75 - Location ID 76 - Desk ID 77 - Market data market 78 - Allocation Entity 79 - Prime Broker providing General Trade Services</p>	
--	--	--	---	--

			80 - Step-Out Firm (Prime Broker) 81 - BrokerClearingID	
1465	SecurityListID	String	Specifies an identifier for a Security List	ListID
1466	SecurityListRefID	String	Specifies a reference from one Security List to another. Used to support a hierarchy of Security Lists.	ListRefID
1467	SecurityListDesc	String	Specifies a description or name of a Security List.	ListDesc
1468	EncodedSecurityListDescLen	Length	Byte length of encoded (non-ASCII characters) EncodedSecurityListDesc (tbd) field.	
1469	EncodedSecurityListDesc	data	Encoded (non-ASCII characters) representation of the SecurityListDesc (1467) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the SecurityListDesc field.	
1470	SecurityListType	int	Specifies a type of Security List.  Valid values: 1 - Industry Classification 2 - Trading List 3 - Market / Market Segment List 4 - Newspaper List  or any value conforming to the data type Reserved100Plus	ListTyp
1471	SecurityListTypeSource	int	Specifies a specific source for a SecurityListType. Relevant when a certain type can be provided from various sources.  Valid values: 1 - ICB (Industry Classification Benchmark) published by Dow Jones and FTSE - <a href="http://www.icbenchmark.com">www.icbenchmark.com</a> 2 - NAICS (North American Industry Classification System). Replaced SIC (Standard Industry Classification) <a href="http://www.census.gov/naics">www.census.gov/naics</a> or <a href="http://www.naics.com">www.naics.com</a> .	LstTypSrc

			3 - GICS (Global Industry Classification Standard) published by Standards & Poor  or any value conforming to the data type Reserved100Plus	
1472	NewsID	String	Unique identifier for a News message	ID
1473	NewsCategory	int	Category of news message.  Valid values: 0 - Company News 1 - Marketplace News 2 - Financial Market News 3 - Technical News 99 - Other News  or any value conforming to the data type Reserved100Plus	NewsCatgy
1474	LanguageCode	Language	The national language in which the news item is provided.	LangCd
1475	NoNewsRefIDs	NumInGroup	Number of News reference items	
1476	NewsRefID	String	Reference to another News message identified by NewsID(1474).	RefID
1477	NewsRefType	int	Type of reference to another News Message item. Defines if the referenced news item is a replacement, is in a different language, or is complimentary.  Valid values: 0 - Replacement 1 - Other Language 2 - Complimentary  or any value conforming to the data type	RefTyp

			Reserved100Plus	
1478	StrikePriceDeterminationMethod	int	<p>Specifies how the strike price is determined at the point of option exercise. The strike may be fixed throughout the life of the option, set at expiration to the value of the underlying, set to the average value of the underlying, or set to the optimal value of the underlying.</p> <p>Conditionally, required if value is other than "fixed".</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Fixed Strike</li> <li>2 - Strike set at expiration to underlying or other value (lookback floating)</li> <li>3 - Strike set to average of underlying settlement price across the life of the option</li> <li>4 - Strike set to optimal value</li> </ul> <p>or any value conforming to the data type Reserved100Plus</p>	StrkPxDtrmnMeth
1479	StrikePriceBoundaryMethod	int	<p>Specifies the boundary condition to be used for the strike price relative to the underlying price at the point of option exercise.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Less than underlying price is in-the-money (ITM)</li> <li>2 - Less than or equal to the underlying price is in-the-money(ITM)</li> <li>3 - Equal to the underlying price is in-the-money(ITM)</li> <li>4 - Greater than or equal to underlying price is in-the-money(ITM)</li> <li>5 - Greater than underlying is in-the-money(ITM)</li> </ul>	StrkPxBndryMeth
1480	StrikePriceBoundaryPrecision	Percentage	Used in combination with StrikePriceBoundaryMethod to specify the percentage of the strike price in relation to the underlying price. The percentage is generally 100 or greater for puts and 100 or less for calls.	StrkPxBndryPrctsn

1481	UnderlyingPriceDeterminationMethod	int	Specifies how the underlying price is determined at the point of option exercise. The underlying price may be set to the current settlement price, set to a special reference, set to the optimal value of the underlying during the defined period (" <del>Look-back</del> ") or set to the average value of the underlying during the defined period ("Asian option").  Valid values: 1 - Regular 2 - Special reference 3 - Optimal value (Lookback) 4 - Average value (Asian option)	PxDtrmnMeth
1482	OptPayoutType	int	Indicates the type of payout that will result from an in-the-money option.  Valid values: 1 - Vanilla 2 - Capped 3 - Binary	OptPayoutTyp
1483	NoComplexEvents	NumInGroup	Number of complex event occurrences.	
1484	ComplexEventType	int	Identifies the type of complex event.  Valid values: 1 - Capped 2 - Trigger 3 - Knock-in up 4 - Knock-in down 5 - Knock-out up 6 - Knock-out down 7 - Underlying 8 - Reset Barrier 9 - Rolling Barrier	Typ
1485	ComplexOptPayoutAmount	Amt	Cash amount indicating the pay out associated with an event. For binary options this is a fixed amount.	OptPayAmt
1486	ComplexEventPrice	Price	Specifies the price at which the complex event takes	Px

			effect. Impact of the event price is determined by the ComplexEventType(1484).	
1487	ComplexEventPriceBoundaryMethod	int	<p>Specifies the boundary condition to be used for the event price relative to the underlying price at the point the complex event outcome takes effect as determined by the ComplexEventPriceTimeType.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Less than ComplexEventPrice(1486)</li> <li>2 - Less than or equal to ComplexEventPrice(1486)</li> <li>3 - Equal to ComplexEventPrice(1486)</li> <li>4 - Greater than or equal to ComplexEventPrice(1486)</li> <li>5 - Greater than ComplexEventPrice(1486)</li> </ul>	PxBndryMeth
1488	ComplexEventPriceBoundaryPrecision	Percentage	Used in combination with ComplexEventPriceBoundaryMethod to specify the percentage of the strike price in relation to the underlying price. The percentage is generally 100 or greater for puts and 100 or less for calls.	PxBndryPrctn
1489	ComplexEventPriceTimeType	int	<p>Specifies when the complex event outcome takes effect. The outcome of a complex event is a payout or barrier action as specified by the ComplexEventType.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - Expiration</li> <li>2 - Immediate (At Any Time)</li> <li>3 - Specified Date/Time</li> </ul>	PxTmTyp
1490	ComplexEventCondition	int	<p>Specifies the condition between complex events when more than one event is specified.</p> <p>Multiple barrier events would use an "or" condition since only one can be effective at a given time. A set of digital range events would use an "<u>and</u>" condition since both conditions must be in effect for a payout to result.</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li>1 - And</li> </ul>	Cond

2 - Or				
1491	NoComplexEventDates	NumInGroup	Number of complex event date occurrences for a given complex event.	
1492	ComplexEventStartDate	UTCTime stamp	Specifies the start date of the date range on which a complex event is effective. The start date will be set equal to the end date for single day events such as Bermuda options ComplexEventStartDate must always be less than or equal to ComplexEventEndDate.	StartDt
1493	ComplexEventEndDate	UTCTime stamp	Specifies the end date of the date range on which a complex event is effective. The start date will be set equal to the end date for single day events such as Bermuda options ComplexEventEndDate must always be greater than or equal to ComplexEventStartDate.	EndDt
1494	NoComplexEventTimes	NumInGroup	Number of complex event time occurrences for a given complex event date The default in case of an absence of time fields is 00:00:00-23:59:59.	
1495	ComplexEventStartTime	UTCTime Only	Specifies the start time of the time range on which a complex event date is effective. ComplexEventStartTime must always be less than or equal to ComplexEventEndTime.	StartTm
1496	ComplexEventEndTime	UTCTime Only	Specifies the end time of the time range on which a complex event date is effective. ComplexEventEndTime must always be greater than or equal to ComplexEventStartTime.	EndTm
1497	StreamAsgnReqID	String	Unique identifier for the stream assignment request provided by the requester.	ReqID
1498	StreamAsgnReqType	int	Type of stream assignment request. Valid values: 1 - Stream assignment for new customer(s) 2 - Stream assignment for existing customer(s)	AsgnReqTyp

1499	NoAsgnReqs	NumInGroup	Number of assignment requests.	
1500	MDStreamID	String	The identifier or name of the price stream.	MDStrmID
1501	StreamAsgnRptID	String	Unique identifier of the stream assignment report provided by the respondent.	RptID
1502	StreamAsgnRejReason	int	Reason code for stream assignment request reject.  Valid values: 0 - Unknown client 1 - Exceeds maximum size 2 - Unknown or Invalid currency pair 3 - No available stream 99 - Other  or any value conforming to the data type Reserved100Plus	RejRsn
1503	StreamAsgnAckType	int	Type of acknowledgement.  Valid values: 0 - Assignment Accepted 1 - Assignment Rejected	ActTyp
1504	RelSymTransactTime	UTCTime stamp	See TransactTime(60)	TxnTm
<del>1505</del>	<del>PartyDetailsListRequestID</del>	<del>String</del>	<del>Unique identifier for Party Details List Request.</del>	<del>ReqID</del>
<del>1506</del>	<del>NoPartyListResponseTypes</del>	<del>NumInGroup</del>	<del>Number of Party List Resopnse Type values.</del>	
<del>1507</del>	<del>PartyListResponseType</del>	<del>int</del>	<del>Indicates the type of response that has been requested.  Valid values: ——0—— Return all available information on parties and related parties. (May not be combined with other values.) ——1—— Return only party information. (Excludes</del>	<del>Typ</del>

			<p>information like risk limits from being reported. May not be combined with any other value except 2.)</p> <p><del>— 2 Include information on related parties.</del></p> <p><del>— 3 Include risk limit information.</del></p>	
1508	<del>NoRequestedPartyRoles</del>	<del>NumInGroup</del>	<del>Number of Requested Party Roles.</del>	
1509	<del>RequestedPartyRole</del>	<del>int</del>	<p>Identifies the type (role) of party that has been requested.</p> <p>Valid values:</p> <p><del>— 82 Central Registration Depository (CRD)</del></p> <p><del>— 83 Clearing Account</del></p> <p><del>— 84 Acceptable Settling Counterparty</del></p> <p><del>— 85 Unacceptable Settling Counterparty</del></p> <p><del>— 1 Executing Firm (formerly FIX 4.2 ExecBroker)</del></p> <p><del>— 2 Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</del></p> <p><del>— 3 Client ID (formerly FIX 4.2 ClientID)</del></p> <p><del>— 4 Clearing Firm (formerly FIX 4.2 ClearingFirm)</del></p> <p><del>— 5 Investor ID</del></p> <p><del>— 6 Introducing Firm</del></p> <p><del>— 7 Entering Firm</del></p> <p><del>— 8 Locate / Lending Firm (for short sales)</del></p> <p><del>— 9 Fund Manager Client ID (for CIV)</del></p> <p><del>— 10 Settlement Location (formerly FIX 4.2 SettLocation)</del></p> <p><del>— 11 Order Origination Trader (associated with Order Origination Firm i.e. trader who initiates/submits the order)</del></p> <p><del>— 12 Executing Trader (associated with Executing Firm actually executes)</del></p> <p><del>— 13 Order Origination Firm (e.g. buy side firm)</del></p> <p><del>— 14 Giveup Clearing Firm (firm to which trade is given up)</del></p> <p><del>— 15 Correspondant Clearing Firm</del></p> <p><del>— 16 Executing System</del></p> <p><del>— 17 Contra Firm</del></p> <p><del>— 18 Contra Clearing Firm</del></p>	<del>R</del>

			<ul style="list-style-type: none"><li><del>19 Sponsoring Firm</del></li><li><del>20 Underlying Contra Firm</del></li><li><del>21 Clearing Organization</del></li><li><del>22 Exchange</del></li><li><del>24 Customer Account</del></li><li><del>25 Correspondent Clearing Organization</del></li><li><del>26 Correspondent Broker</del></li><li><del>27 Buyer/Seller (Receiver/Deliverer)</del></li><li><del>28 Custodian</del></li><li><del>29 Intermediary</del></li><li><del>30 Agent</del></li><li><del>31 Sub-custodian</del></li><li><del>32 Beneficiary</del></li><li><del>33 Interested party</del></li><li><del>34 Regulatory body</del></li><li><del>35 Liquidity provider</del></li><li><del>36 Entering trader</del></li><li><del>37 Contra trader</del></li><li><del>38 Position account</del></li><li><del>39 Contra Investor ID</del></li><li><del>40 Transfer to Firm</del></li><li><del>41 Contra Position Account</del></li><li><del>42 Contra Exchange</del></li><li><del>43 Internal Carry Account</del></li><li><del>44 Order Entry Operator ID</del></li><li><del>45 Secondary Account Number</del></li><li><del>46 Foreign Firm</del></li><li><del>47 Third Party Allocation Firm</del></li><li><del>48 Claiming Account</del></li><li><del>49 Asset Manager</del></li><li><del>50 Pledgor Account</del></li><li><del>51 Pledgee Account</del></li><li><del>52 Large Trader Reportable Account</del></li><li><del>53 Trader mnemonic</del></li><li><del>54 Sender Location</del></li><li><del>55 Session ID</del></li><li><del>56 Acceptable Counterparty</del></li><li><del>57 Unacceptable Counterparty</del></li><li><del>58 Entering Unit</del></li></ul>	
--	--	--	--	--

			<del>59 Executing Unit</del> <del>60 Introducing Broker</del> <del>61 Quote originator</del> <del>62 Report originator</del> <del>63 Systematic internaliser (SI)</del> <del>64 Multilateral Trading Facility (MTF)</del> <del>65 Regulated Market (RM)</del> <del>66 Market Maker</del> <del>67 Investment Firm</del> <del>68 Host Competent Authority (Host CA)</del> <del>69 Home Competent Authority (Home CA)</del> <del>70 Competent Authority of the most relevant market in terms of liquidity (CAL)</del> <del>71 Competent Authority of the Transaction (Execution) Venue (CATV)</del> <del>72 Reporting intermediary (medium/vendor via which report has been published)</del> <del>73 Execution Venue</del> <del>74 Market data entry originator</del> <del>75 Location ID</del> <del>76 Desk ID</del> <del>77 Market data market</del> <del>78 Allocation Entity</del> <del>79 Prime Broker providing General Trade Services</del> <del>80 Step Out Firm (Prime Broker)</del> <del>81 BrokerClearingID</del>	
1510	<del>PartyDetailsListReportID</del>	String	<del>Identifier for the Party Details List Report.</del>	<del>RptID</del>
1511	<del>PartyDetailsRequestResult</del>	int	<del>Result of the Party Details List Request identified by PartyDetailsListRequestID.</del>  <del>Valid values:</del> <del>0 Valid request</del> <del>1 Invalid or unsupported request</del> <del>2 No parties or party details found that match selection criteria</del> <del>3 Unsupported PartyListResponseType</del>	<del>Rslt</del>

			<del>—4 Not authorized to retrieve parties or party details data</del> <del>—5 Parties or party details data temporarily unavailable</del> <del>—6 Request for parties data not supported</del> <del>—99 Other (further information in Text (58) field)</del>  or any value conforming to the data type Reserved4000Plus	
1512	TotNoPartyList	int	Total number of PartyListGrp returned.	TotNoPtyList
1513	NoPartyList	NumInGroup	Number of PartyListGrp.	
1514	NoPartyRelationships	NumInGroup	Number of Party Relationships.	
1515	PartyRelationship	int	Used to specify the type of the party relationship.  Valid values: <del>—0 Is also</del> <del>—1 Clears for</del> <del>—2 Clears through</del> <del>—3 Trades for</del> <del>—4 Trades through</del> <del>—5 Sponsors</del> <del>—6 Sponsored through</del> <del>—7 Provides guarantee for</del> <del>—8 Is guaranteed by</del> <del>—9 Member of</del> <del>—10 Has members</del> <del>—11 Provides marketplace for</del> <del>—12 Participant of marketplace</del> <del>—13 Carries positions for</del> <del>—14 Posts trades to</del> <del>—15 Enters trades for</del> <del>—16 Enters trades through</del> <del>—17 Provides quotes to</del> <del>—18 Requests quotes from</del>	RltnsHP

			<del>19 Invests for</del> <del>20 Invests through</del> <del>21 Brokers trades for</del> <del>22 Brokers trades through</del> <del>23 Provides trading services for</del> <del>24 Uses trading services of</del> <del>25 Approves of</del> <del>26 Approved by</del> <del>27 Parent firm for</del> <del>28 Subsidiary of</del> <del>29 Regulatory owner of</del> <del>30 Owned by (regulatory)</del> <del>31 Controls</del> <del>32 Is controlled by</del> <del>33 Legal / titled owner of</del> <del>34 Owned by (legal / title)</del> <del>35 Beneficial owner of</del> <del>36 Owned by (beneficial)</del>  or any value conforming to the data type Reserved4000Plus	
1516	NoPartyAltIDs	NumInGroup	Number of PartyAltIDs.	
1517	PartyAltID	String	PartyID value within a PartyAltIDs repeating group.	ID
1518	PartyAltIDSource	char	PartyIDSource value within a PartyAltIDs repeating group.  Valid values: For all PartyRoles <del>B BIC (Bank Identification Code—SWIFT managed) code (ISO9362—See "Appendix 6 B")</del> <del>C Generally accepted market participant identifier (e.g. NASD mnemonic)</del> <del>D Proprietary / Custom code</del> <del>E ISO Country Code</del> <del>F Settlement Entity Location (note if Local</del>	Sre

			<p>Market Settlement use "E=ISO Country Code") (see "Appendix 6-G" for valid values)</p> <p><del>— G MIC (ISO 10383 Market Identifier Code) (See "Appendix 6-C")</del></p> <p><del>— H CSD participant/member code (e.g., Euroclear, DTC, CREST or Kassenverein number)</del></p> <p><del>For PartyRole = "InvestorID" and for CIV</del></p> <p><del>— 6 UK National Insurance or Pension Number</del></p> <p><del>— 7 US Social Security Number</del></p> <p><del>— 8 US Employer or Tax ID Number</del></p> <p><del>— 9 Australian Business Number</del></p> <p><del>— A Australian Tax File Number</del></p> <p><del>For PartyRole = "InvestorID" and for Equities</del></p> <p><del>— 1 Korean Investor ID</del></p> <p><del>— 2 Taiwanese Qualified Foreign Investor ID QFII/FID</del></p> <p><del>— 3 Taiwanese Trading Acct</del></p> <p><del>— 4 Malaysian Central Depository (MCD) number</del></p> <p><del>— 5 Chinese Investor ID</del></p> <p><del>For PartyRole="Broker of Credit"</del></p> <p><del>— I Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</del></p>	
1519	NoPartyAltSubIDs	NumInGroup	Number of PartyAltSubIDs	
1520	PartyAltSubID	String	PartySubID value within a PartyAltIDs repeating group:	ID
1521	PartyAltSubIDType	int	<p>PartySubIDType value within a PartyAltIDs repeating group:</p> <p>Valid values:</p> <p><del>— 1 Firm</del></p> <p><del>— 2 Person</del></p> <p><del>— 3 System</del></p> <p><del>— 4 Application</del></p> <p><del>— 5 Full legal name of firm</del></p> <p><del>— 6 Postal address</del></p>	Typ

			<del>7 Phone number</del> <del>8 Email address</del> <del>9 Contact name</del> <del>10 Securities account number (for settlement instructions)</del> <del>11 Registration number (for settlement instructions and confirmations)</del> <del>12 Registered address (for confirmation purposes)</del> <del>13 Regulatory status (for confirmation purposes)</del> <del>14 Registration name (for settlement instructions)</del> <del>15 Cash account number (for settlement instructions)</del> <del>16 BIC</del> <del>17 CSD participant member code</del> <del>18 Registered address</del> <del>19 Fund account name</del> <del>20 Telex number</del> <del>21 Fax number</del> <del>22 Securities account name</del> <del>23 Cash account name</del> <del>24 Department</del> <del>25 Location desk</del> <del>26 Position account type</del> <del>27 Security locate ID</del> <del>28 Market maker</del> <del>29 Eligible counterparty</del> <del>30 Professional client</del> <del>31 Location</del> <del>32 Execution venue</del> <del>33 Currency delivery identifier</del>  or any value conforming to the data type Reserved4000Plus	
1522	NoContextPartyIDs	NumInGroup	Number of ContextParties.	

1523	ContextPartyID	String	PartyID value within a ContextParties repeating group.	ID
1524	ContextPartyIDSource	char	<p>PartyIDSource value within a ContextParties repeating group.</p> <p>Valid values:</p> <p>For all PartyRoles</p> <p>— B— BIC (Bank Identification Code— SWIFT managed) code (ISO9362— See "Appendix 6 B")</p> <p>— C— Generally accepted market participant identifier (e.g. NASD mnemonic)</p> <p>— D— Proprietary / Custom code</p> <p>— E— ISO Country Code</p> <p>— F— Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6 G" for valid values)</p> <p>— G— MIC (ISO 10383— Market Identifier Code) (See "Appendix 6 C")</p> <p>— H— CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)</p> <p>For PartyRole = "InvestorID" and for CIV</p> <p>— 6— UK National Insurance or Pension Number</p> <p>— 7— US Social Security Number</p> <p>— 8— US Employer or Tax ID Number</p> <p>— 9— Australian Business Number</p> <p>— A— Australian Tax File Number</p> <p>For PartyRole = "InvestorID" and for Equities</p> <p>— 1— Korean Investor ID</p> <p>— 2— Taiwanese Qualified Foreign Investor ID QFI/FID</p> <p>— 3— Taiwanese Trading Acct</p> <p>— 4— Malaysian Central Depository (MCD) number</p> <p>— 5— Chinese Investor ID</p> <p>For PartyRole="Broker of Credit"</p> <p>— I— Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</p>	Sre
1525	ContextPartyRole	int	PartyRole value within a ContextParties repeating	R

			<p>group:</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li><del>— 82 Central Registration Depository (CRD)</del></li> <li><del>— 83 Clearing Account</del></li> <li><del>— 84 Acceptable Settling Counterparty</del></li> <li><del>— 85 Unacceptable Settling Counterparty</del></li> <li><del>— 1 Executing Firm (formerly FIX 4.2 ExecBroker)</del></li> <li><del>— 2 Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</del></li> <li><del>— 3 Client ID (formerly FIX 4.2 ClientID)</del></li> <li><del>— 4 Clearing Firm (formerly FIX 4.2 ClearingFirm)</del></li> <li><del>— 5 Investor ID</del></li> <li><del>— 6 Introducing Firm</del></li> <li><del>— 7 Entering Firm</del></li> <li><del>— 8 Locate / Lending Firm (for short sales)</del></li> <li><del>— 9 Fund Manager Client ID (for CIV)</del></li> <li><del>— 10 Settlement Location (formerly FIX 4.2 SettLLocation)</del></li> <li><del>— 11 Order Origination Trader (associated with Order Origination Firm i.e. trader who initiates/submits the order)</del></li> <li><del>— 12 Executing Trader (associated with Executing Firm actually executes)</del></li> <li><del>— 13 Order Origination Firm (e.g. buy side firm)</del></li> <li><del>— 14 Giveup Clearing Firm (firm to which trade is given up)</del></li> <li><del>— 15 Correspondant Clearing Firm</del></li> <li><del>— 16 Executing System</del></li> <li><del>— 17 Contra Firm</del></li> <li><del>— 18 Contra Clearing Firm</del></li> <li><del>— 19 Sponsoring Firm</del></li> <li><del>— 20 Underlying Contra Firm</del></li> <li><del>— 21 Clearing Organization</del></li> <li><del>— 22 Exchange</del></li> <li><del>— 24 Customer Account</del></li> <li><del>— 25 Correspondent Clearing Organization</del></li> <li><del>— 26 Correspondent Broker</del></li> <li><del>— 27 Buyer/Seller (Receiver/Deliverer)</del></li> </ul>	
--	--	--	---	--

			<ul style="list-style-type: none"><li><del>28 Custodian</del></li><li><del>29 Intermediary</del></li><li><del>30 Agent</del></li><li><del>31 Sub-custodian</del></li><li><del>32 Beneficiary</del></li><li><del>33 Interested party</del></li><li><del>34 Regulatory body</del></li><li><del>35 Liquidity provider</del></li><li><del>36 Entering trader</del></li><li><del>37 Contra trader</del></li><li><del>38 Position account</del></li><li><del>39 Contra Investor ID</del></li><li><del>40 Transfer to Firm</del></li><li><del>41 Contra Position Account</del></li><li><del>42 Contra Exchange</del></li><li><del>43 Internal Carry Account</del></li><li><del>44 Order Entry Operator ID</del></li><li><del>45 Secondary Account Number</del></li><li><del>46 Foreign Firm</del></li><li><del>47 Third Party Allocation Firm</del></li><li><del>48 Claiming Account</del></li><li><del>49 Asset Manager</del></li><li><del>50 Pledgor Account</del></li><li><del>51 Pledgee Account</del></li><li><del>52 Large Trader Reportable Account</del></li><li><del>53 Trader mnemonic</del></li><li><del>54 Sender Location</del></li><li><del>55 Session ID</del></li><li><del>56 Acceptable Counterparty</del></li><li><del>57 Unacceptable Counterparty</del></li><li><del>58 Entering Unit</del></li><li><del>59 Executing Unit</del></li><li><del>60 Introducing Broker</del></li><li><del>61 Quote originator</del></li><li><del>62 Report originator</del></li><li><del>63 Systematic internaliser (SI)</del></li><li><del>64 Multilateral Trading Facility (MTF)</del></li><li><del>65 Regulated Market (RM)</del></li><li><del>66 Market Maker</del></li></ul>	
--	--	--	---	--

			<del>67 Investment Firm</del> <del>68 Host Competent Authority (Host CA)</del> <del>69 Home Competent Authority (Home CA)</del> <del>70 Competent Authority of the most relevant market in terms of liquidity (CAL)</del> <del>71 Competent Authority of the Transaction (Execution) Venue (CATV)</del> <del>72 Reporting intermediary (medium/vendor via which report has been published)</del> <del>73 Execution Venue</del> <del>74 Market data entry originator</del> <del>75 Location ID</del> <del>76 Desk ID</del> <del>77 Market data market</del> <del>78 Allocation Entity</del> <del>79 Prime Broker providing General Trade Services</del> <del>80 Step Out Firm (Prime Broker)</del> <del>81 BrokerClearingID</del>	
1526	NoContextPartySubIDs	NumInGroup	Number of ContextPartySubIDs.	
1527	ContextPartySubID	String	PartySubID value within a ContextParties repeating group.	ID
1528	ContextPartySubIDType	int	PartySubIDType value within a ContextParties repeating group.  Valid values: <del>1 Firm</del> <del>2 Person</del> <del>3 System</del> <del>4 Application</del> <del>5 Full legal name of firm</del> <del>6 Postal address</del> <del>7 Phone number</del> <del>8 Email address</del> <del>9 Contact name</del> <del>10 Securities account number (for settlement)</del>	Typ

			<del>instructions)</del> <del>—11— Registration number (for settlement instructions and confirmations)</del> <del>—12— Registered address (for confirmation purposes)</del> <del>—13— Regulatory status (for confirmation purposes)</del> <del>—14— Registration name (for settlement instructions)</del> <del>—15— Cash account number (for settlement instructions)</del> <del>—16— BIC</del> <del>—17— CSD participant member code</del> <del>—18— Registered address</del> <del>—19— Fund account name</del> <del>—20— Telex number</del> <del>—21— Fax number</del> <del>—22— Securities account name</del> <del>—23— Cash account name</del> <del>—24— Department</del> <del>—25— Location desk</del> <del>—26— Position account type</del> <del>—27— Security locate ID</del> <del>—28— Market maker</del> <del>—29— Eligible counterparty</del> <del>—30— Professional client</del> <del>—31— Location</del> <del>—32— Execution venue</del> <del>—33— Currency delivery identifier</del>  <del>or any value conforming to the data type</del> <del>Reserved4000Plus</del>	
1529	NoRiskLimits	NumInGroup	Number of RiskLimits.	
1530	RiskLimitType	int	Used to specify the type of risk limit amount of position limit quantity.  Valid values: —1— Gross Limit	Typ

			<del>— 2 Net Limit</del> <del>— 3 Exposure</del> <del>— 4 Long Limit</del> <del>— 5 Short Limit</del>	
1531	RiskLimitAmount	Amt	Specifies the risk limit amount.	Amt
1532	RiskLimitCurrency	Currency	Used to specify the currency of the risk limit amount.	Ccy
1533	RiskLimitPlatform	String	The area to which risk limit is applicable. This can be a trading platform or an offering.	Pltfrm
1534	NoRiskInstruments	NumInGroup	Number of Risk Instruments.	
1535	RiskInstrumentOperator	int	Operator to perform on the risk instrument(s) specified. Valid values: <del>— 1 Include</del> <del>— 2 Exclude</del>	Oper
1536	RiskSymbol	String	Risk instrument's Symbol.	Sym
1537	RiskSymbolSfx	String	Risk instrument's SymbolSfx.	Sfx
1538	RiskSecurityID	String	Risk instrument's SecurityID.	ID
1539	RiskSecurityIDSource	String	Risk instrument's SecurityIDSource. Valid values: <del>— 1 CUSIP</del> <del>— 2 SEDOL</del> <del>— 3 QUIK</del> <del>— 4 ISIN number</del> <del>— 5 RIC code</del> <del>— 6 ISO Currency Code</del> <del>— 7 ISO Country Code</del> <del>— 8 Exchange Symbol</del> <del>— 9 Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format)</del> <del>— A Bloomberg Symbol</del> <del>— B Wertpapier</del> <del>— C Dutch</del>	Sre

			<del>           D Valoren            E Sicovam            F Belgian            G "Common" (Clearstream and Euroclear)            H Clearing House / Clearing Organization            I ISDA/FpML Product Specification (XML in EncodedSecurityDesc)            J Option Price Reporting Authority            K ISDA/FpML Product URL (URL in SecurityID)            L Letter of Credit            M Marketplace assigned Identifier         </del>	
1540	<del>RiskSecurityAltID</del>	<del>NumInGrp</del>	<del>Number of RiskSecurityAltID-entries.</del>	
1541	<del>RiskSecurityAltID</del>	<del>String</del>	<del>Risk instrument's SecurityAltID.</del>	<del>AltID</del>
1542	<del>RiskSecurityAltIDSource</del>	<del>String</del>	<del>Risk instrument's SecurityAltIDSource.</del>	<del>AltIDSre</del>
1543	<del>RiskProduct</del>	<del>int</del>	<del>           Risk instrument's Product.             Valid values:            1 AGENCY            2 COMMODITY            3 CORPORATE            4 CURRENCY            5 EQUITY            6 GOVERNMENT            7 INDEX            8 LOAN            9 MONEYMARKET            10 MORTGAGE            11 MUNICIPAL            12 OTHER            13 FINANCING         </del>	<del>Prod</del>
1544	<del>RiskProductComplex</del>	<del>String</del>	<del>Risk instrument's RiskProductComplex.</del>	<del>ProdCmplx</del>
1545	<del>RiskSecurityGroup</del>	<del>String</del>	<del>Risk instrument's SecurityGroup.</del>	<del>SecGrp</del>

1546	RiskCFICode	String	Risk instrument's CFICode:	CFI
1547	RiskSecurityType	String	<p>Risk instrument's SecurityType:</p> <p>Valid values:</p> <p>— UST — US Treasury Note (Deprecated Value Use TNOTE) (Deprecated in FIX 4.4)</p> <p>— USTB — US Treasury Bill (Deprecated Value Use TBILL) (Deprecated in FIX 4.4)</p> <p>Agency</p> <p>— EUSUPRA — Euro Supranational Coupons*  — FAC — Federal Agency Coupon  — FADN — Federal Agency Discount Note  — PEF — Private Export Funding*  — SUPRA — USD Supranational Coupons*  Corporate</p> <p>— CORP — Corporate Bond  — CPP — Corporate Private Placement  — CB — Convertible Bond  — DUAL — Dual Currency  — EUCORP — Euro Corporate Bond  — EUFRN — Euro Corporate Floating Rate Notes  — FRN — US Corporate Floating Rate Notes  — XLINKD — Indexed Linked  — STRUCT — Structured Notes  — YANK — Yankee Corporate Bond  Currency</p> <p>— FOR — Foreign Exchange Contract (Deprecated in FIX.5.0SP2)  — FXNDF — Non-deliverable forward  — FXSPOT — FX Spot  — FXFWD — FX Forward  — FXSWAP — FX Swap  Derivatives</p> <p>— CDS — Credit Default Swap  — FUT — Future  — OPT — Option  — OOF — Options on Futures  — OOP — Options on Physical — use not recommended</p>	SecTyp

			<p> <del>IRS</del> Interest Rate Swap  <del>OOC</del> Options on Combo  Equity  <del>CS</del> Common Stock  <del>PS</del> Preferred Stock  Financing  <del>REPO</del> Repurchase  <del>FORWARD</del> Forward  <del>BUYSELL</del> Buy-Sellback  <del>SECLOAN</del> Securities Loan  <del>SECPLEDGE</del> Securities Pledge  Government  <del>BRADY</del> Brady Bond  <del>CAN</del> Canadian Treasury Notes  <del>CTB</del> Canadian Treasury Bills  <del>EUSOV</del> Euro Sovereigns*  <del>PROV</del> Canadian Provincial Bonds  <del>TB</del> Treasury Bill non US  <del>TBOND</del> US Treasury Bond  <del>TINT</del> Interest Strip From Any Bond Or Note  <del>TBILL</del> US Treasury Bill  <del>TIPS</del> Treasury Inflation Protected Securities  <del>TCAL</del> Principal Strip Of A Callable Bond Or  Note  <del>TPRN</del> Principal Strip From A Non-Callable  Bond Or Note  <del>TNOTE</del> US Treasury Note  Loan  <del>TERM</del> Term Loan  <del>RVLV</del> Revolver Loan  <del>RVLVTRM</del> Revolver/Term Loan  <del>BRIDGE</del> Bridge Loan  <del>LOFC</del> Letter Of Credit  <del>SWING</del> Swing Line Facility  <del>DINP</del> Debtor In Possession  <del>DEFLTED</del> Defaulted  <del>WITHDRN</del> Withdrawn  <del>REPLACD</del> Replaced  <del>MATURED</del> Matured </p>	
--	--	--	--	--

			<p> <del>— AMENDED— Amended &amp; Restated</del>  <del>— RETIRED— Retired</del>  <b>Money Market</b>  <del>— BA— Bankers Acceptance</del>  <del>— BDN— Bank Depository Note</del>  <del>— BN— Bank Notes</del>  <del>— BOX— Bill Of Exchanges</del>  <del>— CAMM— Canadian Money Markets</del>  <del>— CD— Certificate Of Deposit</del>  <del>— CL— Call Loans</del>  <del>— CP— Commercial Paper</del>  <del>— DN— Deposit Notes</del>  <del>— EUCD— Euro Certificate Of Deposit</del>  <del>— EUCP— Euro Commercial Paper</del>  <del>— LQN— Liquidity Note</del>  <del>— MTN— Medium Term Notes</del>  <del>— ONITE— Overnight</del>  <del>— PN— Promissory Note</del>  <del>— STN— Short Term Loan Note</del>  <del>— PZPJ— Plazos Fijos</del>  <del>— SLQN— Secured Liquidity Note</del>  <del>— TD— Time Deposit</del>  <del>— TLQN— Term Liquidity Note</del>  <del>— XCN— Extended Comm Note</del>  <del>— YCD— Yankee Certificate Of Deposit</del>  <b>Mortgage</b>  <del>— ABS— Asset backed Securities</del>  <del>— CMB— Canadian Mortgage Bonds</del>  <del>— CMBS— Corp. Mortgage backed Securities</del>  <del>— CMO— Collateralized Mortgage Obligation</del>  <del>— IET— IOETTE Mortgage</del>  <del>— MBS— Mortgage backed Securities</del>  <del>— MIO— Mortgage Interest Only</del>  <del>— MPO— Mortgage Principal Only</del>  <del>— MPP— Mortgage Private Placement</del>  <del>— MPT— Miscellaneous Pass through</del>  <del>— PFAND— Pfandbriefe *</del>  <del>— TBA— To Be Announced</del>  <b>Municipal</b> </p>	
--	--	--	--	--

			<del>AN Other Anticipation Notes (BAN, GAN, etc.)</del> <del>COFO Certificate Of Obligation</del> <del>COFP Certificate Of Participation</del> <del>GO General Obligation Bonds</del> <del>MT Mandatory Tender</del> <del>RAN Revenue Anticipation Note</del> <del>REV Revenue Bonds</del> <del>SPCLA Special Assessment</del> <del>SPCLO Special Obligation</del> <del>SPCLT Special Tax</del> <del>TAN Tax Anticipation Note</del> <del>TAXA Tax Allocation</del> <del>TECP Tax Exempt Commercial Paper</del> <del>TMCP Taxable Municipal CP</del> <del>TRAN Tax Revenue Anticipation Note</del> <del>VRDN Variable Rate Demand Note</del> <del>WAR Warrant</del> Other <del>MF Mutual Fund</del> <del>MLEG Multileg Instrument</del> <del>NONE No Security Type</del> <del>? Wildcard entry for use on Security Definition</del> Request <del>CASH Cash</del>	
1548	<del>RiskSecuritySubType</del>	<del>String</del>	<del>Risk instrument's SecuritySubType</del>	<del>SecSubTyp</del>
1549	<del>RiskMaturityMonthYear</del>	<del>MonthYear</del>	<del>Risk instrument's MaturityMonthYear</del>	<del>MMY</del>
1550	<del>RiskMaturityTime</del>	<del>TZTimeOnly</del>	<del>Risk instrument's MaturityTime</del>	<del>MatTm</del>
1551	<del>RiskRestructuringType</del>	<del>String</del>	<del>Risk instrument's RestructuringType.</del>	<del>RstretTyp</del>
1552	<del>RiskSeniority</del>	<del>String</del>	<del>Risk instrument's Seniority.</del>	<del>Snrty</del>
1553	<del>RiskPutOrCall</del>	<del>int</del>	<del>Risk instrument's PutOrCall.</del>  Valid values: <del>0 Put</del> <del>1 Call</del>	<del>PutCall</del>

1554	<del>RiskFlexibleIndicator</del>	<del>Boolean</del>	<del>Risk instrument's FlexibleIndicator.</del>	<del>FlexInd</del>
1555	<del>RiskCouponRate</del>	<del>Percentage</del>	<del>Risk instrument's CouponRate.</del>	<del>CpnRt</del>
1556	<del>RiskSecurityDese</del>	<del>String</del>	<del>Risk instrument's SecurityDese.</del>	<del>Dese</del>
1557	<del>RiskInstrumentSettlType</del>	<del>String</del>	<del>Risk instrument's SettlType.</del> Valid values: <del>— 0 Regular / FX Spot settlement (T+1 or T+2 depending on currency)</del> <del>— 1 Cash (TOD / T+0)</del> <del>— 2 Next Day (TOM / T+1)</del> <del>— 3 T+2</del> <del>— 4 T+3</del> <del>— 5 T+4</del> <del>— 6 Future</del> <del>— 7 When And If Issued</del> <del>— 8 Sellers Option</del> <del>— 9 T+5</del> <del>— B Broken date for FX expressing non-standard tenor, SettlDate (64) must be specified</del> <del>— C FX Spot Next settlement (Spot+1, aka next day)</del>  <del>or any value conforming to the data type Tenor</del>	<del>SettlTyp</del>
1558	<del>RiskInstrumentMultiplier</del>	<del>float</del>	<del>Multiplier applied to the transaction amount for comparison with risk limits. Default if not specified is 1.0.</del>	<del>Mult</del>
1559	<del>NoRiskWarningLevels</del>	<del>NumInGroup</del>	<del>Number of RiskWarningLevels</del>	
1560	<del>RiskWarningLevelPercent</del>	<del>Percentage</del>	<del>Percent of risk limit at which a warning is issued.</del>	<del>Pct</del>
1561	<del>RiskWarningLevelName</del>	<del>String</del>	<del>Name or error message associated with the risk warning level.</del>	<del>Nme</del>

1562	NoRelatedPartyIDs	NumInGroup	Number of RelatedPartyIDs	
1563	RelatedPartyID	String	PartyID value within a RelatedPartyGrp repeating group.	ID
1564	RelatedPartyIDSource	char	<p>PartyIDSource value within a RelatedPartyGrp repeating group.</p> <p>Valid values:</p> <p>For all PartyRoles</p> <p>— B— BIC (Bank Identification Code—SWIFT managed) code (ISO9362— See "Appendix 6 B")</p> <p>— C— Generally accepted market participant identifier (e.g. NASD mnemonic)</p> <p>— D— Proprietary / Custom code</p> <p>— E— ISO Country Code</p> <p>— F— Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6 G" for valid values)</p> <p>— G— MIC (ISO 10383— Market Identifier Code) (See "Appendix 6 C")</p> <p>— H— CSD participant/member code (e.g., Euroclear, DTC, CREST or Kassenverein number)</p> <p>For PartyRole = "InvestorID" and for CIV</p> <p>— 6— UK National Insurance or Pension Number</p> <p>— 7— US Social Security Number</p> <p>— 8— US Employer or Tax ID Number</p> <p>— 9— Australian Business Number</p> <p>— A— Australian Tax File Number</p> <p>For PartyRole = "InvestorID" and for Equities</p> <p>— 1— Korean Investor ID</p> <p>— 2— Taiwanese Qualified Foreign Investor ID</p> <p>QFII/FID</p> <p>— 3— Taiwanese Trading Acct</p> <p>— 4— Malaysian Central Depository (MCD) number</p> <p>— 5— Chinese Investor ID</p> <p>For PartyRole="Broker of Credit"</p> <p>— I— Directed broker three character acronym as</p>	Sre

			defined in ISITC "ETC Best Practice" guidelines document	
1565	RelatedPartyRole	int	<p>PartyRole value within a RelatedPartyGrp repeating group:</p> <p>Valid values:</p> <ul style="list-style-type: none"> <li><del>— 82 — Central Registration Depository (CRD)</del></li> <li><del>— 83 — Clearing Account</del></li> <li><del>— 84 — Acceptable Settling Counterparty</del></li> <li><del>— 85 — Unacceptable Settling Counterparty</del></li> <li><del>— 1 — Executing Firm (formerly FIX 4.2 ExecBroker)</del></li> <li><del>— 2 — Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</del></li> <li><del>— 3 — Client ID (formerly FIX 4.2 ClientID)</del></li> <li><del>— 4 — Clearing Firm (formerly FIX 4.2 ClearingFirm)</del></li> <li><del>— 5 — Investor ID</del></li> <li><del>— 6 — Introducing Firm</del></li> <li><del>— 7 — Entering Firm</del></li> <li><del>— 8 — Locate / Lending Firm (for short sales)</del></li> <li><del>— 9 — Fund Manager Client ID (for CIV)</del></li> <li><del>— 10 — Settlement Location (formerly FIX 4.2 SettLLocation)</del></li> <li><del>— 11 — Order Origination Trader (associated with Order Origination Firm i.e. trader who initiates/submits the order)</del></li> <li><del>— 12 — Executing Trader (associated with Executing Firm actually executes)</del></li> <li><del>— 13 — Order Origination Firm (e.g. buy side firm)</del></li> <li><del>— 14 — Giveup Clearing Firm (firm to which trade is given up)</del></li> <li><del>— 15 — Correspondant Clearing Firm</del></li> <li><del>— 16 — Executing System</del></li> <li><del>— 17 — Contra Firm</del></li> <li><del>— 18 — Contra Clearing Firm</del></li> <li><del>— 19 — Sponsoring Firm</del></li> <li><del>— 20 — Underlying Contra Firm</del></li> <li><del>— 21 — Clearing Organization</del></li> <li><del>— 22 — Exchange</del></li> </ul>	R

			<ul style="list-style-type: none"><li><del>— 24 Customer Account</del></li><li><del>— 25 Correspondent Clearing Organization</del></li><li><del>— 26 Correspondent Broker</del></li><li><del>— 27 Buyer/Seller (Receiver/Deliverer)</del></li><li><del>— 28 Custodian</del></li><li><del>— 29 Intermediary</del></li><li><del>— 30 Agent</del></li><li><del>— 31 Sub-custodian</del></li><li><del>— 32 Beneficiary</del></li><li><del>— 33 Interested party</del></li><li><del>— 34 Regulatory body</del></li><li><del>— 35 Liquidity provider</del></li><li><del>— 36 Entering trader</del></li><li><del>— 37 Contra trader</del></li><li><del>— 38 Position account</del></li><li><del>— 39 Contra Investor ID</del></li><li><del>— 40 Transfer to Firm</del></li><li><del>— 41 Contra Position Account</del></li><li><del>— 42 Contra Exchange</del></li><li><del>— 43 Internal Carry Account</del></li><li><del>— 44 Order Entry Operator ID</del></li><li><del>— 45 Secondary Account Number</del></li><li><del>— 46 Foreign Firm</del></li><li><del>— 47 Third Party Allocation Firm</del></li><li><del>— 48 Claiming Account</del></li><li><del>— 49 Asset Manager</del></li><li><del>— 50 Pledgor Account</del></li><li><del>— 51 Pledgee Account</del></li><li><del>— 52 Large Trader Reportable Account</del></li><li><del>— 53 Trader mnemonic</del></li><li><del>— 54 Sender Location</del></li><li><del>— 55 Session ID</del></li><li><del>— 56 Acceptable Counterparty</del></li><li><del>— 57 Unacceptable Counterparty</del></li><li><del>— 58 Entering Unit</del></li><li><del>— 59 Executing Unit</del></li><li><del>— 60 Introducing Broker</del></li><li><del>— 61 Quote originator</del></li><li><del>— 62 Report originator</del></li></ul>	
--	--	--	---	--

			<del>63 Systematic internaliser (SI)</del> <del>64 Multilateral Trading Facility (MTF)</del> <del>65 Regulated Market (RM)</del> <del>66 Market Maker</del> <del>67 Investment Firm</del> <del>68 Host Competent Authority (Host CA)</del> <del>69 Home Competent Authority (Home CA)</del> <del>70 Competent Authority of the most relevant market in terms of liquidity (CAL)</del> <del>71 Competent Authority of the Transaction (Execution) Venue (CATV)</del> <del>72 Reporting intermediary (medium/vendor via which report has been published)</del> <del>73 Execution Venue</del> <del>74 Market data entry originator</del> <del>75 Location ID</del> <del>76 Desk ID</del> <del>77 Market data market</del> <del>78 Allocation Entity</del> <del>79 Prime Broker providing General Trade Services</del> <del>80 Step Out Firm (Prime Broker)</del> <del>81 BrokerClearingID</del>	
1566	NoRelatedPartySubIDs	NumInGroup	Number of RelatedPartySubIDs.	
1567	RelatedPartySubID	String	PartySubID value within a RelatedPartyGrp repeating group.	ID
1568	RelatedPartySubIDType	int	PartySubIDType value within a RelatedPartyGrp repeating group.  Valid values: <del>1 Firm</del> <del>2 Person</del> <del>3 System</del> <del>4 Application</del> <del>5 Full legal name of firm</del> <del>6 Postal address</del>	Typ

			<p> <del>7</del> Phone number  <del>8</del> Email address  <del>9</del> Contact name  <del>10</del> Securities account number (for settlement instructions)  <del>11</del> Registration number (for settlement instructions and confirmations)  <del>12</del> Registered address (for confirmation purposes)  <del>13</del> Regulatory status (for confirmation purposes)  <del>14</del> Registration name (for settlement instructions)  <del>15</del> Cash account number (for settlement instructions)  <del>16</del> BIC  <del>17</del> CSD participant member code  <del>18</del> Registered address  <del>19</del> Fund account name  <del>20</del> Telex number  <del>21</del> Fax number  <del>22</del> Securities account name  <del>23</del> Cash account name  <del>24</del> Department  <del>25</del> Location desk  <del>26</del> Position account type  <del>27</del> Security locate ID  <del>28</del> Market maker  <del>29</del> Eligible counterparty  <del>30</del> Professional client  <del>31</del> Location  <del>32</del> Execution venue  <del>33</del> Currency delivery identifier                 </p> <p>                     or any value conforming to the data type                      Reserved4000Plus                 </p>	
1569	NoRelatedPartyAltIDs	NumInGroup	Number of RelatedPartyAltIDs-	

1570	RelatedPartyAltID	String	PartyID value within a RelatedPartyAltIDs repeating group:	ID
1571	RelatedPartyAltIDSource	char	<p>PartyIDSource value within a RelatedPartyAltIDs repeating group:</p> <p>Valid values:</p> <p>For all PartyRoles</p> <ul style="list-style-type: none"> <li>— B BIC (Bank Identification Code—SWIFT managed) code (ISO9362—See "Appendix 6 B")</li> <li>— C Generally accepted market participant identifier (e.g. NASD mnemonic)</li> <li>— D Proprietary / Custom code</li> <li>— E ISO Country Code</li> <li>— F Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6 G" for valid values)</li> <li>— G MIC (ISO 10383—Market Identifier Code) (See "Appendix 6 C")</li> <li>— H CSD participant/member code (e.g.. Euroclear, DTC, CREST or Kassenverein number)</li> </ul> <p>For PartyRole = "InvestorID" and for CIV</p> <ul style="list-style-type: none"> <li>— 6 UK National Insurance or Pension Number</li> <li>— 7 US Social Security Number</li> <li>— 8 US Employer or Tax ID Number</li> <li>— 9 Australian Business Number</li> <li>— A Australian Tax File Number</li> </ul> <p>For PartyRole = "InvestorID" and for Equities</p> <ul style="list-style-type: none"> <li>— 1 Korean Investor ID</li> <li>— 2 Taiwanese Qualified Foreign Investor ID QFII/FID</li> <li>— 3 Taiwanese Trading Acct</li> <li>— 4 Malaysian Central Depository (MCD) number</li> <li>— 5 Chinese Investor ID</li> </ul> <p>For PartyRole="Broker of Credit"</p> <ul style="list-style-type: none"> <li>— I Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</li> </ul>	Sre

1572	<del>NoRelatedPartyAltSubIDs</del>	<del>NumInGroup</del>	<del>Number of RelatedPartyAltSubIDs</del>	
1573	<del>RelatedPartyAltSubID</del>	<del>String</del>	<del>PartySubID value within a RelatedPartyAltIDs repeating group.</del>	<del>ID</del>
1574	<del>RelatedPartyAltSubID Type</del>	<del>int</del>	<del>PartySubIDType value within a RelatedPartyAltIDs repeating group.</del>  <del>Valid values:</del> <del>— 1 Firm</del> <del>— 2 Person</del> <del>— 3 System</del> <del>— 4 Application</del> <del>— 5 Full legal name of firm</del> <del>— 6 Postal address</del> <del>— 7 Phone number</del> <del>— 8 Email address</del> <del>— 9 Contact name</del> <del>— 10 Securities account number (for settlement instructions)</del> <del>— 11 Registration number (for settlement instructions and confirmations)</del> <del>— 12 Registered address (for confirmation purposes)</del> <del>— 13 Regulatory status (for confirmation purposes)</del> <del>— 14 Registration name (for settlement instructions)</del> <del>— 15 Cash account number (for settlement instructions)</del> <del>— 16 BIC</del> <del>— 17 CSD participant member code</del> <del>— 18 Registered address</del> <del>— 19 Fund account name</del> <del>— 20 Telex number</del> <del>— 21 Fax number</del> <del>— 22 Securities account name</del> <del>— 23 Cash account name</del> <del>— 24 Department</del> <del>— 25 Location desk</del>	<del>Typ</del>

			<del>—26— Position account type</del> <del>—27— Security locate ID</del> <del>—28— Market maker</del> <del>—29— Eligible counterparty</del> <del>—30— Professional client</del> <del>—31— Location</del> <del>—32— Execution venue</del> <del>—33— Currency delivery identifier</del>  or any value conforming to the data type Reserved4000Plus	
1575	NoRelatedContextPartyIDs	NumInGroup	Number of RelatedContextParties.	
1576	RelatedContextPartyID	String	PartyID value within a RelatedContextParties repeating group.	ID
1577	RelatedContextPartyIDSource	char	PartyIDSource value within a RelatedContextParties repeating group.  Valid values: For all PartyRoles <del>—B— BIC (Bank Identification Code—SWIFT managed) code (ISO9362—See "Appendix 6 B")</del> <del>—C— Generally accepted market participant identifier (e.g. NASD mnemonic)</del> <del>—D— Proprietary / Custom code</del> <del>—E— ISO Country Code</del> <del>—F— Settlement Entity Location (note if Local Market Settlement use "E=ISO Country Code") (see "Appendix 6 G" for valid values)</del> <del>—G— MIC (ISO 10383—Market Identifier Code) (See "Appendix 6 C")</del> <del>—H— CSD participant/member code (e.g.: Euroclear, DTC, CREST or Kassenverein number)</del> For PartyRole = "InvestorID" and for CIV <del>—6— UK National Insurance or Pension Number</del> <del>—7— US Social Security Number</del>	Sre

			<p><del>8 US Employer or Tax ID Number</del></p> <p><del>9 Australian Business Number</del></p> <p><del>A Australian Tax File Number</del></p> <p>For PartyRole = "InvestorID" and for Equities</p> <p><del>1 Korean Investor ID</del></p> <p><del>2 Taiwanese Qualified Foreign Investor ID QFII/FID</del></p> <p><del>3 Taiwanese Trading Acct</del></p> <p><del>4 Malaysian Central Depository (MCD) number</del></p> <p><del>5 Chinese Investor ID</del></p> <p>For PartyRole="Broker of Credit"</p> <p><del>I Directed broker three character acronym as defined in ISITC "ETC Best Practice" guidelines document</del></p>	
1578	RelatedContextPartyRole	int	<p>PartyRole value within a RelatedContextParties repeating group.</p> <p>Valid values:</p> <p><del>82 Central Registration Depository (CRD)</del></p> <p><del>83 Clearing Account</del></p> <p><del>84 Acceptable Settling Counterparty</del></p> <p><del>85 Unacceptable Settling Counterparty</del></p> <p><del>1 Executing Firm (formerly FIX 4.2 ExecBroker)</del></p> <p><del>2 Broker of Credit (formerly FIX 4.2 BrokerOfCredit)</del></p> <p><del>3 Client ID (formerly FIX 4.2 ClientID)</del></p> <p><del>4 Clearing Firm (formerly FIX 4.2 ClearingFirm)</del></p> <p><del>5 Investor ID</del></p> <p><del>6 Introducing Firm</del></p> <p><del>7 Entering Firm</del></p> <p><del>8 Locate / Lending Firm (for short sales)</del></p> <p><del>9 Fund Manager Client ID (for CIV)</del></p> <p><del>10 Settlement Location (formerly FIX 4.2 SettLocation)</del></p> <p><del>11 Order Origination Trader (associated with Order Origination Firm i.e. trader who initiates/submits the order)</del></p> <p><del>12 Executing Trader (associated with Executing</del></p>	R

			<p><del>Firm – actually executes)</del></p> <ul style="list-style-type: none"><li><del>— 13 Order Origination Firm (e.g. buy-side firm)</del></li><li><del>— 14 Giveup Clearing Firm (firm to which trade is given up)</del></li><li><del>— 15 Correspondant Clearing Firm</del></li><li><del>— 16 Executing System</del></li><li><del>— 17 Contra Firm</del></li><li><del>— 18 Contra Clearing Firm</del></li><li><del>— 19 Sponsoring Firm</del></li><li><del>— 20 Underlying Contra Firm</del></li><li><del>— 21 Clearing Organization</del></li><li><del>— 22 Exchange</del></li><li><del>— 24 Customer Account</del></li><li><del>— 25 Correspondent Clearing Organization</del></li><li><del>— 26 Correspondent Broker</del></li><li><del>— 27 Buyer/Seller (Receiver/Deliverer)</del></li><li><del>— 28 Custodian</del></li><li><del>— 29 Intermediary</del></li><li><del>— 30 Agent</del></li><li><del>— 31 Sub-custodian</del></li><li><del>— 32 Beneficiary</del></li><li><del>— 33 Interested party</del></li><li><del>— 34 Regulatory body</del></li><li><del>— 35 Liquidity provider</del></li><li><del>— 36 Entering trader</del></li><li><del>— 37 Contra trader</del></li><li><del>— 38 Position account</del></li><li><del>— 39 Contra Investor ID</del></li><li><del>— 40 Transfer to Firm</del></li><li><del>— 41 Contra Position Account</del></li><li><del>— 42 Contra Exchange</del></li><li><del>— 43 Internal Carry Account</del></li><li><del>— 44 Order Entry Operator ID</del></li><li><del>— 45 Secondary Account Number</del></li><li><del>— 46 Foreign Firm</del></li><li><del>— 47 Third Party Allocation Firm</del></li><li><del>— 48 Claiming Account</del></li><li><del>— 49 Asset Manager</del></li><li><del>— 50 Pledgor Account</del></li></ul>	
--	--	--	--	--

			<del>51 Pledgee Account</del> <del>52 Large Trader Reportable Account</del> <del>53 Trader mnemonic</del> <del>54 Sender Location</del> <del>55 Session ID</del> <del>56 Acceptable Counterparty</del> <del>57 Unacceptable Counterparty</del> <del>58 Entering Unit</del> <del>59 Executing Unit</del> <del>60 Introducing Broker</del> <del>61 Quote originator</del> <del>62 Report originator</del> <del>63 Systematic internaliser (SI)</del> <del>64 Multilateral Trading Facility (MTF)</del> <del>65 Regulated Market (RM)</del> <del>66 Market Maker</del> <del>67 Investment Firm</del> <del>68 Host Competent Authority (Host CA)</del> <del>69 Home Competent Authority (Home CA)</del> <del>70 Competent Authority of the most relevant market in terms of liquidity (CAL)</del> <del>71 Competent Authority of the Transaction (Execution) Venue (CATV)</del> <del>72 Reporting intermediary (medium/vendor via which report has been published)</del> <del>73 Execution Venue</del> <del>74 Market data entry originator</del> <del>75 Location ID</del> <del>76 Desk ID</del> <del>77 Market data market</del> <del>78 Allocation Entity</del> <del>79 Prime Broker providing General Trade Services</del> <del>80 Step Out Firm (Prime Broker)</del> <del>81 BrokerClearingID</del>	
1579	NoRelatedContextPartySubIDs	NumInGroup	Number of RelatedContextPartySubIDs.	

1580	<del>RelatedContextPartySubID</del>	<del>String</del>	<del>PartySubID value within a RelatedContextParties repeating group.</del>	<del>ID</del>
1581	<del>RelatedContextPartySubIDType</del>	<del>int</del>	<del>PartySubIDType value within a RelatedContextParties repeating group.</del>  <del>Valid values:</del> <del>— 1 Firm</del> <del>— 2 Person</del> <del>— 3 System</del> <del>— 4 Application</del> <del>— 5 Full legal name of firm</del> <del>— 6 Postal address</del> <del>— 7 Phone number</del> <del>— 8 Email address</del> <del>— 9 Contact name</del> <del>— 10 Securities account number (for settlement instructions)</del> <del>— 11 Registration number (for settlement instructions and confirmations)</del> <del>— 12 Registered address (for confirmation purposes)</del> <del>— 13 Regulatory status (for confirmation purposes)</del> <del>— 14 Registration name (for settlement instructions)</del> <del>— 15 Cash account number (for settlement instructions)</del> <del>— 16 BIC</del> <del>— 17 CSD participant member code</del> <del>— 18 Registered address</del> <del>— 19 Fund account name</del> <del>— 20 Telex number</del> <del>— 21 Fax number</del> <del>— 22 Securities account name</del> <del>— 23 Cash account name</del> <del>— 24 Department</del> <del>— 25 Location desk</del> <del>— 26 Position account type</del> <del>— 27 Security locate ID</del> <del>— 28 Market maker</del>	<del>Typ</del>

			<del>—29 Eligible counterparty</del> <del>—30 Professional client</del> <del>—31 Location</del> <del>—32 Execution venue</del> <del>—33 Currency delivery identifier</del>  or any value conforming to the data type Reserved4000Plus	
1582	NoRelationshipRiskLimits	NumInGroup	Number of RelationshipRiskLimits.	
1583	RelationshipRiskLimitType	int	<del>RiskLimitType within a RelationshipRiskLimits repeating group.</del>  Valid values: <del>—1 Gross Limit</del> <del>—2 Net Limit</del> <del>—3 Exposure</del> <del>—4 Long Limit</del> <del>—5 Short Limit</del>	Typ
1584	RelationshipRiskLimitAmount	Amt	<del>RiskLimitAmount within a RelationshipRiskLimits repeating group.</del>	Amt
1585	RelationshipRiskLimitCurrency	Currency	<del>RiskLimitCurrency within a RelationshipRiskLimits repeating group.</del>	Ccy
1586	RelationshipRiskLimitPlatform	String	<del>RiskLimitPlatform within a RelationshipRiskLimits repeating group.</del>	Pltfm
1587	NoRelationshipRiskInstruments	NumInGroup	Number of Relationship Risk Instruments.	
1588	RelationshipRiskInstrumentOperator	int	<del>RiskInstrumentOperator within a RelationshipRiskInstrumentScope repeating group.</del>  Valid values: <del>—1 Include</del> <del>—2 Exclude</del>	Oper
1589	RelationshipRiskSymbol	String	Relationship Risk instrument's Symbol.	Sym

	<del>ol</del>			
1590	<del>RelationshipRiskSymbolSfx</del>	<del>String</del>	<del>Relationship Risk instrument's SymbolSfx.</del>	<del>Sfx</del>
1591	<del>RelationshipRiskSecurityID</del>	<del>String</del>	<del>Relationship Risk instrument's SecurityID.</del>	<del>ID</del>
1592	<del>RelationshipRiskSecurityIDSource</del>	<del>String</del>	<del>Relationship Risk instrument's SecurityIDSource.</del> Valid values: — <del>1 CUSIP</del> — <del>2 SEDOL</del> — <del>3 QUIK</del> — <del>4 ISIN number</del> — <del>5 RIC code</del> — <del>6 ISO Currency Code</del> — <del>7 ISO Country Code</del> — <del>8 Exchange Symbol</del> — <del>9 Consolidated Tape Association (CTA) Symbol (SIAC CTS/CQS line format)</del> — <del>A Bloomberg Symbol</del> — <del>B Wertpapier</del> — <del>C Dutch</del> — <del>D Valoren</del> — <del>E Sicovam</del> — <del>F Belgian</del> — <del>G "Common" (Clearstream and Euroclear)</del> — <del>H Clearing House / Clearing Organization</del> — <del>I ISDA/FpML Product Specification (XML in EncodedSecurityDesc)</del> — <del>J Option Price Reporting Authority</del> — <del>K ISDA/FpML Product URL (URL in SecurityID)</del> — <del>L Letter of Credit</del> — <del>M Marketplace assigned Identifier</del>	<del>Sre</del>
1593	<del>NoRelationshipRiskSecurityAltID</del>	<del>NumInGroup</del>	<del>Number of RelationshipRiskSecurityAltID entries.</del>	
1594	<del>RelationshipRiskSecurityAltID</del>	<del>String</del>	<del>Relationship Risk instrument's SecurityAltID.</del>	<del>AltID</del>

	<del>ityAltID</del>			
1595	<del>RelationshipRiskSecurityAltIDSource</del>	<del>String</del>	<del>Relationship Risk instrument's SecurityAltIDSource.</del>	<del>AltIDSre</del>
1596	<del>RelationshipRiskProduct</del>	<del>int</del>	<del>Relationship Risk instrument's Product.</del> <del>Valid values:</del> <del>— 1 AGENCY</del> <del>— 2 COMMODITY</del> <del>— 3 CORPORATE</del> <del>— 4 CURRENCY</del> <del>— 5 EQUITY</del> <del>— 6 GOVERNMENT</del> <del>— 7 INDEX</del> <del>— 8 LOAN</del> <del>— 9 MONEYMARKET</del> <del>— 10 MORTGAGE</del> <del>— 11 MUNICIPAL</del> <del>— 12 OTHER</del> <del>— 13 FINANCING</del>	<del>Prod</del>
1597	<del>RelationshipRiskProductComplex</del>	<del>String</del>	<del>Relationship Risk instrument's RiskProductComplex.</del>	<del>ProdCmplx</del>
1598	<del>RelationshipRiskSecurityGroup</del>	<del>String</del>	<del>Relationship Risk instrument's SecurityGroup.</del>	<del>SecGrp</del>
1599	<del>RelationshipRiskCFICode</del>	<del>String</del>	<del>Relationship Risk instrument's CFICode.</del>	<del>CFI</del>
1600	<del>RelationshipRiskSecurityType</del>	<del>String</del>	<del>Relationship Risk instrument's SecurityType.</del> <del>Valid values:</del> <del>— UST US Treasury Note (Deprecated Value Use TNOTE) (Deprecated in FIX 4.4)</del> <del>— USTB US Treasury Bill (Deprecated Value Use TBILL) (Deprecated in FIX 4.4)</del> <del>Agency</del> <del>— EUSUPRA Euro Supranational Coupons *</del> <del>— FAC Federal Agency Coupon</del> <del>— FADN Federal Agency Discount Note</del>	<del>SecTyp</del>

			<p> <del>PEF</del> Private Export Funding *  <del>SUPRA</del> USD Supranational Coupons *  Corporate  <del>CORP</del> Corporate Bond  <del>CPP</del> Corporate Private Placement  <del>CB</del> Convertible Bond  <del>DUAL</del> Dual Currency  <del>EUCORP</del> Euro Corporate Bond  <del>EUFRN</del> Euro Corporate Floating Rate Notes  <del>FRN</del> US Corporate Floating Rate Notes  <del>XLINKD</del> Indexed Linked  <del>STRUCT</del> Structured Notes  <del>YANK</del> Yankee Corporate Bond  Currency  <del>FOR</del> Foreign Exchange Contract (Deprecated in FIX.5.0SP2)  <del>FXNDF</del> Non-deliverable forward  <del>FXSPOT</del> FX Spot  <del>FXFWD</del> FX Forward  <del>FXSWAP</del> FX Swap  Derivatives  <del>CDS</del> Credit Default Swap  <del>FUT</del> Future  <del>OPT</del> Option  <del>OOF</del> Options on Futures  <del>OOP</del> Options on Physical—use not recommended  <del>IRS</del> Interest Rate Swap  <del>OOC</del> Options on Combo  Equity  <del>CS</del> Common Stock  <del>PS</del> Preferred Stock  Financing  <del>REPO</del> Repurchase  <del>FORWARD</del> Forward  <del>BUYSELL</del> Buy-Sellback  <del>SECLOAN</del> Securities Loan  <del>SECPLEDGE</del> Securities Pledge  Government  <del>BRADY</del> Brady Bond </p>	
--	--	--	--	--

			<del>CAN</del> Canadian Treasury Notes <del>CTB</del> Canadian Treasury Bills <del>EUSOV</del> Euro Sovereigns <sup>2*</sup> <del>PROV</del> Canadian Provincial Bonds <del>TB</del> Treasury Bill non US <del>TBOND</del> US Treasury Bond <del>TINT</del> Interest Strip From Any Bond Or Note <del>TBILL</del> US Treasury Bill <del>TIPS</del> Treasury Inflation Protected Securities <del>TCAL</del> Principal Strip Of A Callable Bond Or Note <del>TPRN</del> Principal Strip From A Non Callable Bond Or Note <del>TNOTE</del> US Treasury Note <b>Loan</b> <del>TERM</del> Term Loan <del>RVLV</del> Revolver Loan <del>RVLVTRM</del> Revolver/Term Loan <del>BRIDGE</del> Bridge Loan <del>LOFC</del> Letter Of Credit <del>SWING</del> Swing Line Facility <del>DINP</del> Debtor In Possession <del>DEFLTED</del> Defaulted <del>WITHDRN</del> Withdrawn <del>REPLACD</del> Replaced <del>MATURED</del> Matured <del>AMENDED</del> Amended & Restated <del>RETIRED</del> Retired <b>Money Market</b> <del>BA</del> Bankers Acceptance <del>BDN</del> Bank Depository Note <del>BN</del> Bank Notes <del>BOX</del> Bill Of Exchanges <del>CAMM</del> Canadian Money Markets <del>CD</del> Certificate Of Deposit <del>CL</del> Call Loans <del>CP</del> Commercial Paper <del>DN</del> Deposit Notes <del>EUCD</del> Euro Certificate Of Deposit	
--	--	--	--	--

			<p> <del>— EUCP — Euro Commercial Paper</del>  <del>— LQN — Liquidity Note</del>  <del>— MTN — Medium Term Notes</del>  <del>— ONITE — Overnight</del>  <del>— PN — Promissory Note</del>  <del>— STN — Short Term Loan Note</del>  <del>— PZPJ — Plazos Fijos</del>  <del>— SLQN — Secured Liquidity Note</del>  <del>— TD — Time Deposit</del>  <del>— TLQN — Term Liquidity Note</del>  <del>— XCN — Extended Comm Note</del>  <del>— YCD — Yankee Certificate Of Deposit</del>  Mortgage  <del>— ABS — Asset backed Securities</del>  <del>— CMB — Canadian Mortgage Bonds</del>  <del>— CMBS — Corp. Mortgage-backed Securities</del>  <del>— CMO — Collateralized Mortgage Obligation</del>  <del>— IET — IOETTE Mortgage</del>  <del>— MBS — Mortgage backed Securities</del>  <del>— MIO — Mortgage Interest Only</del>  <del>— MPO — Mortgage Principal Only</del>  <del>— MPP — Mortgage Private Placement</del>  <del>— MPT — Miscellaneous Pass-through</del>  <del>— PFAND — Pfandbriefe *</del>  <del>— TBA — To Be Announced</del>  Municipal  <del>— AN — Other Anticipation Notes (BAN, GAN, etc.)</del>  <del>— COFO — Certificate Of Obligation</del>  <del>— COFP — Certificate Of Participation</del>  <del>— GO — General Obligation Bonds</del>  <del>— MT — Mandatory Tender</del>  <del>— RAN — Revenue Anticipation Note</del>  <del>— REV — Revenue Bonds</del>  <del>— SPCLA — Special Assessment</del>  <del>— SPCLO — Special Obligation</del>  <del>— SPCLT — Special Tax</del>  <del>— TAN — Tax Anticipation Note</del>  <del>— TAXA — Tax Allocation</del>  <del>— TECP — Tax Exempt Commercial Paper</del> </p>	
--	--	--	--	--

			<del>— TMCP — Taxable Municipal CP</del> <del>— TRAN — Tax Revenue Anticipation Note</del> <del>— VRDN — Variable Rate Demand Note</del> <del>— WAR — Warrant</del> Other <del>— MF — Mutual Fund</del> <del>— MLEG — Multileg Instrument</del> <del>— NONE — No Security Type</del> <del>— ? — Wildcard entry for use on Security Definition Request</del> <del>— CASH — Cash</del>	
1601	RelationshipRiskSecuritySubType	String	Relationship Risk instrument's SecuritySubType.	SecSubTyp
1602	RelationshipRiskMaturityMonthYear	MonthYear	Relationship Risk instrument's MaturityMonthYear.	MMY
1603	RelationshipRiskMaturityTime	TZTimeOnly	Relationship Risk instrument's MaturityTime.	MatTm
1604	RelationshipRiskRestructuringType	String	Relationship Risk instrument's RestructuringType.	RstretTyp
1605	RelationshipRiskSeniority	String	Relationship Risk instrument's Seniority.	Snrty
1606	RelationshipRiskPutOrCall	int	Relationship Risk instrument's PutOrCall.  Valid values: <del>— 0 — Put</del> <del>— 1 — Call</del>	PutCall
1607	RelationshipRiskFlexibleIndicator	Boolean	Relationship Risk instrument's FlexibleIndicator.	FlexInd
1608	RelationshipRiskCouponRate	Percentage	Relationship Risk instrument's CouponRate.	CpnRt
1609	RelationshipRiskSecurityExchange	Exchange	Relationship Risk instrument's SecurityExchange.	Exch
1610	RelationshipRiskSecurityDescription	String	Relationship Risk instrument's SecurityDesc.	Desc

	<del>ityDese</del>			
1611	<del>RelationshipRiskInstrumentSettlType</del>	<del>String</del>	<del>Relationship Risk instrument's SettlType. Valid values: — 0 Regular / FX Spot settlement (T+1 or T+2 depending on currency) — 1 Cash (TOD / T+0) — 2 Next Day (TOM / T+1) — 3 T+2 — 4 T+3 — 5 T+4 — 6 Future — 7 When And If Issued — 8 Sellers Option — 9 T+5 — B Broken date for FX expressing non-standard tenor, SettlDate (64) must be specified — C FX Spot Next settlement (Spot+1, aka next day)  or any value conforming to the data type Tenor</del>	<del>SettlTyp</del>
1612	<del>RelationshipRiskInstrumentMultiplier</del>	<del>float</del>	<del>Relationship risk instrument's RiskInstrumentMultiplier.</del>	<del>Mult</del>
1613	<del>NoRelationshipRiskWarningLevels</del>	<del>NumInGroup</del>	<del>Number of RelationshipRiskWarningLevels.</del>	
1614	<del>RelationshipRiskWarningLevelPercent</del>	<del>Percentage</del>	<del>Relationship's RiskWarningLevelPercent.</del>	<del>Pct</del>
1615	<del>RelationshipRiskWarningLevelName</del>	<del>String</del>	<del>Relationship's RiskWarningLevelName.</del>	<del>Nme</del>
1616	<del>RiskSecurityExchange</del>	<del>Exchange</del>	<del>Risk instrument's SecurityExchange.</del>	<del>Exch</del>
1617	StreamAsgnType	int	The type of assignment being affected in the Stream Assignment Report.  Valid values: 1 - Assignment	AsgnTyp

			2 - Rejected 3 - Terminate/Unassign	
1618	<del>RelationshipRiskEncodedSecurityDescLen</del>	<del>Length</del>	<del>Byte length of encoded (non-ASCII characters) RelationshipRiskEncodedSecurityDesc (1618) field.</del>	
1619	<del>RelationshipRiskEncodedSecurityDesc</del>	<del>data</del>	<del>Encoded (non-ASCII characters) representation of the RelationshipRiskSecurityDesc (1610) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the RelationshipRiskSecurityDesc field.</del>	
1620	<del>RiskEncodedSecurityDescLen</del>	<del>Length</del>	<del>Byte length of encoded (non-ASCII characters) RiskEncodedSecurityDesc (1620) field.</del>	
1621	<del>RiskEncodedSecurityDesc</del>	<del>data</del>	<del>Encoded (non-ASCII characters) representation of the RiskSecurityDesc (1556) field in the encoded format specified via the MessageEncoding (347) field. If used, the ASCII (English) representation should also be specified in the RiskSecurityDesc field.</del>	

## FIX Field Index sorted by tag number:

Tag	FieldName
1	<a href="#">Account</a>
2	<a href="#">AdvId</a>
3	<a href="#">AdvRefID</a>
4	<a href="#">AdvSide</a>
5	<a href="#">AdvTransType</a>
6	<a href="#">AvgPx</a>
7	<a href="#">BeginSeqNo</a>
8	<a href="#">BeginString</a>
9	<a href="#">BodyLength</a>
10	<a href="#">Checksum</a>
11	<a href="#">ClOrdID</a>
12	<a href="#">Commission</a>
13	<a href="#">CommType</a>
14	<a href="#">CumQty</a>
15	<a href="#">Currency</a>
16	<a href="#">EndSeqNo</a>
17	<a href="#">ExecID</a>
18	<a href="#">ExecInst</a>
19	<a href="#">ExecRefID</a>
20	<del><a href="#">ExecTransType</a></del>
21	<a href="#">HandlInst</a>

22	<a href="#">SecurityIDSource</a>
23	<a href="#">IOIID</a>
24	<del><a href="#">IOIOthSyc</a></del> (no longer used)
25	<a href="#">IOIOQtyInd</a>
26	<a href="#">IOIRefID</a>
27	<a href="#">IOIOQty</a>
28	<a href="#">IOITransType</a>
29	<a href="#">LastCapacity</a>
30	<a href="#">LastMkt</a>
31	<a href="#">LastPx</a>
32	<a href="#">LastQty</a>
33	<a href="#">NoLinesOfText</a>
34	<a href="#">MsgSeqNum</a>
35	<a href="#">MsgType</a>
36	<a href="#">NewSeqNo</a>
37	<a href="#">OrderID</a>
38	<a href="#">OrderQty</a>
39	<a href="#">OrdStatus</a>
40	<a href="#">OrdType</a>
41	<a href="#">OrigClOrdID</a>
42	<a href="#">OrigTime</a>
43	<a href="#">PossDupFlag</a>
44	<a href="#">Price</a>

45	<a href="#">RefSeqNum</a>
46	<del><a href="#">RelatdSym</a></del> (no longer used)
47	<del><a href="#">Rule80A</a></del> (No Longer Used)
48	<a href="#">SecurityID</a>
49	<a href="#">SenderCompID</a>
50	<a href="#">SenderSubID</a>
51	<del><a href="#">SendingDate</a></del> (no longer used)
52	<a href="#">SendingTime</a>
53	<a href="#">Quantity</a>
54	<a href="#">Side</a>
55	<a href="#">Symbol</a>
56	<a href="#">TargetCompID</a>
57	<a href="#">TargetSubID</a>
58	<a href="#">Text</a>
59	<a href="#">TimeInForce</a>
60	<a href="#">TransactTime</a>
61	<a href="#">Urgency</a>
62	<a href="#">ValidUntilTime</a>
63	<a href="#">SettlType</a>
64	<a href="#">SettlDate</a>
65	<a href="#">SymbolSfx</a>
66	<a href="#">ListID</a>
67	<a href="#">ListSeqNo</a>

68	<a href="#">TotNoOrders</a>
69	<a href="#">ListExecInst</a>
70	<a href="#">AllocID</a>
71	<a href="#">AllocTransType</a>
72	<a href="#">RefAllocID</a>
73	<a href="#">NoOrders</a>
74	<a href="#">AvgPxPrecision</a>
75	<a href="#">TradeDate</a>
<del>76</del>	<del><a href="#">ExecBroker</a></del>
77	<a href="#">PositionEffect</a>
78	<a href="#">NoAllocs</a>
79	<a href="#">AllocAccount</a>
80	<a href="#">AllocQty</a>
81	<a href="#">ProcessCode</a>
82	<a href="#">NoRpts</a>
83	<a href="#">RptSeq</a>
84	<a href="#">CxlQty</a>
85	<a href="#">NoDlvyInst</a>
<del>86</del>	<del><a href="#">DlvyInst</a></del>
87	<a href="#">AllocStatus</a>
88	<a href="#">AllocRejCode</a>
89	<a href="#">Signature</a>
90	<a href="#">SecureDataLen</a>
91	<a href="#">SecureData</a>
<del>92</del>	<del><a href="#">BrokerOfCredit</a></del>

93	<a href="#">SignatureLength</a>
94	<a href="#">EmailType</a>
95	<a href="#">RawDataLength</a>
96	<a href="#">RawData</a>
97	<a href="#">PossResend</a>
98	<a href="#">EncryptMethod</a>
99	<a href="#">StopPx</a>
100	<a href="#">ExDestination</a>
<del>101</del>	<del>(Not Defined)</del>
102	<a href="#">CxlRejReason</a>
103	<a href="#">OrdRejReason</a>
104	<a href="#">IOIQualifier</a>
<del>105</del>	<del><a href="#">WaveNo</a></del>
106	<a href="#">Issuer</a>
107	<a href="#">SecurityDesc</a>
108	<a href="#">HeartBtInt</a>
<del>109</del>	<del><a href="#">ClientID</a></del>
110	<a href="#">MinQty</a>
111	<a href="#">MaxFloor</a>
112	<a href="#">TestReqID</a>
113	<a href="#">ReportToExch</a>
114	<a href="#">LocateReqd</a>
115	<a href="#">OnBehalfOfCompID</a>
116	<a href="#">OnBehalfOfSubID</a>
117	<a href="#">QuoteID</a>

118	<a href="#">NetMoney</a>
119	<a href="#">SettlCurrAmt</a>
120	<a href="#">SettlCurrency</a>
121	<a href="#">ForexReq</a>
122	<a href="#">OrigSendingTime</a>
123	<a href="#">GapFillFlag</a>
124	<a href="#">NoExecs</a>
<del>125</del>	<del><a href="#">CxlType</a></del>
126	<a href="#">ExpireTime</a>
127	<a href="#">DKReason</a>
128	<a href="#">DeliverToCompID</a>
129	<a href="#">DeliverToSubID</a>
130	<a href="#">IOINaturalFlag</a>
131	<a href="#">QuoteReqID</a>
132	<a href="#">BidPx</a>
133	<a href="#">OfferPx</a>
134	<a href="#">BidSize</a>
135	<a href="#">OfferSize</a>
136	<a href="#">NoMiscFees</a>
137	<a href="#">MiscFeeAmt</a>
138	<a href="#">MiscFeeCurr</a>
139	<a href="#">MiscFeeType</a>
140	<a href="#">PrevClosePx</a>
141	<a href="#">ResetSeqNumFlag</a>
142	<a href="#">SenderLocationID</a>

143	<a href="#">TargetLocationID</a>
144	<a href="#">OnBehalfOfLocationID</a>
145	<a href="#">DeliverToLocationID</a>
146	<a href="#">NoRelatedSym</a>
147	<a href="#">Subject</a>
148	<a href="#">Headline</a>
149	<a href="#">URLLink</a>
150	<a href="#">ExecType</a>
151	<a href="#">LeavesQty</a>
152	<a href="#">CashOrderQty</a>
153	<a href="#">AllocAvgPx</a>
154	<a href="#">AllocNetMoney</a>
155	<a href="#">SettlCurrFxRate</a>
156	<a href="#">SettlCurrFxRateCalc</a>
157	<a href="#">NumDaysInterest</a>
158	<a href="#">AccruedInterestRate</a>
159	<a href="#">AccruedInterestAmt</a>
160	<a href="#">SettlInstMode</a>
161	<a href="#">AllocText</a>
162	<a href="#">SettlInstID</a>
163	<a href="#">SettlInstTransType</a>
164	<a href="#">EmailThreadID</a>
165	<a href="#">SettlInstSource</a>
<del>166</del>	<del><a href="#">SettlLocation</a></del>
167	<a href="#">SecurityType</a>

168	<a href="#">EffectiveTime</a>
169	<a href="#">StandInstDbType</a>
170	<a href="#">StandInstDbName</a>
171	<a href="#">StandInstDbID</a>
172	<a href="#">SettlDeliveryType</a>
<del>173</del>	<del><a href="#">SettlDepositoryCode</a></del>
<del>174</del>	<del><a href="#">SettlBrkrCode</a></del>
<del>175</del>	<del><a href="#">SettlInstCode</a></del>
<del>176</del>	<del><a href="#">SecuritySettlAgentName</a></del>
<del>177</del>	<del><a href="#">SecuritySettlAgentCode</a></del>
<del>178</del>	<del><a href="#">SecuritySettlAgentAcctNum</a></del>
<del>179</del>	<del><a href="#">SecuritySettlAgentAcctName</a></del>
<del>180</del>	<del><a href="#">SecuritySettlAgentContactName</a></del>
<del>181</del>	<del><a href="#">SecuritySettlAgentContactPhone</a></del>
<del>182</del>	<del><a href="#">CashSettlAgentName</a></del>
<del>183</del>	<del><a href="#">CashSettlAgentCode</a></del>
<del>184</del>	<del><a href="#">CashSettlAgentAcctNum</a></del>
<del>185</del>	<del><a href="#">CashSettlAgentAcctName</a></del>
<del>186</del>	<del><a href="#">CashSettlAgentContactName</a></del>
<del>187</del>	<del><a href="#">CashSettlAgentContactPhone</a></del>
188	<a href="#">BidSpotRate</a>
189	<a href="#">BidForwardPoints</a>
190	<a href="#">OfferSpotRate</a>

191	<a href="#">OfferForwardPoints</a>
192	<a href="#">OrderQty2</a>
193	<a href="#">SettlDate2</a>
194	<a href="#">LastSpotRate</a>
195	<a href="#">LastForwardPoints</a>
196	<a href="#">AllocLinkID</a>
197	<a href="#">AllocLinkType</a>
198	<a href="#">SecondaryOrderID</a>
199	<a href="#">NoIOIQualifiers</a>
200	<a href="#">MaturityMonthYear</a>
201	<a href="#">PutOrCall</a>
202	<a href="#">StrikePrice</a>
203	<a href="#">CoveredOrUncovered</a>
<del>204</del>	<del><a href="#">CustomerOrFirm</a></del>
<del>205</del>	<del><a href="#">MaturityDay</a></del>
206	<a href="#">OptAttribute</a>
207	<a href="#">SecurityExchange</a>
208	<a href="#">NotifyBrokerOfCredit</a>
209	<a href="#">AllocHandlInst</a>
210	<a href="#">MaxShow</a>
211	<a href="#">PegOffsetValue</a>
212	<a href="#">XmlDataLen</a>
213	<a href="#">XmlData</a>
214	<a href="#">SettlInstRefID</a>
215	<a href="#">NoRoutingIDs</a>

216	<a href="#">RoutingType</a>
217	<a href="#">RoutingID</a>
218	<a href="#">Spread</a>
<del>219</del>	<del><a href="#">Benchmark</a></del>
220	<a href="#">BenchmarkCurveCurrency</a>
221	<a href="#">BenchmarkCurveName</a>
222	<a href="#">BenchmarkCurvePoint</a>
223	<a href="#">CouponRate</a>
224	<a href="#">CouponPaymentDate</a>
225	<a href="#">IssueDate</a>
226	<a href="#">RepurchaseTerm</a>
227	<a href="#">RepurchaseRate</a>
228	<a href="#">Factor</a>
229	<a href="#">TradeOriginationDate</a>
230	<a href="#">ExDate</a>
231	<a href="#">ContractMultiplier</a>
232	<a href="#">NoStipulations</a>
233	<a href="#">StipulationType</a>
234	<a href="#">StipulationValue</a>
235	<a href="#">YieldType</a>
236	<a href="#">Yield</a>
237	<a href="#">TotalTakedown</a>
238	<a href="#">Concession</a>
239	<a href="#">RepoCollateralSecurityType</a>
240	<a href="#">RedemptionDate</a>

241	<a href="#">UnderlyingCouponPaymentDate</a>
242	<a href="#">UnderlyingIssueDate</a>
243	<a href="#">UnderlyingRepoCollateralSecurityType</a>
244	<a href="#">UnderlyingRepurchaseTerm</a>
245	<a href="#">UnderlyingRepurchaseRate</a>
246	<a href="#">UnderlyingFactor</a>
247	<a href="#">UnderlyingRedemptionDate</a>
248	<a href="#">LegCouponPaymentDate</a>
249	<a href="#">LegIssueDate</a>
250	<a href="#">LegRepoCollateralSecurityType</a>
251	<a href="#">LegRepurchaseTerm</a>
252	<a href="#">LegRepurchaseRate</a>
253	<a href="#">LegFactor</a>
254	<a href="#">LegRedemptionDate</a>
255	<a href="#">CreditRating</a>
256	<a href="#">UnderlyingCreditRating</a>
257	<a href="#">LegCreditRating</a>
258	<a href="#">TradedFlatSwitch</a>
259	<a href="#">BasisFeatureDate</a>
260	<a href="#">BasisFeaturePrice</a>
<del>261</del>	<del><a href="#">Reserved/Allocated to the Fixed Income proposal</a></del>
262	<a href="#">MDReqID</a>

263	<a href="#">SubscriptionRequestType</a>
264	<a href="#">MarketDepth</a>
265	<a href="#">MDUpdateType</a>
266	<a href="#">AggregatedBook</a>
267	<a href="#">NoMDEntryTypes</a>
268	<a href="#">NoMDEntries</a>
269	<a href="#">MDEntryType</a>
270	<a href="#">MDEntryPx</a>
271	<a href="#">MDEntrySize</a>
272	<a href="#">MDEntryDate</a>
273	<a href="#">MDEntryTime</a>
274	<a href="#">TickDirection</a>
275	<a href="#">MDMkt</a>
276	<a href="#">QuoteCondition</a>
277	<a href="#">TradeCondition</a>
278	<a href="#">MDEntryID</a>
279	<a href="#">MDUpdateAction</a>
280	<a href="#">MDEntryRefID</a>
281	<a href="#">MDReqRejReason</a>
282	<a href="#">MDEntryOriginator</a>
283	<a href="#">LocationID</a>
284	<a href="#">DeskID</a>
285	<a href="#">DeleteReason</a>
286	<a href="#">OpenCloseSettlFlag</a>
287	<a href="#">SellerDays</a>

288	<a href="#"><u>MDEntryBuyer</u></a>
289	<a href="#"><u>MDEntrySeller</u></a>
290	<a href="#"><u>MDEntryPositionNo</u></a>
291	<a href="#"><u>FinancialStatus</u></a>
292	<a href="#"><u>CorporateAction</u></a>
293	<a href="#"><u>DefBidSize</u></a>
294	<a href="#"><u>DefOfferSize</u></a>
295	<a href="#"><u>NoQuoteEntries</u></a>
296	<a href="#"><u>NoQuoteSets</u></a>
297	<a href="#"><u>QuoteStatus</u></a>
298	<a href="#"><u>QuoteCancelType</u></a>
299	<a href="#"><u>QuoteEntryID</u></a>
300	<a href="#"><u>QuoteRejectReason</u></a>
301	<a href="#"><u>QuoteResponseLevel</u></a>
302	<a href="#"><u>QuoteSetID</u></a>
303	<a href="#"><u>QuoteRequestType</u></a>
304	<a href="#"><u>TotNoQuoteEntries</u></a>
305	<a href="#"><u>UnderlyingSecurityIDSource</u></a>
306	<a href="#"><u>UnderlyingIssuer</u></a>
307	<a href="#"><u>UnderlyingSecurityDesc</u></a>
308	<a href="#"><u>UnderlyingSecurityExchange</u></a>
309	<a href="#"><u>UnderlyingSecurityID</u></a>
310	<a href="#"><u>UnderlyingSecurityType</u></a>
311	<a href="#"><u>UnderlyingSymbol</u></a>
312	<a href="#"><u>UnderlyingSymbolSfx</u></a>

313	<a href="#"><u>UnderlyingMaturityMonthYear</u></a>
<del>314</del>	<del><a href="#"><u>UnderlyingMaturityDay</u></a></del>
315	<a href="#"><u>UnderlyingPutOrCall</u></a>
316	<a href="#"><u>UnderlyingStrikePrice</u></a>
317	<a href="#"><u>UnderlyingOptAttribute</u></a>
318	<a href="#"><u>UnderlyingCurrency</u></a>
<del>319</del>	<del><a href="#"><u>RatioQty</u></a></del>
320	<a href="#"><u>SecurityReqID</u></a>
321	<a href="#"><u>SecurityRequestType</u></a>
322	<a href="#"><u>SecurityResponseID</u></a>
323	<a href="#"><u>SecurityResponseType</u></a>
324	<a href="#"><u>SecurityStatusReqID</u></a>
325	<a href="#"><u>UnsolicitedIndicator</u></a>
326	<a href="#"><u>SecurityTradingStatus</u></a>
327	<a href="#"><u>HaltReason</u></a>
328	<a href="#"><u>InViewOfCommon</u></a>
329	<a href="#"><u>DueToRelated</u></a>
330	<a href="#"><u>BuyVolume</u></a>
331	<a href="#"><u>SellVolume</u></a>
332	<a href="#"><u>HighPx</u></a>
333	<a href="#"><u>LowPx</u></a>
334	<a href="#"><u>Adjustment</u></a>
335	<a href="#"><u>TradSesReqID</u></a>
336	<a href="#"><u>TradingSessionID</u></a>

337	<a href="#"><u>ContraTrader</u></a>
338	<a href="#"><u>TradSesMethod</u></a>
339	<a href="#"><u>TradSesMode</u></a>
340	<a href="#"><u>TradSesStatus</u></a>
341	<a href="#"><u>TradSesStartTime</u></a>
342	<a href="#"><u>TradSesOpenTime</u></a>
343	<a href="#"><u>TradSesPreCloseTime</u></a>
344	<a href="#"><u>TradSesCloseTime</u></a>
345	<a href="#"><u>TradSesEndTime</u></a>
346	<a href="#"><u>NumberOfOrders</u></a>
347	<a href="#"><u>MessageEncoding</u></a>
348	<a href="#"><u>EncodedIssuerLen</u></a>
349	<a href="#"><u>EncodedIssuer</u></a>
350	<a href="#"><u>EncodedSecurityDescLen</u></a>
351	<a href="#"><u>EncodedSecurityDesc</u></a>
352	<a href="#"><u>EncodedListExecInstLen</u></a>
353	<a href="#"><u>EncodedListExecInst</u></a>
354	<a href="#"><u>EncodedTextLen</u></a>
355	<a href="#"><u>EncodedText</u></a>
356	<a href="#"><u>EncodedSubjectLen</u></a>
357	<a href="#"><u>EncodedSubject</u></a>
358	<a href="#"><u>EncodedHeadlineLen</u></a>
359	<a href="#"><u>EncodedHeadline</u></a>
360	<a href="#"><u>EncodedAllocTextLen</u></a>
361	<a href="#"><u>EncodedAllocText</u></a>

362	<a href="#">EncodedUnderlyingIssuerLen</a>
363	<a href="#">EncodedUnderlyingIssuer</a>
364	<a href="#">EncodedUnderlyingSecurityDescLen</a>
365	<a href="#">EncodedUnderlyingSecurityDesc</a>
366	<a href="#">AllocPrice</a>
367	<a href="#">QuoteSetValidUntilTime</a>
368	<a href="#">QuoteEntryRejectReason</a>
369	<a href="#">LastMsgSeqNumProcessed</a>
370	<a href="#">OnBehalfOfSendingTime</a>
371	<a href="#">RefTagID</a>
372	<a href="#">RefMsgType</a>
373	<a href="#">SessionRejectReason</a>
374	<a href="#">BidRequestTransType</a>
375	<a href="#">ContraBroker</a>
376	<a href="#">ComplianceID</a>
377	<a href="#">SolicitedFlag</a>
378	<a href="#">ExecRestatementReason</a>
379	<a href="#">BusinessRejectRefID</a>
380	<a href="#">BusinessRejectReason</a>
381	<a href="#">GrossTradeAmt</a>
382	<a href="#">NoContraBrokers</a>
383	<a href="#">MaxMessageSize</a>
384	<a href="#">NoMsgTypes</a>

385	<a href="#">MsgDirection</a>
386	<a href="#">NoTradingSessions</a>
387	<a href="#">TotalVolumeTraded</a>
388	<a href="#">DiscretionInst</a>
389	<a href="#">DiscretionOffsetValue</a>
390	<a href="#">BidID</a>
391	<a href="#">ClientBidID</a>
392	<a href="#">ListName</a>
393	<a href="#">TotNoRelatedSym</a>
394	<a href="#">BidType</a>
395	<a href="#">NumTickets</a>
396	<a href="#">SideValue1</a>
397	<a href="#">SideValue2</a>
398	<a href="#">NoBidDescriptors</a>
399	<a href="#">BidDescriptorType</a>
400	<a href="#">BidDescriptor</a>
401	<a href="#">SideValueInd</a>
402	<a href="#">LiquidityPctLow</a>
403	<a href="#">LiquidityPctHigh</a>
404	<a href="#">LiquidityValue</a>
405	<a href="#">EFPTrackingError</a>
406	<a href="#">FairValue</a>
407	<a href="#">OutsideIndexPct</a>
408	<a href="#">ValueOfFutures</a>
409	<a href="#">LiquidityIndType</a>

410	<a href="#">WtAverageLiquidity</a>
411	<a href="#">ExchangeForPhysical</a>
412	<a href="#">OutMainCntryUIndex</a>
413	<a href="#">CrossPercent</a>
414	<a href="#">ProgRptReqs</a>
415	<a href="#">ProgPeriodInterval</a>
416	<a href="#">IncTaxInd</a>
417	<a href="#">NumBidders</a>
418	<a href="#">BidTradeType</a>
419	<a href="#">BasisPxType</a>
420	<a href="#">NoBidComponents</a>
421	<a href="#">Country</a>
422	<a href="#">TotNoStrikes</a>
423	<a href="#">PriceType</a>
424	<a href="#">DayOrderQty</a>
425	<a href="#">DayCumQty</a>
426	<a href="#">DayAvgPx</a>
427	<a href="#">GTBookingInst</a>
428	<a href="#">NoStrikes</a>
429	<a href="#">ListStatusType</a>
430	<a href="#">NetGrossInd</a>
431	<a href="#">ListOrderStatus</a>
432	<a href="#">ExpireDate</a>
433	<a href="#">ListExecInstType</a>
434	<a href="#">CxlRejResponseTo</a>

435	<a href="#">UnderlyingCouponRate</a>
436	<a href="#">UnderlyingContractMultiplier</a>
437	<a href="#">ContraTradeQty</a>
438	<a href="#">ContraTradeTime</a>
439	<del><a href="#">ClearingFirm</a></del>
440	<del><a href="#">ClearingAccount</a></del>
441	<a href="#">LiquidityNumSecurities</a>
442	<a href="#">MultiLegReportingType</a>
443	<a href="#">StrikeTime</a>
444	<a href="#">ListStatusText</a>
445	<a href="#">EncodedListStatusTextLen</a>
446	<a href="#">EncodedListStatusText</a>
447	<a href="#">PartyIDSource</a>
448	<a href="#">PartyID</a>
449	<del><a href="#">TotalVolumeTradedDate</a></del>
450	<del><a href="#">TotalVolumeTradedTime</a></del>
451	<a href="#">NetChgPrevDay</a>
452	<a href="#">PartyRole</a>
453	<a href="#">NoPartyIDs</a>
454	<a href="#">NoSecurityAltID</a>
455	<a href="#">SecurityAltID</a>
456	<a href="#">SecurityAltIDSource</a>
457	<a href="#">NoUnderlyingSecurityAltID</a>
458	<a href="#">UnderlyingSecurityAltID</a>
459	<a href="#">UnderlyingSecurityAltIDSource</a>

	<a href="#">ce</a>
460	<a href="#">Product</a>
461	<a href="#">CFICode</a>
462	<a href="#">UnderlyingProduct</a>
463	<a href="#">UnderlyingCFICode</a>
464	<a href="#">TestMessageIndicator</a>
465	<del><a href="#">QuantityType</a></del>
466	<a href="#">BookingRefID</a>
467	<a href="#">IndividualAllocID</a>
468	<a href="#">RoundingDirection</a>
469	<a href="#">RoundingModulus</a>
470	<a href="#">CountryOfIssue</a>
471	<a href="#">StateOrProvinceOfIssue</a>
472	<a href="#">LocaleOfIssue</a>
473	<a href="#">NoRegistDtls</a>
474	<a href="#">MailingDtls</a>
475	<a href="#">InvestorCountryOfResidence</a>
476	<a href="#">PaymentRef</a>
477	<a href="#">DistribPaymentMethod</a>
478	<a href="#">CashDistribCurr</a>
479	<a href="#">CommCurrency</a>
480	<a href="#">CancellationRights</a>
481	<a href="#">MoneyLaunderingStatus</a>
482	<a href="#">MailingInst</a>
483	<a href="#">TransBkdTime</a>

484	<a href="#">ExecPriceType</a>
485	<a href="#">ExecPriceAdjustment</a>
486	<a href="#">DateOfBirth</a>
487	<a href="#">TradeReportTransType</a>
488	<a href="#">CardHolderName</a>
489	<a href="#">CardNumber</a>
490	<a href="#">CardExpDate</a>
491	<a href="#">CardIssNum</a>
492	<a href="#">PaymentMethod</a>
493	<a href="#">RegistAcctType</a>
494	<a href="#">Designation</a>
495	<a href="#">TaxAdvantageType</a>
496	<a href="#">RegistRejReasonText</a>
497	<a href="#">FundRenewWaiv</a>
498	<a href="#">CashDistribAgentName</a>
499	<a href="#">CashDistribAgentCode</a>
500	<a href="#">CashDistribAgentAcctNumber</a>
501	<a href="#">CashDistribPayRef</a>
502	<a href="#">CashDistribAgentAcctName</a>
503	<a href="#">CardStartDate</a>
504	<a href="#">PaymentDate</a>
505	<a href="#">PaymentRemitterID</a>
506	<a href="#">RegistStatus</a>
507	<a href="#">RegistRejReasonCode</a>

508	<a href="#">RegistRefID</a>
509	<a href="#">RegistDtIs</a>
510	<a href="#">NoDistribInsts</a>
511	<a href="#">RegistEmail</a>
512	<a href="#">DistribPercentage</a>
513	<a href="#">RegistID</a>
514	<a href="#">RegistTransType</a>
515	<a href="#">ExecValuationPoint</a>
516	<a href="#">OrderPercent</a>
517	<a href="#">OwnershipType</a>
518	<a href="#">NoContAmts</a>
519	<a href="#">ContAmtType</a>
520	<a href="#">ContAmtValue</a>
521	<a href="#">ContAmtCurr</a>
522	<a href="#">OwnerType</a>
523	<a href="#">PartySubID</a>
524	<a href="#">NestedPartyID</a>
525	<a href="#">NestedPartyIDSource</a>
526	<a href="#">SecondaryClOrdID</a>
527	<a href="#">SecondaryExecID</a>
528	<a href="#">OrderCapacity</a>
529	<a href="#">OrderRestrictions</a>
530	<a href="#">MassCancelRequestType</a>
531	<a href="#">MassCancelResponse</a>
532	<a href="#">MassCancelRejectReason</a>

533	<a href="#">TotalAffectedOrders</a>
534	<a href="#">NoAffectedOrders</a>
535	<a href="#">AffectedOrderID</a>
536	<a href="#">AffectedSecondaryOrderID</a>
537	<a href="#">QuoteType</a>
538	<a href="#">NestedPartyRole</a>
539	<a href="#">NoNestedPartyIDs</a>
540	<a href="#">TotalAccruedInterestAmt</a>
541	<a href="#">MaturityDate</a>
542	<a href="#">UnderlyingMaturityDate</a>
543	<a href="#">InstrRegistry</a>
544	<a href="#">CashMargin</a>
545	<a href="#">NestedPartySubID</a>
546	<a href="#">Scope</a>
547	<a href="#">MDImplicitDelete</a>
548	<a href="#">CrossID</a>
549	<a href="#">CrossType</a>
550	<a href="#">CrossPrioritization</a>
551	<a href="#">OrigCrossID</a>
552	<a href="#">NoSides</a>
553	<a href="#">Username</a>
554	<a href="#">Password</a>
555	<a href="#">NoLegs</a>
556	<a href="#">LegCurrency</a>
557	<a href="#">TotNoSecurityTypes</a>

558	<a href="#">NoSecurityTypes</a>
559	<a href="#">SecurityListRequestType</a>
560	<a href="#">SecurityRequestResult</a>
561	<a href="#">RoundLot</a>
562	<a href="#">MinTradeVol</a>
563	<a href="#">MultiLegRptTypeReq</a>
564	<a href="#">LegPositionEffect</a>
565	<a href="#">LegCoveredOrUncovered</a>
566	<a href="#">LegPrice</a>
567	<a href="#">TradSesStatusRejReason</a>
568	<a href="#">TradeRequestID</a>
569	<a href="#">TradeRequestType</a>
570	<a href="#">PreviouslyReported</a>
571	<a href="#">TradeReportID</a>
572	<a href="#">TradeReportRefID</a>
573	<a href="#">MatchStatus</a>
574	<a href="#">MatchType</a>
575	<a href="#">OddLot</a>
576	<a href="#">NoClearingInstructions</a>
577	<a href="#">ClearingInstruction</a>
578	<a href="#">TradeInputSource</a>
579	<a href="#">TradeInputDevice</a>
580	<a href="#">NoDates</a>
581	<a href="#">AccountType</a>
582	<a href="#">CustOrderCapacity</a>

583	<a href="#">ClOrdLinkID</a>
584	<a href="#">MassStatusReqID</a>
585	<a href="#">MassStatusReqType</a>
586	<a href="#">OrigOrdModTime</a>
587	<a href="#">LegSettlType</a>
588	<a href="#">LegSettlDate</a>
589	<a href="#">DayBookingInst</a>
590	<a href="#">BookingUnit</a>
591	<a href="#">PreallocMethod</a>
592	<a href="#">UnderlyingCountryOfIssue</a>
593	<a href="#">UnderlyingStateOrProvinceOfIssue</a>
594	<a href="#">UnderlyingLocaleOfIssue</a>
595	<a href="#">UnderlyingInstrRegistry</a>
596	<a href="#">LegCountryOfIssue</a>
597	<a href="#">LegStateOrProvinceOfIssue</a>
598	<a href="#">LegLocaleOfIssue</a>
599	<a href="#">LegInstrRegistry</a>
600	<a href="#">LegSymbol</a>
601	<a href="#">LegSymbolSfx</a>
602	<a href="#">LegSecurityID</a>
603	<a href="#">LegSecurityIDSource</a>
604	<a href="#">NoLegSecurityAltID</a>
605	<a href="#">LegSecurityAltID</a>
606	<a href="#">LegSecurityAltIDSource</a>

607	<a href="#">LegProduct</a>
608	<a href="#">LegCFIcode</a>
609	<a href="#">LegSecurityType</a>
610	<a href="#">LegMaturityMonthYear</a>
611	<a href="#">LegMaturityDate</a>
612	<a href="#">LegStrikePrice</a>
613	<a href="#">LegOptAttribute</a>
614	<a href="#">LegContractMultiplier</a>
615	<a href="#">LegCouponRate</a>
616	<a href="#">LegSecurityExchange</a>
617	<a href="#">LegIssuer</a>
618	<a href="#">EncodedLegIssuerLen</a>
619	<a href="#">EncodedLegIssuer</a>
620	<a href="#">LegSecurityDesc</a>
621	<a href="#">EncodedLegSecurityDescLen</a>
622	<a href="#">EncodedLegSecurityDesc</a>
623	<a href="#">LegRatioQty</a>
624	<a href="#">LegSide</a>
625	<a href="#">TradingSessionSubID</a>
626	<a href="#">AllocType</a>
627	<a href="#">NoHops</a>
628	<a href="#">HopCompID</a>
629	<a href="#">HopSendingTime</a>
630	<a href="#">HopRefID</a>
631	<a href="#">MidPx</a>

632	<a href="#">BidYield</a>
633	<a href="#">MidYield</a>
634	<a href="#">OfferYield</a>
635	<a href="#">ClearingFeeIndicator</a>
636	<a href="#">WorkingIndicator</a>
637	<a href="#">LegLastPx</a>
638	<a href="#">PriorityIndicator</a>
639	<a href="#">PriceImprovement</a>
640	<a href="#">Price2</a>
641	<a href="#">LastForwardPoints2</a>
642	<a href="#">BidForwardPoints2</a>
643	<a href="#">OfferForwardPoints2</a>
644	<a href="#">RFOReqID</a>
645	<a href="#">MktBidPx</a>
646	<a href="#">MktOfferPx</a>
647	<a href="#">MinBidSize</a>
648	<a href="#">MinOfferSize</a>
649	<a href="#">QuoteStatusReqID</a>
650	<a href="#">LegalConfirm</a>
651	<a href="#">UnderlyingLastPx</a>
652	<a href="#">UnderlyingLastQty</a>
653	<a href="#">SeeDefStatus</a>
654	<a href="#">LegRefID</a>
655	<a href="#">ContraLegRefID</a>
656	<a href="#">SettlCurrBidFxRate</a>

657	<a href="#">SettlCurrOfferFxRate</a>
658	<a href="#">QuoteRequestRejectReason</a>
659	<a href="#">SideComplianceID</a>
660	<a href="#">AcctIDSource</a>
661	<a href="#">AllocAcctIDSource</a>
662	<a href="#">BenchmarkPrice</a>
663	<a href="#">BenchmarkPriceType</a>
664	<a href="#">ConfirmID</a>
665	<a href="#">ConfirmStatus</a>
666	<a href="#">ConfirmTransType</a>
667	<a href="#">ContractSettlMonth</a>
668	<a href="#">DeliveryForm</a>
669	<a href="#">LastParPx</a>
670	<a href="#">NoLegAllocs</a>
671	<a href="#">LegAllocAccount</a>
672	<a href="#">LegIndividualAllocID</a>
673	<a href="#">LegAllocQty</a>
674	<a href="#">LegAllocAcctIDSource</a>
675	<a href="#">LegSettlCurrency</a>
676	<a href="#">LegBenchmarkCurveCurren y</a>
677	<a href="#">LegBenchmarkCurveName</a>
678	<a href="#">LegBenchmarkCurvePoint</a>
679	<a href="#">LegBenchmarkPrice</a>
680	<a href="#">LegBenchmarkPriceType</a>

681	<a href="#">LegBidPx</a>
682	<a href="#">LegIOIOty</a>
683	<a href="#">NoLegStipulations</a>
684	<a href="#">LegOfferPx</a>
685	<a href="#">LegOrderQty</a>
686	<a href="#">LegPriceType</a>
687	<a href="#">LegQty</a>
688	<a href="#">LegStipulationType</a>
689	<a href="#">LegStipulationValue</a>
690	<a href="#">LegSwapType</a>
691	<a href="#">Pool</a>
692	<a href="#">QuotePriceType</a>
693	<a href="#">QuoteRespID</a>
694	<a href="#">QuoteRespType</a>
695	<a href="#">QuoteQualifier</a>
696	<a href="#">YieldRedemptionDate</a>
697	<a href="#">YieldRedemptionPrice</a>
698	<a href="#">YieldRedemptionPriceType</a>
699	<a href="#">BenchmarkSecurityID</a>
700	<a href="#">ReversalIndicator</a>
701	<a href="#">YieldCalcDate</a>
702	<a href="#">NoPositions</a>
703	<a href="#">PosType</a>
704	<a href="#">LongQty</a>
705	<a href="#">ShortQty</a>

706	<a href="#">PosQtyStatus</a>
707	<a href="#">PosAmtType</a>
708	<a href="#">PosAmt</a>
709	<a href="#">PosTransType</a>
710	<a href="#">PosReqID</a>
711	<a href="#">NoUnderlyings</a>
712	<a href="#">PosMaintAction</a>
713	<a href="#">OrigPosReqRefID</a>
714	<a href="#">PosMaintRptRefID</a>
715	<a href="#">ClearingBusinessDate</a>
716	<a href="#">SettlSessID</a>
717	<a href="#">SettlSessSubID</a>
718	<a href="#">AdjustmentType</a>
719	<a href="#">ContraryInstructionIndicator</a>
720	<a href="#">PriorSpreadIndicator</a>
721	<a href="#">PosMaintRptID</a>
722	<a href="#">PosMaintStatus</a>
723	<a href="#">PosMaintResult</a>
724	<a href="#">PosReqType</a>
725	<a href="#">ResponseTransportType</a>
726	<a href="#">ResponseDestination</a>
727	<a href="#">TotalNumPosReports</a>
728	<a href="#">PosReqResult</a>
729	<a href="#">PosReqStatus</a>
730	<a href="#">SettlPrice</a>

731	<a href="#"><u>SettlPriceType</u></a>
732	<a href="#"><u>UnderlyingSettlPrice</u></a>
733	<a href="#"><u>UnderlyingSettlPriceType</u></a>
734	<a href="#"><u>PriorSettlPrice</u></a>
735	<a href="#"><u>NoQuoteQualifiers</u></a>
736	<a href="#"><u>AllocSettlCurrency</u></a>
737	<a href="#"><u>AllocSettlCurrAmt</u></a>
738	<a href="#"><u>InterestAtMaturity</u></a>
739	<a href="#"><u>LegDatedDate</u></a>
740	<a href="#"><u>LegPool</u></a>
741	<a href="#"><u>AllocInterestAtMaturity</u></a>
742	<a href="#"><u>AllocAccruedInterestAmt</u></a>
743	<a href="#"><u>DeliveryDate</u></a>
744	<a href="#"><u>AssignmentMethod</u></a>
745	<a href="#"><u>AssignmentUnit</u></a>
746	<a href="#"><u>OpenInterest</u></a>
747	<a href="#"><u>ExerciseMethod</u></a>
748	<a href="#"><u>TotNumTradeReports</u></a>
749	<a href="#"><u>TradeRequestResult</u></a>
750	<a href="#"><u>TradeRequestStatus</u></a>
751	<a href="#"><u>TradeReportRejectReason</u></a>
752	<a href="#"><u>SideMultiLegReportingType</u></a>
753	<a href="#"><u>NoPosAmt</u></a>
754	<a href="#"><u>AutoAcceptIndicator</u></a>
755	<a href="#"><u>AllocReportID</u></a>

756	<a href="#"><u>NoNested2PartyIDs</u></a>
757	<a href="#"><u>Nested2PartyID</u></a>
758	<a href="#"><u>Nested2PartyIDSource</u></a>
759	<a href="#"><u>Nested2PartyRole</u></a>
760	<a href="#"><u>Nested2PartySubID</u></a>
761	<a href="#"><u>BenchmarkSecurityIDSource</u></a>
762	<a href="#"><u>SecuritySubType</u></a>
763	<a href="#"><u>UnderlyingSecuritySubType</u></a>
764	<a href="#"><u>LegSecuritySubType</u></a>
765	<a href="#"><u>AllowableOneSidednessPct</u></a>
766	<a href="#"><u>AllowableOneSidednessValue</u></a>
767	<a href="#"><u>AllowableOneSidednessCurr</u></a>
768	<a href="#"><u>NoTrdRegTimestamps</u></a>
769	<a href="#"><u>TrdRegTimestamp</u></a>
770	<a href="#"><u>TrdRegTimestampType</u></a>
771	<a href="#"><u>TrdRegTimestampOrigin</u></a>
772	<a href="#"><u>ConfirmRefID</u></a>
773	<a href="#"><u>ConfirmType</u></a>
774	<a href="#"><u>ConfirmRejReason</u></a>
775	<a href="#"><u>BookingType</u></a>
776	<a href="#"><u>IndividualAllocRejCode</u></a>
777	<a href="#"><u>SettlInstMsgID</u></a>
778	<a href="#"><u>NoSettlInst</u></a>
779	<a href="#"><u>LastUpdateTime</u></a>
780	<a href="#"><u>AllocSettlInstType</u></a>

781	<a href="#"><u>NoSettlPartyIDs</u></a>
782	<a href="#"><u>SettlPartyID</u></a>
783	<a href="#"><u>SettlPartyIDSource</u></a>
784	<a href="#"><u>SettlPartyRole</u></a>
785	<a href="#"><u>SettlPartySubID</u></a>
786	<a href="#"><u>SettlPartySubIDType</u></a>
787	<a href="#"><u>DlvyInstType</u></a>
788	<a href="#"><u>TerminationType</u></a>
789	<a href="#"><u>NextExpectedMsgSeqNum</u></a>
790	<a href="#"><u>OrdStatusReqID</u></a>
791	<a href="#"><u>SettlInstReqID</u></a>
792	<a href="#"><u>SettlInstReqRejCode</u></a>
793	<a href="#"><u>SecondaryAllocID</u></a>
794	<a href="#"><u>AllocReportType</u></a>
795	<a href="#"><u>AllocReportRefID</u></a>
796	<a href="#"><u>AllocCancReplaceReason</u></a>
797	<a href="#"><u>CopyMsgIndicator</u></a>
798	<a href="#"><u>AllocAccountType</u></a>
799	<a href="#"><u>OrderAvgPx</u></a>
800	<a href="#"><u>OrderBookingQty</u></a>
801	<a href="#"><u>NoSettlPartySubIDs</u></a>
802	<a href="#"><u>NoPartySubIDs</u></a>
803	<a href="#"><u>PartySubIDType</u></a>
804	<a href="#"><u>NoNestedPartySubIDs</u></a>
805	<a href="#"><u>NestedPartySubIDType</u></a>

806	<a href="#"><u>NoNested2PartySubIDs</u></a>
807	<a href="#"><u>Nested2PartySubIDType</u></a>
808	<a href="#"><u>AllocIntermedReqType</u></a>
809	<a href="#"><u>NoUsernames</u></a>
810	<a href="#"><u>UnderlyingPx</u></a>
811	<a href="#"><u>PriceDelta</u></a>
812	<a href="#"><u>ApplQueueMax</u></a>
813	<a href="#"><u>ApplQueueDepth</u></a>
814	<a href="#"><u>ApplQueueResolution</u></a>
815	<a href="#"><u>ApplQueueAction</u></a>
816	<a href="#"><u>NoAltMDSsource</u></a>
817	<a href="#"><u>AltMDSsourceID</u></a>
818	<a href="#"><u>SecondaryTradeReportID</u></a>
819	<a href="#"><u>AvgPxIndicator</u></a>
820	<a href="#"><u>TradeLinkID</u></a>
821	<a href="#"><u>OrderInputDevice</u></a>
822	<a href="#"><u>UnderlyingTradingSessionID</u></a>
823	<a href="#"><u>UnderlyingTradingSessionSubID</u></a>
824	<a href="#"><u>TradeLegRefID</u></a>
825	<a href="#"><u>ExchangeRule</u></a>
826	<a href="#"><u>TradeAllocIndicator</u></a>
827	<a href="#"><u>ExpirationCycle</u></a>
828	<a href="#"><u>TrdType</u></a>
829	<a href="#"><u>TrdSubType</u></a>

830	<a href="#"><u>TransferReason</u></a>
<del>831</del>	<del><a href="#"><u>AsgnReqID</u></a></del>
832	<a href="#"><u>TotNumAssignmentReports</u></a>
833	<a href="#"><u>AsgnRptID</u></a>
834	<a href="#"><u>ThresholdAmount</u></a>
835	<a href="#"><u>PegMoveType</u></a>
836	<a href="#"><u>PegOffsetType</u></a>
837	<a href="#"><u>PegLimitType</u></a>
838	<a href="#"><u>PegRoundDirection</u></a>
839	<a href="#"><u>PeggedPrice</u></a>
840	<a href="#"><u>PegScope</u></a>
841	<a href="#"><u>DiscretionMoveType</u></a>
842	<a href="#"><u>DiscretionOffsetType</u></a>
843	<a href="#"><u>DiscretionLimitType</u></a>
844	<a href="#"><u>DiscretionRoundDirection</u></a>
845	<a href="#"><u>DiscretionPrice</u></a>
846	<a href="#"><u>DiscretionScope</u></a>
847	<a href="#"><u>TargetStrategy</u></a>
848	<a href="#"><u>TargetStrategyParameters</u></a>
849	<a href="#"><u>ParticipationRate</u></a>
850	<a href="#"><u>TargetStrategyPerformance</u></a>
851	<a href="#"><u>LastLiquidityInd</u></a>
852	<a href="#"><u>PublishTrdIndicator</u></a>
853	<a href="#"><u>ShortSaleReason</u></a>
854	<a href="#"><u>OtyType</u></a>

855	<a href="#"><u>SecondaryTrdType</u></a>
856	<a href="#"><u>TradeReportType</u></a>
857	<a href="#"><u>AllocNoOrdersType</u></a>
858	<a href="#"><u>SharedCommission</u></a>
859	<a href="#"><u>ConfirmReqID</u></a>
860	<a href="#"><u>AvgParPx</u></a>
861	<a href="#"><u>ReportedPx</u></a>
862	<a href="#"><u>NoCapacities</u></a>
863	<a href="#"><u>OrderCapacityQty</u></a>
864	<a href="#"><u>NoEvents</u></a>
865	<a href="#"><u>EventType</u></a>
866	<a href="#"><u>EventData</u></a>
867	<a href="#"><u>EventPx</u></a>
868	<a href="#"><u>EventText</u></a>
869	<a href="#"><u>PctAtRisk</u></a>
870	<a href="#"><u>NoInstrAttrib</u></a>
871	<a href="#"><u>InstrAttribType</u></a>
872	<a href="#"><u>InstrAttribValue</u></a>
873	<a href="#"><u>DatedDate</u></a>
874	<a href="#"><u>InterestAccrualDate</u></a>
875	<a href="#"><u>CPProgram</u></a>
876	<a href="#"><u>CPRegType</u></a>
877	<a href="#"><u>UnderlyingCPProgram</u></a>
878	<a href="#"><u>UnderlyingCPRegType</u></a>
879	<a href="#"><u>UnderlyingQty</u></a>

880	<a href="#">TrdMatchID</a>
881	<a href="#">SecondaryTradeReportRefID</a>
882	<a href="#">UnderlyingDirtyPrice</a>
883	<a href="#">UnderlyingEndPrice</a>
884	<a href="#">UnderlyingStartValue</a>
885	<a href="#">UnderlyingCurrentValue</a>
886	<a href="#">UnderlyingEndValue</a>
887	<a href="#">NoUnderlyingStips</a>
888	<a href="#">UnderlyingStipType</a>
889	<a href="#">UnderlyingStipValue</a>
890	<a href="#">MaturityNetMoney</a>
891	<a href="#">MiscFeeBasis</a>
892	<a href="#">TotNoAllocs</a>
893	<a href="#">LastFragment</a>
894	<a href="#">CollReqID</a>
895	<a href="#">CollAsgnReason</a>
896	<a href="#">CollInquiryQualifier</a>
897	<a href="#">NoTrades</a>
898	<a href="#">MarginRatio</a>
899	<a href="#">MarginExcess</a>
900	<a href="#">TotalNetValue</a>
901	<a href="#">CashOutstanding</a>
902	<a href="#">CollAsgnID</a>
903	<a href="#">CollAsgnTransType</a>
904	<a href="#">CollRespID</a>

905	<a href="#">CollAsgnRespType</a>
906	<a href="#">CollAsgnRejectReason</a>
907	<a href="#">CollAsgnRefID</a>
908	<a href="#">CollRptID</a>
909	<a href="#">CollInquiryID</a>
910	<a href="#">CollStatus</a>
911	<a href="#">TotNumReports</a>
912	<a href="#">LastRptRequested</a>
913	<a href="#">AgreementDesc</a>
914	<a href="#">AgreementID</a>
915	<a href="#">AgreementDate</a>
916	<a href="#">StartDate</a>
917	<a href="#">EndDate</a>
918	<a href="#">AgreementCurrency</a>
919	<a href="#">DeliveryType</a>
920	<a href="#">EndAccruedInterestAmt</a>
921	<a href="#">StartCash</a>
922	<a href="#">EndCash</a>
923	<a href="#">UserRequestID</a>
924	<a href="#">UserRequestType</a>
925	<a href="#">NewPassword</a>
926	<a href="#">UserStatus</a>
927	<a href="#">UserStatusText</a>
928	<a href="#">StatusValue</a>
929	<a href="#">StatusText</a>

930	<a href="#">RefCompID</a>
931	<a href="#">RefSubID</a>
932	<a href="#">NetworkResponseID</a>
933	<a href="#">NetworkRequestID</a>
934	<a href="#">LastNetworkResponseID</a>
935	<a href="#">NetworkRequestType</a>
936	<a href="#">NoCompIDs</a>
937	<a href="#">NetworkStatusResponseType</a>
938	<a href="#">NoCollInquiryQualifier</a>
939	<a href="#">TrdRptStatus</a>
940	<a href="#">AffirmStatus</a>
941	<a href="#">UnderlyingStrikeCurrency</a>
942	<a href="#">LegStrikeCurrency</a>
943	<a href="#">TimeBracket</a>
944	<a href="#">CollAction</a>
945	<a href="#">CollInquiryStatus</a>
946	<a href="#">CollInquiryResult</a>
947	<a href="#">StrikeCurrency</a>
948	<a href="#">NoNested3PartyIDs</a>
949	<a href="#">Nested3PartyID</a>
950	<a href="#">Nested3PartyIDSource</a>
951	<a href="#">Nested3PartyRole</a>
952	<a href="#">NoNested3PartySubIDs</a>
953	<a href="#">Nested3PartySubID</a>
954	<a href="#">Nested3PartySubIDType</a>

955	<a href="#">LegContractSettlMonth</a>
956	<a href="#">LegInterestAccrualDate</a>
957	<a href="#">NoStrategyParameters</a>
958	<a href="#">StrategyParameterName</a>
959	<a href="#">StrategyParameterType</a>
960	<a href="#">StrategyParameterValue</a>
961	<a href="#">HostCrossID</a>
962	<a href="#">SideTimeInForce</a>
963	<a href="#">MDReportID</a>
964	<a href="#">SecurityReportID</a>
965	<a href="#">SecurityStatus</a>
966	<a href="#">SettleOnOpenFlag</a>
967	<a href="#">StrikeMultiplier</a>
968	<a href="#">StrikeValue</a>
969	<a href="#">MinPriceIncrement</a>
970	<a href="#">PositionLimit</a>
971	<a href="#">NTPositionLimit</a>
972	<a href="#">UnderlyingAllocationPercent</a>
973	<a href="#">UnderlyingCashAmount</a>
974	<a href="#">UnderlyingCashType</a>
975	<a href="#">UnderlyingSettlementType</a>
976	<a href="#">QuantityDate</a>
977	<a href="#">ContIntRptID</a>
978	<a href="#">LateIndicator</a>
979	<a href="#">InputSource</a>

980	<a href="#">SecurityUpdateAction</a>
981	<a href="#">NoExpiration</a>
982	<a href="#">ExpirationQtyType</a>
983	<a href="#">ExpQty</a>
984	<a href="#">NoUnderlyingAmounts</a>
985	<a href="#">UnderlyingPayAmount</a>
986	<a href="#">UnderlyingCollectAmount</a>
987	<a href="#">UnderlyingSettlementDate</a>
988	<a href="#">UnderlyingSettlementStatus</a>
989	<a href="#">SecondaryIndividualAllocID</a>
990	<a href="#">LegReportID</a>
991	<a href="#">RndPx</a>
992	<a href="#">IndividualAllocType</a>
993	<a href="#">AllocCustomerCapacity</a>
994	<a href="#">TierCode</a>
996	<a href="#">UnitOfMeasure</a>
997	<a href="#">TimeUnit</a>
998	<a href="#">UnderlyingUnitOfMeasure</a>
999	<a href="#">LegUnitOfMeasure</a>
1000	<a href="#">UnderlyingTimeUnit</a>
1001	<a href="#">LegTimeUnit</a>
1002	<a href="#">AllocMethod</a>
1003	<a href="#">TradeID</a>
1005	<a href="#">SideTradeReportID</a>
1006	<a href="#">SideFillStationCd</a>

1007	<a href="#">SideReasonCd</a>
1008	<a href="#">SideTrdSubTyp</a>
1009	<a href="#">SideLastQty</a>
1011	<a href="#">MessageEventSource</a>
1012	<a href="#">SideTrdRegTimestamp</a>
1013	<a href="#">SideTrdRegTimestampType</a>
1014	<a href="#">SideTrdRegTimestampSrc</a>
1015	<a href="#">AsOfIndicator</a>
1016	<a href="#">NoSideTrdRegTS</a>
1017	<a href="#">LegOptionRatio</a>
1018	<a href="#">NoInstrumentParties</a>
1019	<a href="#">InstrumentPartyID</a>
1020	<a href="#">TradeVolume</a>
1021	<a href="#">MDBookType</a>
1022	<a href="#">MDFeedType</a>
1023	<a href="#">MDPriceLevel</a>
1024	<a href="#">MDOriOriginType</a>
1025	<a href="#">FirstPx</a>
1026	<a href="#">MDEntrySpotRate</a>
1027	<a href="#">MDEntryForwardPoints</a>
1028	<a href="#">ManualOrderIndicator</a>
1029	<a href="#">CustDirectedOrder</a>
1030	<a href="#">ReceivedDeptID</a>
1031	<a href="#">CustOrderHandlingInst</a>
1032	<a href="#">OrderHandlingInstSource</a>

1033	<a href="#">DeskType</a>
1034	<a href="#">DeskTypeSource</a>
1035	<a href="#">DeskOrderHandlingInst</a>
1036	<a href="#">ExecAckStatus</a>
1037	<a href="#">UnderlyingDeliveryAmount</a>
1038	<a href="#">UnderlyingCapValue</a>
1039	<a href="#">UnderlyingSettlMethod</a>
1040	<a href="#">SecondaryTradeID</a>
1041	<a href="#">FirmTradeID</a>
1042	<a href="#">SecondaryFirmTradeID</a>
1043	<a href="#">CollApplType</a>
1044	<a href="#">UnderlyingAdjustedQuantity</a>
1045	<a href="#">UnderlyingFXRate</a>
1046	<a href="#">UnderlyingFXRateCalc</a>
1047	<a href="#">AllocPositionEffect</a>
1048	<a href="#">DealingCapacity</a>
1049	<a href="#">InstrmtAssignmentMethod</a>
1050	<a href="#">InstrumentPartyIDSource</a>
1051	<a href="#">InstrumentPartyRole</a>
1052	<a href="#">NoInstrumentPartySubIDs</a>
1053	<a href="#">InstrumentPartySubID</a>
1054	<a href="#">InstrumentPartySubIDType</a>
1055	<a href="#">PositionCurrency</a>
1056	<a href="#">CalculatedCcyLastQty</a>
1057	<a href="#">AggressorIndicator</a>

1058	<a href="#">NoUndlyInstrumentParties</a>
1059	<a href="#">UnderlyingInstrumentPartyID</a>
1060	<a href="#">UnderlyingInstrumentPartyIDSource</a>
1061	<a href="#">UnderlyingInstrumentPartyRole</a>
1062	<a href="#">NoUndlyInstrumentPartySubIDs</a>
1063	<a href="#">UnderlyingInstrumentPartySubID</a>
1064	<a href="#">UnderlyingInstrumentPartySubIDType</a>
1065	<a href="#">BidSwapPoints</a>
1066	<a href="#">OfferSwapPoints</a>
1067	<a href="#">LegBidForwardPoints</a>
1068	<a href="#">LegOfferForwardPoints</a>
1069	<a href="#">SwapPoints</a>
1070	<a href="#">MDQuoteType</a>
1071	<a href="#">LastSwapPoints</a>
1072	<a href="#">SideGrossTradeAmt</a>
1073	<a href="#">LegLastForwardPoints</a>
1074	<a href="#">LegCalculatedCcyLastQty</a>
1075	<a href="#">LegGrossTradeAmt</a>
1079	<a href="#">MaturityTime</a>
1080	<a href="#">RefOrderID</a>
1081	<a href="#">RefOrderIDSource</a>

1082	<a href="#">SecondaryDisplayQty</a>
1083	<a href="#">DisplayWhen</a>
1084	<a href="#">DisplayMethod</a>
1085	<a href="#">DisplayLowQty</a>
1086	<a href="#">DisplayHighQty</a>
1087	<a href="#">DisplayMinIncr</a>
1088	<a href="#">RefreshQty</a>
1089	<a href="#">MatchIncrement</a>
1090	<a href="#">MaxPriceLevels</a>
1091	<a href="#">PreTradeAnonymity</a>
1092	<a href="#">PriceProtectionScope</a>
1093	<a href="#">LotType</a>
1094	<a href="#">PegPriceType</a>
1095	<a href="#">PeggedRefPrice</a>
1096	<a href="#">PegSecurityIDSource</a>
1097	<a href="#">PegSecurityID</a>
1098	<a href="#">PegSymbol</a>
1099	<a href="#">PegSecurityDesc</a>
1100	<a href="#">TriggerType</a>
1101	<a href="#">TriggerAction</a>
1102	<a href="#">TriggerPrice</a>
1103	<a href="#">TriggerSymbol</a>
1104	<a href="#">TriggerSecurityID</a>
1105	<a href="#">TriggerSecurityIDSource</a>
1106	<a href="#">TriggerSecurityDesc</a>

1107	<a href="#"><u>TriggerPriceType</u></a>
1108	<a href="#"><u>TriggerPriceTypeScope</u></a>
1109	<a href="#"><u>TriggerPriceDirection</u></a>
1110	<a href="#"><u>TriggerNewPrice</u></a>
1111	<a href="#"><u>TriggerOrderType</u></a>
1112	<a href="#"><u>TriggerNewQty</u></a>
1113	<a href="#"><u>TriggerTradingSessionID</u></a>
1114	<a href="#"><u>TriggerTradingSessionSubID</u></a>
1115	<a href="#"><u>OrderCategory</u></a>
1116	<a href="#"><u>NoRootPartyIDs</u></a>
1117	<a href="#"><u>RootPartyID</u></a>
1118	<a href="#"><u>RootPartyIDSource</u></a>
1119	<a href="#"><u>RootPartyRole</u></a>
1120	<a href="#"><u>NoRootPartySubIDs</u></a>
1121	<a href="#"><u>RootPartySubID</u></a>
1122	<a href="#"><u>RootPartySubIDType</u></a>
1123	<a href="#"><u>TradeHandlingInstr</u></a>
1124	<a href="#"><u>OrigTradeHandlingInstr</u></a>
1125	<a href="#"><u>OrigTradeDate</u></a>
1126	<a href="#"><u>OrigTradeID</u></a>
1127	<a href="#"><u>OrigSecondaryTradeID</u></a>
1128	<a href="#"><u>AppVerID</u></a>
1129	<a href="#"><u>CstmAppVerID</u></a>
1130	<a href="#"><u>RefAppVerID</u></a>
1131	<a href="#"><u>RefCstmAppVerID</u></a>

1132	<a href="#"><u>TZTransactTime</u></a>
1133	<a href="#"><u>ExDestinationIDSource</u></a>
1134	<a href="#"><u>ReportedPxDiff</u></a>
1135	<a href="#"><u>RptSys</u></a>
1136	<a href="#"><u>AllocClearingFeeIndicator</u></a>
1137	<a href="#"><u>DefaultAppVerID</u></a>
1138	<a href="#"><u>DisplayQty</u></a>
1139	<a href="#"><u>ExchangeSpecialInstructions</u></a>
1140	<a href="#"><u>MaxTradeVol</u></a>
1141	<a href="#"><u>NoMDFeedTypes</u></a>
1142	<a href="#"><u>MatchAlgorithm</u></a>
1143	<a href="#"><u>MaxPriceVariation</u></a>
1144	<a href="#"><u>ImpliedMarketIndicator</u></a>
1145	<a href="#"><u>EventTime</u></a>
1146	<a href="#"><u>MinPriceIncrementAmount</u></a>
1147	<a href="#"><u>UnitOfMeasureQty</u></a>
1148	<a href="#"><u>LowLimitPrice</u></a>
1149	<a href="#"><u>HighLimitPrice</u></a>
1150	<a href="#"><u>TradingReferencePrice</u></a>
1151	<a href="#"><u>SecurityGroup</u></a>
1152	<a href="#"><u>LegNumber</u></a>
1153	<a href="#"><u>SettlementCycleNo</u></a>
1154	<a href="#"><u>SideCurrency</u></a>
1155	<a href="#"><u>SideSettlCurrency</u></a>
1156	<a href="#"><u>AppExtID</u></a>

1157	<a href="#"><u>CcyAmt</u></a>
1158	<a href="#"><u>NoSettlDetails</u></a>
1159	<a href="#"><u>SettlObligMode</u></a>
1160	<a href="#"><u>SettlObligMsgID</u></a>
1161	<a href="#"><u>SettlObligID</u></a>
1162	<a href="#"><u>SettlObligTransType</u></a>
1163	<a href="#"><u>SettlObligRefID</u></a>
1164	<a href="#"><u>SettlObligSource</u></a>
1165	<a href="#"><u>NoSettlOblig</u></a>
1166	<a href="#"><u>QuoteMsgID</u></a>
1167	<a href="#"><u>QuoteEntryStatus</u></a>
1168	<a href="#"><u>TotNoCxlDQuotes</u></a>
1169	<a href="#"><u>TotNoAccQuotes</u></a>
1170	<a href="#"><u>TotNoRejQuotes</u></a>
1171	<a href="#"><u>PrivateQuote</u></a>
1172	<a href="#"><u>RespondentType</u></a>
1173	<a href="#"><u>MDSubBookType</u></a>
1174	<a href="#"><u>SecurityTradingEvent</u></a>
1175	<a href="#"><u>NoStatsIndicators</u></a>
1176	<a href="#"><u>StatsType</u></a>
1177	<a href="#"><u>NoOfSecSizes</u></a>
1178	<a href="#"><u>MDSecSizeType</u></a>
1179	<a href="#"><u>MDSecSize</u></a>
1180	<a href="#"><u>AppID</u></a>
1181	<a href="#"><u>AppSeqNum</u></a>

1182	<a href="#">ApplBegSeqNum</a>
1183	<a href="#">ApplEndSeqNum</a>
1184	<a href="#">SecurityXMLLen</a>
1185	<a href="#">SecurityXML</a>
1186	<a href="#">SecurityXMLSchema</a>
1187	<a href="#">RefreshIndicator</a>
1188	<a href="#">Volatility</a>
1189	<a href="#">TimeToExpiration</a>
1190	<a href="#">RiskFreeRate</a>
1191	<a href="#">PriceUnitOfMeasure</a>
1192	<a href="#">PriceUnitOfMeasureQty</a>
1193	<a href="#">SettlMethod</a>
1194	<a href="#">ExerciseStyle</a>
1195	<a href="#">OptPayoutAmount</a>
1196	<a href="#">PriceQuoteMethod</a>
1197	<a href="#">ValuationMethod</a>
1198	<a href="#">ListMethod</a>
1199	<a href="#">CapPrice</a>
1200	<a href="#">FloorPrice</a>
1201	<a href="#">NoStrikeRules</a>
1202	<a href="#">StartStrikePxRange</a>
1203	<a href="#">EndStrikePxRange</a>
1204	<a href="#">StrikeIncrement</a>
1205	<a href="#">NoTickRules</a>
1206	<a href="#">StartTickPriceRange</a>

1207	<a href="#">EndTickPriceRange</a>
1208	<a href="#">TickIncrement</a>
1209	<a href="#">TickRuleType</a>
1210	<a href="#">NestedInstrAttribType</a>
1211	<a href="#">NestedInstrAttribValue</a>
1212	<a href="#">LegMaturityTime</a>
1213	<a href="#">UnderlyingMaturityTime</a>
1214	<a href="#">DerivativeSymbol</a>
1215	<a href="#">DerivativeSymbolSfx</a>
1216	<a href="#">DerivativeSecurityID</a>
1217	<a href="#">DerivativeSecurityIDSource</a>
1218	<a href="#">NoDerivativeSecurityAltID</a>
1219	<a href="#">DerivativeSecurityAltID</a>
1220	<a href="#">DerivativeSecurityAltIDSource</a>
1221	<a href="#">SecondaryLowLimitPrice</a>
1222	<a href="#">MaturityRuleID</a>
1223	<a href="#">StrikeRuleID</a>
1224	<a href="#">LegUnitOfMeasureQty</a>
1225	<a href="#">DerivativeOptPayAmount</a>
1226	<a href="#">EndMaturityMonthYear</a>
1227	<a href="#">ProductComplex</a>
1228	<a href="#">DerivativeProductComplex</a>
1229	<a href="#">MaturityMonthYearIncrement</a>

1230	<a href="#">SecondaryHighLimitPrice</a>
1231	<a href="#">MinLotSize</a>
1232	<a href="#">NoExecInstRules</a>
1234	<a href="#">NoLotTypeRules</a>
1235	<a href="#">NoMatchRules</a>
1236	<a href="#">NoMaturityRules</a>
1237	<a href="#">NoOrdTypeRules</a>
1239	<a href="#">NoTimeInForceRules</a>
1240	<a href="#">SecondaryTradingReferencePrice</a>
1241	<a href="#">StartMaturityMonthYear</a>
1242	<a href="#">FlexProductEligibilityIndicator</a>
1243	<a href="#">DerivFlexProductEligibilityIndicator</a>
1244	<a href="#">FlexibleIndicator</a>
1245	<a href="#">TradingCurrency</a>
1246	<a href="#">DerivativeProduct</a>
1247	<a href="#">DerivativeSecurityGroup</a>
1248	<a href="#">DerivativeCFIcode</a>
1249	<a href="#">DerivativeSecurityType</a>
1250	<a href="#">DerivativeSecuritySubType</a>
1251	<a href="#">DerivativeMaturityMonthYear</a>
1252	<a href="#">DerivativeMaturityDate</a>
1253	<a href="#">DerivativeMaturityTime</a>

1254	<a href="#"><u>DerivativeSettleOnOpenFlag</u></a>
1255	<a href="#"><u>DerivativeInstrmtAssignmentMethod</u></a>
1256	<a href="#"><u>DerivativeSecurityStatus</u></a>
1257	<a href="#"><u>DerivativeInstrRegistry</u></a>
1258	<a href="#"><u>DerivativeCountryOfIssue</u></a>
1259	<a href="#"><u>DerivativeStateOrProvinceOfIssue</u></a>
1260	<a href="#"><u>DerivativeLocaleOfIssue</u></a>
1261	<a href="#"><u>DerivativeStrikePrice</u></a>
1262	<a href="#"><u>DerivativeStrikeCurrency</u></a>
1263	<a href="#"><u>DerivativeStrikeMultiplier</u></a>
1264	<a href="#"><u>DerivativeStrikeValue</u></a>
1265	<a href="#"><u>DerivativeOptAttribute</u></a>
1266	<a href="#"><u>DerivativeContractMultiplier</u></a>
1267	<a href="#"><u>DerivativeMinPriceIncrement</u></a>
1268	<a href="#"><u>DerivativeMinPriceIncrementAmount</u></a>
1269	<a href="#"><u>DerivativeUnitOfMeasure</u></a>
1270	<a href="#"><u>DerivativeUnitOfMeasureQty</u></a>
1271	<a href="#"><u>DerivativeTimeUnit</u></a>
1272	<a href="#"><u>DerivativeSecurityExchange</u></a>
1273	<a href="#"><u>DerivativePositionLimit</u></a>
1274	<a href="#"><u>DerivativeNTPositionLimit</u></a>
1275	<a href="#"><u>DerivativeIssuer</u></a>
1276	<a href="#"><u>DerivativeIssueDate</u></a>

1277	<a href="#"><u>DerivativeEncodedIssuerLen</u></a>
1278	<a href="#"><u>DerivativeEncodedIssuer</u></a>
1279	<a href="#"><u>DerivativeSecurityDesc</u></a>
1280	<a href="#"><u>DerivativeEncodedSecurityDescLen</u></a>
1281	<a href="#"><u>DerivativeEncodedSecurityDesc</u></a>
1282	<a href="#"><u>DerivativeSecurityXMLLen</u></a>
1283	<a href="#"><u>DerivativeSecurityXML</u></a>
1284	<a href="#"><u>DerivativeSecurityXMLSchema</u></a>
1285	<a href="#"><u>DerivativeContractSettlMonth</u></a>
1286	<a href="#"><u>NoDerivativeEvents</u></a>
1287	<a href="#"><u>DerivativeEventType</u></a>
1288	<a href="#"><u>DerivativeEventDate</u></a>
1289	<a href="#"><u>DerivativeEventTime</u></a>
1290	<a href="#"><u>DerivativeEventPx</u></a>
1291	<a href="#"><u>DerivativeEventText</u></a>
1292	<a href="#"><u>NoDerivativeInstrumentParties</u></a>
1293	<a href="#"><u>DerivativeInstrumentPartyID</u></a>
1294	<a href="#"><u>DerivativeInstrumentPartyIDSource</u></a>
1295	<a href="#"><u>DerivativeInstrumentPartyRole</u></a>
1296	<a href="#"><u>NoDerivativeInstrumentPartySubIDs</u></a>

1297	<a href="#"><u>DerivativeInstrumentPartySubID</u></a>
1298	<a href="#"><u>DerivativeInstrumentPartySubIDType</u></a>
1299	<a href="#"><u>DerivativeExerciseStyle</u></a>
1300	<a href="#"><u>MarketSegmentID</u></a>
1301	<a href="#"><u>MarketID</u></a>
1302	<a href="#"><u>MaturityMonthYearIncrementUnits</u></a>
1303	<a href="#"><u>MaturityMonthYearFormat</u></a>
1304	<a href="#"><u>StrikeExerciseStyle</u></a>
1305	<a href="#"><u>SecondaryPriceLimitType</u></a>
1306	<a href="#"><u>PriceLimitType</u></a>
<del>1307</del>	<del><a href="#"><u>DerivativeSecurityListRequestType</u></a></del>
1308	<a href="#"><u>ExecInstValue</u></a>
1309	<a href="#"><u>NoTradingSessionRules</u></a>
1310	<a href="#"><u>NoMarketSegments</u></a>
1311	<a href="#"><u>NoDerivativeInstrAttrib</u></a>
1312	<a href="#"><u>NoNestedInstrAttrib</u></a>
1313	<a href="#"><u>DerivativeInstrAttribType</u></a>
1314	<a href="#"><u>DerivativeInstrAttribValue</u></a>
1315	<a href="#"><u>DerivativePriceUnitOfMeasure</u></a>
1316	<a href="#"><u>DerivativePriceUnitOfMeasureQty</u></a>
1317	<a href="#"><u>DerivativeSettlMethod</u></a>

1318	<a href="#"><u>DerivativePriceQuoteMethod</u></a>
1319	<a href="#"><u>DerivativeValuationMethod</u></a>
1320	<a href="#"><u>DerivativeListMethod</u></a>
1321	<a href="#"><u>DerivativeCapPrice</u></a>
1322	<a href="#"><u>DerivativeFloorPrice</u></a>
1323	<a href="#"><u>DerivativePutOrCall</u></a>
1324	<a href="#"><u>ListUpdateAction</u></a>
1325	<a href="#"><u>ParentMktSegmID</u></a>
1326	<a href="#"><u>TradingSessionDesc</u></a>
1327	<a href="#"><u>TradSesUpdateAction</u></a>
1328	<a href="#"><u>RejectText</u></a>
1329	<a href="#"><u>FeeMultiplier</u></a>
1330	<a href="#"><u>UnderlyingLegSymbol</u></a>
1331	<a href="#"><u>UnderlyingLegSymbolSfx</u></a>
1332	<a href="#"><u>UnderlyingLegSecurityID</u></a>
1333	<a href="#"><u>UnderlyingLegSecurityIDSource</u></a>
1334	<a href="#"><u>NoUnderlyingLegSecurityAltID</u></a>
1335	<a href="#"><u>UnderlyingLegSecurityAltID</u></a>
1336	<a href="#"><u>UnderlyingLegSecurityAltIDSource</u></a>
1337	<a href="#"><u>UnderlyingLegSecurityType</u></a>
1338	<a href="#"><u>UnderlyingLegSecuritySubType</u></a>
1339	<a href="#"><u>UnderlyingLegMaturityMont</u></a>

	<a href="#"><u>hYear</u></a>
1340	<a href="#"><u>UnderlyingLegStrikePrice</u></a>
1341	<a href="#"><u>UnderlyingLegSecurityExchange</u></a>
1342	<a href="#"><u>NoOfLegUnderlyings</u></a>
1343	<a href="#"><u>UnderlyingLegPutOrCall</u></a>
1344	<a href="#"><u>UnderlyingLegCFICode</u></a>
1345	<a href="#"><u>UnderlyingLegMaturityDate</u></a>
1346	<a href="#"><u>ApplReqID</u></a>
1347	<a href="#"><u>ApplReqType</u></a>
1348	<a href="#"><u>ApplResponseType</u></a>
1349	<a href="#"><u>ApplTotalMessageCount</u></a>
1350	<a href="#"><u>ApplLastSeqNum</u></a>
1351	<a href="#"><u>NoApplIDs</u></a>
1352	<a href="#"><u>ApplResendFlag</u></a>
1353	<a href="#"><u>ApplResponseID</u></a>
1354	<a href="#"><u>ApplResponseError</u></a>
1355	<a href="#"><u>RefApplID</u></a>
1356	<a href="#"><u>ApplReportID</u></a>
1357	<a href="#"><u>RefApplLastSeqNum</u></a>
1358	<a href="#"><u>LegPutOrCall</u></a>
<del>1359</del>	<del><a href="#"><u>EncodedSymbolLen</u></a></del>
<del>1360</del>	<del><a href="#"><u>EncodedSymbol</u></a></del>
1361	<a href="#"><u>TotNoFills</u></a>
1362	<a href="#"><u>NoFills</u></a>

1363	<a href="#"><u>FillExecID</u></a>
1364	<a href="#"><u>FillPx</u></a>
1365	<a href="#"><u>FillQty</u></a>
1366	<a href="#"><u>LegAllocID</u></a>
1367	<a href="#"><u>LegAllocSettlCurrency</u></a>
1368	<a href="#"><u>TradSesEvent</u></a>
1369	<a href="#"><u>MassActionReportID</u></a>
1370	<a href="#"><u>NoNotAffectedOrders</u></a>
1371	<a href="#"><u>NotAffectedOrderID</u></a>
1372	<a href="#"><u>NotAffOrigClOrdID</u></a>
1373	<a href="#"><u>MassActionType</u></a>
1374	<a href="#"><u>MassActionScope</u></a>
1375	<a href="#"><u>MassActionResponse</u></a>
1376	<a href="#"><u>MassActionRejectReason</u></a>
1377	<a href="#"><u>MultilegModel</u></a>
1378	<a href="#"><u>MultilegPriceMethod</u></a>
1379	<a href="#"><u>LegVolatility</u></a>
1380	<a href="#"><u>DividendYield</u></a>
1381	<a href="#"><u>LegDividendYield</u></a>
1382	<a href="#"><u>CurrencyRatio</u></a>
1383	<a href="#"><u>LegCurrencyRatio</u></a>
1384	<a href="#"><u>LegExecInst</u></a>
1385	<a href="#"><u>ContingencyType</u></a>
1386	<a href="#"><u>ListRejectReason</u></a>
1387	<a href="#"><u>NoTrdRepIndicators</u></a>

1388	<a href="#"><u>TrdRepPartyRole</u></a>
1389	<a href="#"><u>TrdRepIndicator</u></a>
1390	<a href="#"><u>TradePublishIndicator</u></a>
1391	<a href="#"><u>UnderlyingLegOptAttribute</u></a>
1392	<a href="#"><u>UnderlyingLegSecurityDesc</u></a>
1393	<a href="#"><u>MarketReqID</u></a>
1394	<a href="#"><u>MarketReportID</u></a>
1395	<a href="#"><u>MarketUpdateAction</u></a>
1396	<a href="#"><u>MarketSegmentDesc</u></a>
1397	<a href="#"><u>EncodedMktSegmDescLen</u></a>
1398	<a href="#"><u>EncodedMktSegmDesc</u></a>
1399	<a href="#"><u>ApplNewSeqNum</u></a>
1400	<a href="#"><u>EncryptedPasswordMethod</u></a>
1401	<a href="#"><u>EncryptedPasswordLen</u></a>
1402	<a href="#"><u>EncryptedPassword</u></a>
1403	<a href="#"><u>EncryptedNewPasswordLen</u></a>
1404	<a href="#"><u>EncryptedNewPassword</u></a>
1405	<a href="#"><u>UnderlyingLegMaturityTime</u></a>
1406	<a href="#"><u>RefApplExtID</u></a>
1407	<a href="#"><u>DefaultApplExtID</u></a>
1408	<a href="#"><u>DefaultCstmApplVerID</u></a>
1409	<a href="#"><u>SessionStatus</u></a>
1410	<a href="#"><u>DefaultVerIndicator</u></a>
1411	<a href="#"><u>Nested4PartySubIDType</u></a>
1412	<a href="#"><u>Nested4PartySubID</u></a>

1413	<a href="#"><u>NoNested4PartySubIDs</u></a>
1414	<a href="#"><u>NoNested4PartyIDs</u></a>
1415	<a href="#"><u>Nested4PartyID</u></a>
1416	<a href="#"><u>Nested4PartyIDSource</u></a>
1417	<a href="#"><u>Nested4PartyRole</u></a>
1418	<a href="#"><u>LegLastQty</u></a>
1419	<a href="#"><u>UnderlyingExerciseStyle</u></a>
1420	<a href="#"><u>LegExerciseStyle</u></a>
1421	<a href="#"><u>LegPriceUnitOfMeasure</u></a>
1422	<a href="#"><u>LegPriceUnitOfMeasureQty</u></a>
1423	<a href="#"><u>UnderlyingUnitOfMeasureQty</u></a>
1424	<a href="#"><u>UnderlyingPriceUnitOfMeasure</u></a>
1425	<a href="#"><u>UnderlyingPriceUnitOfMeasureQty</u></a>
1426	<a href="#"><u>ApplReportType</u></a>
1427	<a href="#"><u>SideExecID</u></a>
1428	<a href="#"><u>OrderDelay</u></a>
1429	<a href="#"><u>OrderDelayUnit</u></a>
1430	<a href="#"><u>VenueType</u></a>
1431	<a href="#"><u>RefOrdIDReason</u></a>
1432	<a href="#"><u>OrigCustOrderCapacity</u></a>
1433	<a href="#"><u>RefApplReqID</u></a>
1434	<a href="#"><u>ModelType</u></a>
1435	<a href="#"><u>ContractMultiplierUnit</u></a>

1436	<a href="#"><u>LegContractMultiplierUnit</u></a>
1437	<a href="#"><u>UnderlyingContractMultiplierUnit</u></a>
1438	<a href="#"><u>DerivativeContractMultiplierUnit</u></a>
1439	<a href="#"><u>FlowScheduleType</u></a>
1440	<a href="#"><u>LegFlowScheduleType</u></a>
1441	<a href="#"><u>UnderlyingFlowScheduleType</u></a>
1442	<a href="#"><u>DerivativeFlowScheduleType</u></a>
1443	<a href="#"><u>FillLiquidityInd</u></a>
1444	<a href="#"><u>SideLiquidityInd</u></a>
1445	<a href="#"><u>NoRateSources</u></a>
1446	<a href="#"><u>RateSource</u></a>
1447	<a href="#"><u>RateSourceType</u></a>
1448	<a href="#"><u>ReferencePage</u></a>
1449	<a href="#"><u>RestructuringType</u></a>
1450	<a href="#"><u>Seniority</u></a>
1451	<a href="#"><u>NotionalPercentageOutstanding</u></a>
1452	<a href="#"><u>OriginalNotionalPercentageOutstanding</u></a>
1453	<a href="#"><u>UnderlyingRestructuringType</u></a>
1454	<a href="#"><u>UnderlyingSeniority</u></a>
1455	<a href="#"><u>UnderlyingNotionalPercentageOutstanding</u></a>
1456	<a href="#"><u>UnderlyingOriginalNotionalP</u></a>

	<u><a href="#">ercentageOutstanding</a></u>
1457	<u><a href="#">AttachmentPoint</a></u>
1458	<u><a href="#">DetachmentPoint</a></u>
1459	<u><a href="#">UnderlyingAttachmentPoint</a></u>
1460	<u><a href="#">UnderlyingDetachmentPoint</a></u>
1461	<u><a href="#">NoTargetPartyIDs</a></u>
1462	<u><a href="#">TargetPartyID</a></u>
1463	<u><a href="#">TargetPartyIDSource</a></u>
1464	<u><a href="#">TargetPartyRole</a></u>
1465	<u><a href="#">SecurityListID</a></u>
1466	<u><a href="#">SecurityListRefID</a></u>
1467	<u><a href="#">SecurityListDesc</a></u>
1468	<u><a href="#">EncodedSecurityListDescLen</a></u>
1469	<u><a href="#">EncodedSecurityListDesc</a></u>
1470	<u><a href="#">SecurityListType</a></u>
1471	<u><a href="#">SecurityListTypeSource</a></u>
1472	<u><a href="#">NewsID</a></u>
1473	<u><a href="#">NewsCategory</a></u>
1474	<u><a href="#">LanguageCode</a></u>
1475	<u><a href="#">NoNewsRefIDs</a></u>
1476	<u><a href="#">NewsRefID</a></u>
1477	<u><a href="#">NewsRefType</a></u>
1478	<u><a href="#">StrikePriceDeterminationMethod</a></u>
1479	<u><a href="#">StrikePriceBoundaryMethod</a></u>

1480	<u><a href="#">StrikePriceBoundaryPrecision</a></u>
1481	<u><a href="#">UnderlyingPriceDeterminationMethod</a></u>
1482	<u><a href="#">OptPayoutType</a></u>
1483	<u><a href="#">NoComplexEvents</a></u>
1484	<u><a href="#">ComplexEventType</a></u>
1485	<u><a href="#">ComplexOptPayoutAmount</a></u>
1486	<u><a href="#">ComplexEventPrice</a></u>
1487	<u><a href="#">ComplexEventPriceBoundaryMethod</a></u>
1488	<u><a href="#">ComplexEventPriceBoundaryPrecision</a></u>
1489	<u><a href="#">ComplexEventPriceTimeType</a></u>
1490	<u><a href="#">ComplexEventCondition</a></u>
1491	<u><a href="#">NoComplexEventDates</a></u>
1492	<u><a href="#">ComplexEventStartDate</a></u>
1493	<u><a href="#">ComplexEventEndDate</a></u>
1494	<u><a href="#">NoComplexEventTimes</a></u>
1495	<u><a href="#">ComplexEventStartTime</a></u>
1496	<u><a href="#">ComplexEventEndTime</a></u>
1497	<u><a href="#">StreamAsgnReqID</a></u>
1498	<u><a href="#">StreamAsgnReqType</a></u>
1499	<u><a href="#">NoAsgnReqs</a></u>
1500	<u><a href="#">MDStreamID</a></u>
1501	<u><a href="#">StreamAsgnRptID</a></u>

1502	<u><a href="#">StreamAsgnRejReason</a></u>
1503	<u><a href="#">StreamAsgnAckType</a></u>
1504	<u><a href="#">RelSymTransactTime</a></u>
<del>1505</del>	<del><u><a href="#">PartyDetailsListRequestID</a></u></del>
<del>1506</del>	<del><u><a href="#">NoPartyListResponseTypes</a></u></del>
<del>1507</del>	<del><u><a href="#">PartyListResponseType</a></u></del>
<del>1508</del>	<del><u><a href="#">NoRequestedPartyRoles</a></u></del>
<del>1509</del>	<del><u><a href="#">RequestedPartyRole</a></u></del>
<del>1510</del>	<del><u><a href="#">PartyDetailsListReportID</a></u></del>
<del>1511</del>	<del><u><a href="#">PartyDetailsRequestResult</a></u></del>
<del>1512</del>	<del><u><a href="#">TotNoPartyList</a></u></del>
<del>1513</del>	<del><u><a href="#">NoPartyList</a></u></del>
<del>1514</del>	<del><u><a href="#">NoPartyRelationships</a></u></del>
<del>1515</del>	<del><u><a href="#">PartyRelationship</a></u></del>
<del>1516</del>	<del><u><a href="#">NoPartyAltIDs</a></u></del>
<del>1517</del>	<del><u><a href="#">PartyAltID</a></u></del>
<del>1518</del>	<del><u><a href="#">PartyAltIDSource</a></u></del>
<del>1519</del>	<del><u><a href="#">NoPartyAltSubIDs</a></u></del>
<del>1520</del>	<del><u><a href="#">PartyAltSubID</a></u></del>
<del>1521</del>	<del><u><a href="#">PartyAltSubIDType</a></u></del>
<del>1522</del>	<del><u><a href="#">NoContextPartyIDs</a></u></del>
<del>1523</del>	<del><u><a href="#">ContextPartyID</a></u></del>
<del>1524</del>	<del><u><a href="#">ContextPartyIDSource</a></u></del>
<del>1525</del>	<del><u><a href="#">ContextPartyRole</a></u></del>
<del>1526</del>	<del><u><a href="#">NoContextPartySubIDs</a></u></del>

1527	<u><i>ContextPartySubID</i></u>
1528	<u><i>ContextPartySubIDType</i></u>
1529	<u><i>NoRiskLimits</i></u>
1530	<u><i>RiskLimitType</i></u>
1531	<u><i>RiskLimitAmount</i></u>
1532	<u><i>RiskLimitCurrency</i></u>
1533	<u><i>RiskLimitPlatform</i></u>
1534	<u><i>NoRiskInstruments</i></u>
1535	<u><i>RiskInstrumentOperator</i></u>
1536	<u><i>RiskSymbol</i></u>
1537	<u><i>RiskSymbolSfx</i></u>
1538	<u><i>RiskSecurityID</i></u>
1539	<u><i>RiskSecurityIDSource</i></u>
1540	<u><i>NoRiskSecurityAltID</i></u>
1541	<u><i>RiskSecurityAltID</i></u>
1542	<u><i>RiskSecurityAltIDSource</i></u>
1543	<u><i>RiskProduct</i></u>
1544	<u><i>RiskProductComplex</i></u>
1545	<u><i>RiskSecurityGroup</i></u>
1546	<u><i>RiskCFICode</i></u>
1547	<u><i>RiskSecurityType</i></u>
1548	<u><i>RiskSecuritySubType</i></u>
1549	<u><i>RiskMaturityMonthYear</i></u>
1550	<u><i>RiskMaturityTime</i></u>
1551	<u><i>RiskRestructuringType</i></u>

1552	<u><i>RiskSeniority</i></u>
1553	<u><i>RiskPutOrCall</i></u>
1554	<u><i>RiskFlexibleIndicator</i></u>
1555	<u><i>RiskCouponRate</i></u>
1556	<u><i>RiskSecurityDese</i></u>
1557	<u><i>RiskInstrumentSettlType</i></u>
1558	<u><i>RiskInstrumentMultiplier</i></u>
1559	<u><i>NoRiskWarningLevels</i></u>
1560	<u><i>RiskWarningLevelPercent</i></u>
1561	<u><i>RiskWarningLevelName</i></u>
1562	<u><i>NoRelatedPartyIDs</i></u>
1563	<u><i>RelatedPartyID</i></u>
1564	<u><i>RelatedPartyIDSource</i></u>
1565	<u><i>RelatedPartyRole</i></u>
1566	<u><i>NoRelatedPartySubIDs</i></u>
1567	<u><i>RelatedPartySubID</i></u>
1568	<u><i>RelatedPartySubIDType</i></u>
1569	<u><i>NoRelatedPartyAltIDs</i></u>
1570	<u><i>RelatedPartyAltID</i></u>
1571	<u><i>RelatedPartyAltIDSource</i></u>
1572	<u><i>NoRelatedPartyAltSubIDs</i></u>
1573	<u><i>RelatedPartyAltSubID</i></u>
1574	<u><i>RelatedPartyAltSubIDType</i></u>
1575	<u><i>NoRelatedContextPartyIDs</i></u>
1576	<u><i>RelatedContextPartyID</i></u>

1577	<u><i>RelatedContextPartyIDSource</i></u>
1578	<u><i>RelatedContextPartyRole</i></u>
1579	<u><i>NoRelatedContextPartySubIDs</i></u>
1580	<u><i>RelatedContextPartySubID</i></u>
1581	<u><i>RelatedContextPartySubIDType</i></u>
1582	<u><i>NoRelationshipRiskLimits</i></u>
1583	<u><i>RelationshipRiskLimitType</i></u>
1584	<u><i>RelationshipRiskLimitAmount</i></u>
1585	<u><i>RelationshipRiskLimitCurrency</i></u>
1586	<u><i>RelationshipRiskLimitPlatform</i></u>
1587	<u><i>NoRelationshipRiskInstruments</i></u>
1588	<u><i>RelationshipRiskInstrumentOperator</i></u>
1589	<u><i>RelationshipRiskSymbol</i></u>
1590	<u><i>RelationshipRiskSymbolSfx</i></u>
1591	<u><i>RelationshipRiskSecurityID</i></u>
1592	<u><i>RelationshipRiskSecurityIDSource</i></u>
1593	<u><i>NoRelationshipRiskSecurityAltID</i></u>
1594	<u><i>RelationshipRiskSecurityAltID</i></u>

1595	<u><i>RelationshipRiskSecurityAltIDSource</i></u>
1596	<u><i>RelationshipRiskProduct</i></u>
1597	<u><i>RelationshipRiskProductComplex</i></u>
1598	<u><i>RelationshipRiskSecurityGroup</i></u>
1599	<u><i>RelationshipRiskCFIcode</i></u>
1600	<u><i>RelationshipRiskSecurityType</i></u>
1601	<u><i>RelationshipRiskSecuritySubType</i></u>
1602	<u><i>RelationshipRiskMaturityMonthYear</i></u>
1603	<u><i>RelationshipRiskMaturityTime</i></u>
1604	<u><i>RelationshipRiskRestructuringType</i></u>
1605	<u><i>RelationshipRiskSeniority</i></u>
1606	<u><i>RelationshipRiskPutOrCall</i></u>
1607	<u><i>RelationshipRiskFlexibleIndicator</i></u>
1608	<u><i>RelationshipRiskCouponRate</i></u>
1609	<u><i>RelationshipRiskSecurityExchange</i></u>
1610	<u><i>RelationshipRiskSecurityDescription</i></u>
1611	<u><i>RelationshipRiskInstrumentSettlementType</i></u>
1612	<u><i>RelationshipRiskInstrumentMultiplier</i></u>

1613	<u><i>NoRelationshipRiskWarningLevels</i></u>
1614	<u><i>RelationshipRiskWarningLevelPercent</i></u>
1615	<u><i>RelationshipRiskWarningLevelName</i></u>
1616	<u><i>RiskSecurityExchange</i></u>
1617	<u><i>StreamAsgnType</i></u>
1618	<u><i>RelationshipRiskEncodedSecurityDescription</i></u>
1619	<u><i>RelationshipRiskEncodedSecurityDescription</i></u>
1620	<u><i>RiskEncodedSecurityDescription</i></u>
1621	<u><i>RiskEncodedSecurityDescription</i></u>

## FIX Field Index sorted by field name:

Tag	FieldName
<del>101</del>	(Not Defined)
1	<a href="#">Account</a>
581	<a href="#">AccountType</a>
159	<a href="#">AccruedInterestAmt</a>
158	<a href="#">AccruedInterestRate</a>
660	<a href="#">AcctIDSource</a>
334	<a href="#">Adjustment</a>
718	<a href="#">AdjustmentType</a>
2	<a href="#">AdvId</a>
3	<a href="#">AdvRefID</a>
4	<a href="#">AdvSide</a>
5	<a href="#">AdvTransType</a>
535	<a href="#">AffectedOrderID</a>
536	<a href="#">AffectedSecondaryOrderID</a>
940	<a href="#">AffirmStatus</a>
266	<a href="#">AggregatedBook</a>
1057	<a href="#">AggressorIndicator</a>
918	<a href="#">AgreementCurrency</a>
915	<a href="#">AgreementDate</a>
913	<a href="#">AgreementDesc</a>
914	<a href="#">AgreementID</a>

79	<a href="#">AllocAccount</a>
798	<a href="#">AllocAccountType</a>
742	<a href="#">AllocAccruedInterestAmt</a>
661	<a href="#">AllocAcctIDSource</a>
153	<a href="#">AllocAvgPx</a>
796	<a href="#">AllocCancReplaceReason</a>
1136	<a href="#">AllocClearingFeeIndicator</a>
993	<a href="#">AllocCustomerCapacity</a>
209	<a href="#">AllocHandlInst</a>
70	<a href="#">AllocID</a>
741	<a href="#">AllocInterestAtMaturity</a>
808	<a href="#">AllocIntermedReqType</a>
196	<a href="#">AllocLinkID</a>
197	<a href="#">AllocLinkType</a>
1002	<a href="#">AllocMethod</a>
154	<a href="#">AllocNetMoney</a>
857	<a href="#">AllocNoOrdersType</a>
1047	<a href="#">AllocPositionEffect</a>
366	<a href="#">AllocPrice</a>
80	<a href="#">AllocQty</a>
88	<a href="#">AllocRejCode</a>
755	<a href="#">AllocReportID</a>
795	<a href="#">AllocReportRefID</a>

794	<a href="#">AllocReportType</a>
737	<a href="#">AllocSettlCurrAmt</a>
736	<a href="#">AllocSettlCurrency</a>
780	<a href="#">AllocSettlInstType</a>
87	<a href="#">AllocStatus</a>
161	<a href="#">AllocText</a>
71	<a href="#">AllocTransType</a>
626	<a href="#">AllocType</a>
767	<a href="#">AllowableOneSidednessCurr</a>
765	<a href="#">AllowableOneSidednessPct</a>
766	<a href="#">AllowableOneSidednessValue</a>
817	<a href="#">AltMDSourceID</a>
1182	<a href="#">ApplBegSeqNum</a>
1183	<a href="#">ApplEndSeqNum</a>
1156	<a href="#">ApplExtID</a>
1180	<a href="#">ApplID</a>
1350	<a href="#">ApplLastSeqNum</a>
1399	<a href="#">ApplNewSeqNum</a>
815	<a href="#">ApplQueueAction</a>
813	<a href="#">ApplQueueDepth</a>
812	<a href="#">ApplQueueMax</a>
814	<a href="#">ApplQueueResolution</a>
1356	<a href="#">ApplReportID</a>

1426	<a href="#">ApplReportType</a>
1346	<a href="#">ApplReqID</a>
1347	<a href="#">ApplReqType</a>
1352	<a href="#">ApplResendFlag</a>
1354	<a href="#">ApplResponseError</a>
1353	<a href="#">ApplResponseID</a>
1348	<a href="#">ApplResponseType</a>
1181	<a href="#">ApplSeqNum</a>
1349	<a href="#">ApplTotalMessageCount</a>
1128	<a href="#">ApplVerID</a>
<del>831</del>	<del><a href="#">AsgnReqID</a></del>
833	<a href="#">AsgnRptID</a>
1015	<a href="#">AsOfIndicator</a>
744	<a href="#">AssignmentMethod</a>
745	<a href="#">AssignmentUnit</a>
1457	<a href="#">AttachmentPoint</a>
754	<a href="#">AutoAcceptIndicator</a>
860	<a href="#">AvgParPx</a>
6	<a href="#">AvgPx</a>
819	<a href="#">AvgPxIndicator</a>
74	<a href="#">AvgPxPrecision</a>
259	<a href="#">BasisFeatureDate</a>
260	<a href="#">BasisFeaturePrice</a>
419	<a href="#">BasisPxType</a>
7	<a href="#">BeginSeqNo</a>

8	<a href="#">BeginString</a>
<del>219</del>	<del><a href="#">Benchmark</a></del>
220	<a href="#">BenchmarkCurveCurrency</a>
221	<a href="#">BenchmarkCurveName</a>
222	<a href="#">BenchmarkCurvePoint</a>
662	<a href="#">BenchmarkPrice</a>
663	<a href="#">BenchmarkPriceType</a>
699	<a href="#">BenchmarkSecurityID</a>
761	<a href="#">BenchmarkSecurityIDSource</a>
400	<a href="#">BidDescriptor</a>
399	<a href="#">BidDescriptorType</a>
189	<a href="#">BidForwardPoints</a>
642	<a href="#">BidForwardPoints2</a>
390	<a href="#">BidID</a>
132	<a href="#">BidPx</a>
374	<a href="#">BidRequestTransType</a>
134	<a href="#">BidSize</a>
188	<a href="#">BidSpotRate</a>
1065	<a href="#">BidSwapPoints</a>
418	<a href="#">BidTradeType</a>
394	<a href="#">BidType</a>
632	<a href="#">BidYield</a>
9	<a href="#">BodyLength</a>
466	<a href="#">BookingRefID</a>
775	<a href="#">BookingType</a>

590	<a href="#">BookingUnit</a>
<del>92</del>	<del><a href="#">BrokerOfCredit</a></del>
380	<a href="#">BusinessRejectReason</a>
379	<a href="#">BusinessRejectRefID</a>
330	<a href="#">BuyVolume</a>
1056	<a href="#">CalculatedCcyLastQty</a>
480	<a href="#">CancellationRights</a>
1199	<a href="#">CapPrice</a>
490	<a href="#">CardExpDate</a>
488	<a href="#">CardHolderName</a>
491	<a href="#">CardIssNum</a>
489	<a href="#">CardNumber</a>
503	<a href="#">CardStartDate</a>
502	<a href="#">CashDistribAgentAcctName</a>
500	<a href="#">CashDistribAgentAcctNumber</a>
499	<a href="#">CashDistribAgentCode</a>
498	<a href="#">CashDistribAgentName</a>
478	<a href="#">CashDistribCurr</a>
501	<a href="#">CashDistribPayRef</a>
544	<a href="#">CashMargin</a>
152	<a href="#">CashOrderQty</a>
901	<a href="#">CashOutstanding</a>
<del>185</del>	<del><a href="#">CashSettlAgentAcctName</a></del>
<del>184</del>	<del><a href="#">CashSettlAgentAcctNum</a></del>

183	<u><del>CashSettlAgentCode</del></u>
186	<u><del>CashSettlAgentContactName</del></u>
187	<u><del>CashSettlAgentContactPhone</del></u>
182	<u><del>CashSettlAgentName</del></u>
1157	<u>CcyAmt</u>
461	<u>CFICode</u>
10	<u>CheckSum</u>
440	<u><del>ClearingAccount</del></u>
715	<u>ClearingBusinessDate</u>
635	<u>ClearingFeeIndicator</u>
439	<u><del>ClearingFirm</del></u>
577	<u>ClearingInstruction</u>
391	<u>ClientBidID</u>
109	<u><del>ClientID</del></u>
11	<u>ClOrdID</u>
583	<u>ClOrdLinkID</u>
944	<u>CollAction</u>
1043	<u>CollApplType</u>
902	<u>CollAsgnID</u>
895	<u>CollAsgnReason</u>
907	<u>CollAsgnRefID</u>
906	<u>CollAsgnRejectReason</u>
905	<u>CollAsgnRespType</u>
903	<u>CollAsgnTransType</u>
909	<u>CollInquiryID</u>

896	<u>CollInquiryQualifier</u>
946	<u>CollInquiryResult</u>
945	<u>CollInquiryStatus</u>
894	<u>CollReqID</u>
904	<u>CollRespID</u>
908	<u>CollRptID</u>
910	<u>CollStatus</u>
479	<u>CommCurrency</u>
12	<u>Commission</u>
13	<u>CommType</u>
1490	<u>ComplexEventCondition</u>
1493	<u>ComplexEventEndDate</u>
1496	<u>ComplexEventEndTime</u>
1486	<u>ComplexEventPrice</u>
1487	<u>ComplexEventPriceBoundary Method</u>
1488	<u>ComplexEventPriceBoundary Precision</u>
1489	<u>ComplexEventPriceTimeType</u>
1492	<u>ComplexEventStartDate</u>
1495	<u>ComplexEventStartTime</u>
1484	<u>ComplexEventType</u>
1485	<u>ComplexOptPayoutAmount</u>
376	<u>ComplianceID</u>
238	<u>Concession</u>

664	<u>ConfirmID</u>
772	<u>ConfirmRefID</u>
774	<u>ConfirmRejReason</u>
859	<u>ConfirmReqID</u>
665	<u>ConfirmStatus</u>
666	<u>ConfirmTransType</u>
773	<u>ConfirmType</u>
521	<u>ContAmtCurr</u>
519	<u>ContAmtType</u>
520	<u>ContAmtValue</u>
1523	<u><del>ContextPartyID</del></u>
1524	<u><del>ContextPartyIDSource</del></u>
1525	<u><del>ContextPartyRole</del></u>
1527	<u><del>ContextPartySubID</del></u>
1528	<u><del>ContextPartySubIDType</del></u>
1385	<u>ContingencyType</u>
977	<u>ContIntRptID</u>
375	<u>ContraBroker</u>
231	<u>ContractMultiplier</u>
1435	<u>ContractMultiplierUnit</u>
667	<u>ContractSettlMonth</u>
655	<u>ContraLegRefID</u>
719	<u>ContraryInstructionIndicator</u>
437	<u>ContraTradeQty</u>
337	<u>ContraTrader</u>

438	<a href="#">ContraTradeTime</a>
797	<a href="#">CopyMsgIndicator</a>
292	<a href="#">CorporateAction</a>
421	<a href="#">Country</a>
470	<a href="#">CountryOfIssue</a>
224	<a href="#">CouponPaymentDate</a>
223	<a href="#">CouponRate</a>
203	<a href="#">CoveredOrUncovered</a>
875	<a href="#">CPPProgram</a>
876	<a href="#">CPRegType</a>
255	<a href="#">CreditRating</a>
548	<a href="#">CrossID</a>
413	<a href="#">CrossPercent</a>
550	<a href="#">CrossPrioritization</a>
549	<a href="#">CrossType</a>
1129	<a href="#">CstmAppVerID</a>
14	<a href="#">CumQty</a>
15	<a href="#">Currency</a>
1382	<a href="#">CurrencyRatio</a>
1029	<a href="#">CustDirectedOrder</a>
<del>204</del>	<del><a href="#">CustomerOrFirm</a></del>
582	<a href="#">CustOrderCapacity</a>
1031	<a href="#">CustOrderHandlingInst</a>
84	<a href="#">CxlQty</a>
102	<a href="#">CxlRejReason</a>

434	<a href="#">CxlRejResponseTo</a>
<del>125</del>	<del><a href="#">CxlType</a></del>
873	<a href="#">DatedDate</a>
486	<a href="#">DateOfBirth</a>
426	<a href="#">DayAvgPx</a>
589	<a href="#">DayBookingInst</a>
425	<a href="#">DayCumQty</a>
424	<a href="#">DayOrderQty</a>
1048	<a href="#">DealingCapacity</a>
1407	<a href="#">DefaultAppExtID</a>
1137	<a href="#">DefaultAppVerID</a>
1408	<a href="#">DefaultCstmAppVerID</a>
1410	<a href="#">DefaultVerIndicator</a>
293	<a href="#">DefBidSize</a>
294	<a href="#">DefOfferSize</a>
285	<a href="#">DeleteReason</a>
128	<a href="#">DeliverToCompID</a>
145	<a href="#">DeliverToLocationID</a>
129	<a href="#">DeliverToSubID</a>
743	<a href="#">DeliveryDate</a>
668	<a href="#">DeliveryForm</a>
919	<a href="#">DeliveryType</a>
1321	<a href="#">DerivativeCapPrice</a>
1248	<a href="#">DerivativeCFIcode</a>
1266	<a href="#">DerivativeContractMultiplier</a>

1438	<a href="#">DerivativeContractMultiplierUnit</a>
1285	<a href="#">DerivativeContractSettlMonth</a>
1258	<a href="#">DerivativeCountryOfIssue</a>
1278	<a href="#">DerivativeEncodedIssuer</a>
1277	<a href="#">DerivativeEncodedIssuerLen</a>
1281	<a href="#">DerivativeEncodedSecurityDesc</a>
1280	<a href="#">DerivativeEncodedSecurityDescLen</a>
1288	<a href="#">DerivativeEventDate</a>
1290	<a href="#">DerivativeEventPx</a>
1291	<a href="#">DerivativeEventText</a>
1289	<a href="#">DerivativeEventTime</a>
1287	<a href="#">DerivativeEventType</a>
1299	<a href="#">DerivativeExerciseStyle</a>
1322	<a href="#">DerivativeFloorPrice</a>
1442	<a href="#">DerivativeFlowScheduleType</a>
1313	<a href="#">DerivativeInstrAttribType</a>
1314	<a href="#">DerivativeInstrAttribValue</a>
1255	<a href="#">DerivativeInstrmtAssignmentMethod</a>
1257	<a href="#">DerivativeInstrRegistry</a>
1293	<a href="#">DerivativeInstrumentPartyID</a>
1294	<a href="#">DerivativeInstrumentPartyIDSource</a>

1295	<a href="#"><u>DerivativeInstrumentPartyRole</u></a>
1297	<a href="#"><u>DerivativeInstrumentPartySubID</u></a>
1298	<a href="#"><u>DerivativeInstrumentPartySubIDType</u></a>
1276	<a href="#"><u>DerivativeIssueDate</u></a>
1275	<a href="#"><u>DerivativeIssuer</u></a>
1320	<a href="#"><u>DerivativeListMethod</u></a>
1260	<a href="#"><u>DerivativeLocaleOfIssue</u></a>
1252	<a href="#"><u>DerivativeMaturityDate</u></a>
1251	<a href="#"><u>DerivativeMaturityMonthYear</u></a>
1253	<a href="#"><u>DerivativeMaturityTime</u></a>
1267	<a href="#"><u>DerivativeMinPriceIncrement</u></a>
1268	<a href="#"><u>DerivativeMinPriceIncrementAmount</u></a>
1274	<a href="#"><u>DerivativeNTPositionLimit</u></a>
1265	<a href="#"><u>DerivativeOptAttribute</u></a>
1225	<a href="#"><u>DerivativeOptPayAmount</u></a>
1273	<a href="#"><u>DerivativePositionLimit</u></a>
1318	<a href="#"><u>DerivativePriceQuoteMethod</u></a>
1315	<a href="#"><u>DerivativePriceUnitOfMeasure</u></a>
1316	<a href="#"><u>DerivativePriceUnitOfMeasureQty</u></a>
1246	<a href="#"><u>DerivativeProduct</u></a>

1228	<a href="#"><u>DerivativeProductComplex</u></a>
1323	<a href="#"><u>DerivativePutOrCall</u></a>
1219	<a href="#"><u>DerivativeSecurityAltID</u></a>
1220	<a href="#"><u>DerivativeSecurityAltIDSource</u></a>
1279	<a href="#"><u>DerivativeSecurityDesc</u></a>
1272	<a href="#"><u>DerivativeSecurityExchange</u></a>
1247	<a href="#"><u>DerivativeSecurityGroup</u></a>
1216	<a href="#"><u>DerivativeSecurityID</u></a>
1217	<a href="#"><u>DerivativeSecurityIDSource</u></a>
1307	<a href="#"><u>DerivativeSecurityListRequestType</u></a>
1256	<a href="#"><u>DerivativeSecurityStatus</u></a>
1250	<a href="#"><u>DerivativeSecuritySubType</u></a>
1249	<a href="#"><u>DerivativeSecurityType</u></a>
1283	<a href="#"><u>DerivativeSecurityXML</u></a>
1282	<a href="#"><u>DerivativeSecurityXMLLen</u></a>
1284	<a href="#"><u>DerivativeSecurityXMLSchema</u></a>
1254	<a href="#"><u>DerivativeSettleOnOpenFlag</u></a>
1317	<a href="#"><u>DerivativeSettlMethod</u></a>
1259	<a href="#"><u>DerivativeStateOrProvinceOfIssue</u></a>
1262	<a href="#"><u>DerivativeStrikeCurrency</u></a>
1263	<a href="#"><u>DerivativeStrikeMultiplier</u></a>
1261	<a href="#"><u>DerivativeStrikePrice</u></a>

1264	<a href="#"><u>DerivativeStrikeValue</u></a>
1214	<a href="#"><u>DerivativeSymbol</u></a>
1215	<a href="#"><u>DerivativeSymbolSfx</u></a>
1271	<a href="#"><u>DerivativeTimeUnit</u></a>
1269	<a href="#"><u>DerivativeUnitOfMeasure</u></a>
1270	<a href="#"><u>DerivativeUnitOfMeasureQty</u></a>
1319	<a href="#"><u>DerivativeValuationMethod</u></a>
1243	<a href="#"><u>DerivFlexProductEligibilityIndicator</u></a>
494	<a href="#"><u>Designation</u></a>
284	<a href="#"><u>DeskID</u></a>
1035	<a href="#"><u>DeskOrderHandlingInst</u></a>
1033	<a href="#"><u>DeskType</u></a>
1034	<a href="#"><u>DeskTypeSource</u></a>
1458	<a href="#"><u>DetachmentPoint</u></a>
388	<a href="#"><u>DiscretionInst</u></a>
843	<a href="#"><u>DiscretionLimitType</u></a>
841	<a href="#"><u>DiscretionMoveType</u></a>
842	<a href="#"><u>DiscretionOffsetType</u></a>
389	<a href="#"><u>DiscretionOffsetValue</u></a>
845	<a href="#"><u>DiscretionPrice</u></a>
844	<a href="#"><u>DiscretionRoundDirection</u></a>
846	<a href="#"><u>DiscretionScope</u></a>
1086	<a href="#"><u>DisplayHighQty</u></a>
1085	<a href="#"><u>DisplayLowQty</u></a>

1084	<a href="#">DisplayMethod</a>
1087	<a href="#">DisplayMinIncr</a>
1138	<a href="#">DisplayQty</a>
1083	<a href="#">DisplayWhen</a>
477	<a href="#">DistribPaymentMethod</a>
512	<a href="#">DistribPercentage</a>
1380	<a href="#">DividendYield</a>
127	<a href="#">DKReason</a>
<del>86</del>	<del><a href="#">DlvyInst</a></del>
787	<a href="#">DlvyInstType</a>
329	<a href="#">DueToRelated</a>
168	<a href="#">EffectiveTime</a>
405	<a href="#">EFPTrackingError</a>
164	<a href="#">EmailThreadID</a>
94	<a href="#">EmailType</a>
361	<a href="#">EncodedAllocText</a>
360	<a href="#">EncodedAllocTextLen</a>
359	<a href="#">EncodedHeadline</a>
358	<a href="#">EncodedHeadlineLen</a>
349	<a href="#">EncodedIssuer</a>
348	<a href="#">EncodedIssuerLen</a>
619	<a href="#">EncodedLegIssuer</a>
618	<a href="#">EncodedLegIssuerLen</a>
622	<a href="#">EncodedLegSecurityDesc</a>
621	<a href="#">EncodedLegSecurityDescLen</a>

353	<a href="#">EncodedListExecInst</a>
352	<a href="#">EncodedListExecInstLen</a>
446	<a href="#">EncodedListStatusText</a>
445	<a href="#">EncodedListStatusTextLen</a>
1398	<a href="#">EncodedMktSegmDesc</a>
1397	<a href="#">EncodedMktSegmDescLen</a>
351	<a href="#">EncodedSecurityDesc</a>
350	<a href="#">EncodedSecurityDescLen</a>
1469	<a href="#">EncodedSecurityListDesc</a>
1468	<a href="#">EncodedSecurityListDescLen</a>
357	<a href="#">EncodedSubject</a>
356	<a href="#">EncodedSubjectLen</a>
<del>1360</del>	<del><a href="#">EncodedSymbol</a></del>
<del>1359</del>	<del><a href="#">EncodedSymbolLen</a></del>
355	<a href="#">EncodedText</a>
354	<a href="#">EncodedTextLen</a>
363	<a href="#">EncodedUnderlyingIssuer</a>
362	<a href="#">EncodedUnderlyingIssuerLen</a>
365	<a href="#">EncodedUnderlyingSecurityDesc</a>
364	<a href="#">EncodedUnderlyingSecurityDescLen</a>
1404	<a href="#">EncryptedNewPassword</a>
1403	<a href="#">EncryptedNewPasswordLen</a>
1402	<a href="#">EncryptedPassword</a>

1401	<a href="#">EncryptedPasswordLen</a>
1400	<a href="#">EncryptedPasswordMethod</a>
98	<a href="#">EncryptMethod</a>
920	<a href="#">EndAccruedInterestAmt</a>
922	<a href="#">EndCash</a>
917	<a href="#">EndDate</a>
1226	<a href="#">EndMaturityMonthYear</a>
16	<a href="#">EndSeqNo</a>
1203	<a href="#">EndStrikePxRange</a>
1207	<a href="#">EndTickPriceRange</a>
866	<a href="#">EventDate</a>
867	<a href="#">EventPx</a>
868	<a href="#">EventText</a>
1145	<a href="#">EventTime</a>
865	<a href="#">EventType</a>
411	<a href="#">ExchangeForPhysical</a>
825	<a href="#">ExchangeRule</a>
1139	<a href="#">ExchangeSpecialInstructions</a>
230	<a href="#">ExDate</a>
100	<a href="#">ExDestination</a>
1133	<a href="#">ExDestinationIDSource</a>
1036	<a href="#">ExecAckStatus</a>
<del>76</del>	<del><a href="#">ExecBroker</a></del>
17	<a href="#">ExecID</a>
18	<a href="#">ExecInst</a>

1308	<a href="#">ExecInstValue</a>
485	<a href="#">ExecPriceAdjustment</a>
484	<a href="#">ExecPriceType</a>
19	<a href="#">ExecRefID</a>
378	<a href="#">ExecRestatementReason</a>
<del>20</del>	<del><a href="#">ExecTransType</a></del>
150	<a href="#">ExecType</a>
515	<a href="#">ExecValuationPoint</a>
747	<a href="#">ExerciseMethod</a>
1194	<a href="#">ExerciseStyle</a>
827	<a href="#">ExpirationCycle</a>
982	<a href="#">ExpirationQtyType</a>
432	<a href="#">ExpireDate</a>
126	<a href="#">ExpireTime</a>
983	<a href="#">ExpQty</a>
228	<a href="#">Factor</a>
406	<a href="#">FairValue</a>
1329	<a href="#">FeeMultiplier</a>
1363	<a href="#">FillExecID</a>
1443	<a href="#">FillLiquidityInd</a>
1364	<a href="#">FillPx</a>
1365	<a href="#">FillQty</a>
291	<a href="#">FinancialStatus</a>
1041	<a href="#">FirmTradeID</a>
1025	<a href="#">FirstPx</a>

1244	<a href="#">FlexibleIndicator</a>
1242	<a href="#">FlexProductEligibilityIndicator</a>
1200	<a href="#">FloorPrice</a>
1439	<a href="#">FlowScheduleType</a>
121	<a href="#">ForexReq</a>
497	<a href="#">FundRenewWaiv</a>
123	<a href="#">GapFillFlag</a>
381	<a href="#">GrossTradeAmt</a>
427	<a href="#">GTBookingInst</a>
327	<a href="#">HaltReason</a>
21	<a href="#">HandInst</a>
148	<a href="#">Headline</a>
108	<a href="#">HeartBtInt</a>
1149	<a href="#">HighLimitPrice</a>
332	<a href="#">HighPx</a>
628	<a href="#">HopCompID</a>
630	<a href="#">HopRefID</a>
629	<a href="#">HopSendingTime</a>
961	<a href="#">HostCrossID</a>
1144	<a href="#">ImpliedMarketIndicator</a>
416	<a href="#">IncTaxInd</a>
467	<a href="#">IndividualAllocID</a>
776	<a href="#">IndividualAllocRejCode</a>
992	<a href="#">IndividualAllocType</a>

979	<a href="#">InputSource</a>
871	<a href="#">InstrAttribType</a>
872	<a href="#">InstrAttribValue</a>
1049	<a href="#">InstrmtAssignmentMethod</a>
543	<a href="#">InstrRegistry</a>
1019	<a href="#">InstrumentPartyID</a>
1050	<a href="#">InstrumentPartyIDSource</a>
1051	<a href="#">InstrumentPartyRole</a>
1053	<a href="#">InstrumentPartySubID</a>
1054	<a href="#">InstrumentPartySubIDType</a>
874	<a href="#">InterestAccrualDate</a>
738	<a href="#">InterestAtMaturity</a>
475	<a href="#">InvestorCountryOfResidence</a>
328	<a href="#">InViewOfCommon</a>
23	<a href="#">IOIID</a>
130	<a href="#">IOINaturalFlag</a>
<del>24</del>	<del><a href="#">IOIOthSyc</a> (no longer used)</del>
25	<a href="#">IOIOQtyInd</a>
27	<a href="#">IOIOQty</a>
104	<a href="#">IOIQualifier</a>
26	<a href="#">IOIRefID</a>
28	<a href="#">IOITransType</a>
225	<a href="#">IssueDate</a>
106	<a href="#">Issuer</a>
1474	<a href="#">LanguageCode</a>

29	<a href="#"><u>LastCapacity</u></a>
195	<a href="#"><u>LastForwardPoints</u></a>
641	<a href="#"><u>LastForwardPoints2</u></a>
893	<a href="#"><u>LastFragment</u></a>
851	<a href="#"><u>LastLiquidityInd</u></a>
30	<a href="#"><u>LastMkt</u></a>
369	<a href="#"><u>LastMsgSeqNumProcessed</u></a>
934	<a href="#"><u>LastNetworkResponseID</u></a>
669	<a href="#"><u>LastParPx</u></a>
31	<a href="#"><u>LastPx</u></a>
32	<a href="#"><u>LastQty</u></a>
912	<a href="#"><u>LastRptRequested</u></a>
194	<a href="#"><u>LastSpotRate</u></a>
1071	<a href="#"><u>LastSwapPoints</u></a>
779	<a href="#"><u>LastUpdateTime</u></a>
978	<a href="#"><u>LateIndicator</u></a>
151	<a href="#"><u>LeavesQty</u></a>
650	<a href="#"><u>LegalConfirm</u></a>
671	<a href="#"><u>LegAllocAccount</u></a>
674	<a href="#"><u>LegAllocAcctIDSource</u></a>
1366	<a href="#"><u>LegAllocID</u></a>
673	<a href="#"><u>LegAllocQty</u></a>
1367	<a href="#"><u>LegAllocSettlCurrency</u></a>
676	<a href="#"><u>LegBenchmarkCurveCurren cy</u></a>

677	<a href="#"><u>LegBenchmarkCurveName</u></a>
678	<a href="#"><u>LegBenchmarkCurvePoint</u></a>
679	<a href="#"><u>LegBenchmarkPrice</u></a>
680	<a href="#"><u>LegBenchmarkPriceType</u></a>
1067	<a href="#"><u>LegBidForwardPoints</u></a>
681	<a href="#"><u>LegBidPx</u></a>
1074	<a href="#"><u>LegCalculatedCcyLastQty</u></a>
608	<a href="#"><u>LegCFIcode</u></a>
614	<a href="#"><u>LegContractMultiplier</u></a>
1436	<a href="#"><u>LegContractMultiplierUnit</u></a>
955	<a href="#"><u>LegContractSettlMonth</u></a>
596	<a href="#"><u>LegCountryOfIssue</u></a>
248	<a href="#"><u>LegCouponPaymentDate</u></a>
615	<a href="#"><u>LegCouponRate</u></a>
565	<a href="#"><u>LegCoveredOrUncovered</u></a>
257	<a href="#"><u>LegCreditRating</u></a>
556	<a href="#"><u>LegCurrency</u></a>
1383	<a href="#"><u>LegCurrencyRatio</u></a>
739	<a href="#"><u>LegDatedDate</u></a>
1381	<a href="#"><u>LegDividendYield</u></a>
1384	<a href="#"><u>LegExecInst</u></a>
1420	<a href="#"><u>LegExerciseStyle</u></a>
253	<a href="#"><u>LegFactor</u></a>
1440	<a href="#"><u>LegFlowScheduleType</u></a>
1075	<a href="#"><u>LegGrossTradeAmt</u></a>

672	<a href="#"><u>LegIndividualAllocID</u></a>
599	<a href="#"><u>LegInstrRegistry</u></a>
956	<a href="#"><u>LegInterestAccrualDate</u></a>
682	<a href="#"><u>LegIOIOty</u></a>
249	<a href="#"><u>LegIssueDate</u></a>
617	<a href="#"><u>LegIssuer</u></a>
1073	<a href="#"><u>LegLastForwardPoints</u></a>
637	<a href="#"><u>LegLastPx</u></a>
1418	<a href="#"><u>LegLastQty</u></a>
598	<a href="#"><u>LegLocaleOfIssue</u></a>
611	<a href="#"><u>LegMaturityDate</u></a>
610	<a href="#"><u>LegMaturityMonthYear</u></a>
1212	<a href="#"><u>LegMaturityTime</u></a>
1152	<a href="#"><u>LegNumber</u></a>
1068	<a href="#"><u>LegOfferForwardPoints</u></a>
684	<a href="#"><u>LegOfferPx</u></a>
613	<a href="#"><u>LegOptAttribute</u></a>
1017	<a href="#"><u>LegOptionRatio</u></a>
685	<a href="#"><u>LegOrderQty</u></a>
740	<a href="#"><u>LegPool</u></a>
564	<a href="#"><u>LegPositionEffect</u></a>
566	<a href="#"><u>LegPrice</u></a>
686	<a href="#"><u>LegPriceType</u></a>
1421	<a href="#"><u>LegPriceUnitOfMeasure</u></a>
1422	<a href="#"><u>LegPriceUnitOfMeasureQty</u></a>

607	<a href="#">LegProduct</a>
1358	<a href="#">LegPutOrCall</a>
687	<a href="#">LegQty</a>
623	<a href="#">LegRatioQty</a>
254	<a href="#">LegRedemptionDate</a>
654	<a href="#">LegRefID</a>
250	<a href="#">LegRepoCollateralSecurityType</a>
990	<a href="#">LegReportID</a>
252	<a href="#">LegRepurchaseRate</a>
251	<a href="#">LegRepurchaseTerm</a>
605	<a href="#">LegSecurityAltID</a>
606	<a href="#">LegSecurityAltIDSource</a>
620	<a href="#">LegSecurityDesc</a>
616	<a href="#">LegSecurityExchange</a>
602	<a href="#">LegSecurityID</a>
603	<a href="#">LegSecurityIDSource</a>
764	<a href="#">LegSecuritySubType</a>
609	<a href="#">LegSecurityType</a>
675	<a href="#">LegSettlCurrency</a>
588	<a href="#">LegSettlDate</a>
587	<a href="#">LegSettlType</a>
624	<a href="#">LegSide</a>
597	<a href="#">LegStateOrProvinceOfIssue</a>
688	<a href="#">LegStipulationType</a>

689	<a href="#">LegStipulationValue</a>
942	<a href="#">LegStrikeCurrency</a>
612	<a href="#">LegStrikePrice</a>
690	<a href="#">LegSwapType</a>
600	<a href="#">LegSymbol</a>
601	<a href="#">LegSymbolSfx</a>
1001	<a href="#">LegTimeUnit</a>
999	<a href="#">LegUnitOfMeasure</a>
1224	<a href="#">LegUnitOfMeasureQty</a>
1379	<a href="#">LegVolatility</a>
409	<a href="#">LiquidityIndType</a>
441	<a href="#">LiquidityNumSecurities</a>
403	<a href="#">LiquidityPctHigh</a>
402	<a href="#">LiquidityPctLow</a>
404	<a href="#">LiquidityValue</a>
69	<a href="#">ListExecInst</a>
433	<a href="#">ListExecInstType</a>
66	<a href="#">ListID</a>
1198	<a href="#">ListMethod</a>
392	<a href="#">ListName</a>
431	<a href="#">ListOrderStatus</a>
1386	<a href="#">ListRejectReason</a>
67	<a href="#">ListSeqNo</a>
444	<a href="#">ListStatusText</a>
429	<a href="#">ListStatusType</a>

1324	<a href="#">ListUpdateAction</a>
472	<a href="#">LocaleOfIssue</a>
114	<a href="#">LocateReqd</a>
283	<a href="#">LocationID</a>
704	<a href="#">LongQty</a>
1093	<a href="#">LotType</a>
1148	<a href="#">LowLimitPrice</a>
333	<a href="#">LowPx</a>
474	<a href="#">MailingDtIs</a>
482	<a href="#">MailingInst</a>
1028	<a href="#">ManualOrderIndicator</a>
899	<a href="#">MarginExcess</a>
898	<a href="#">MarginRatio</a>
264	<a href="#">MarketDepth</a>
1301	<a href="#">MarketID</a>
1394	<a href="#">MarketReportID</a>
1393	<a href="#">MarketReqID</a>
1396	<a href="#">MarketSegmentDesc</a>
1300	<a href="#">MarketSegmentID</a>
1395	<a href="#">MarketUpdateAction</a>
1376	<a href="#">MassActionRejectReason</a>
1369	<a href="#">MassActionReportID</a>
1375	<a href="#">MassActionResponse</a>
1374	<a href="#">MassActionScope</a>
1373	<a href="#">MassActionType</a>

532	<a href="#">MassCancelRejectReason</a>
530	<a href="#">MassCancelRequestType</a>
531	<a href="#">MassCancelResponse</a>
584	<a href="#">MassStatusReqID</a>
585	<a href="#">MassStatusReqType</a>
1142	<a href="#">MatchAlgorithm</a>
1089	<a href="#">MatchIncrement</a>
573	<a href="#">MatchStatus</a>
574	<a href="#">MatchType</a>
541	<a href="#">MaturityDate</a>
<del>205</del>	<del><a href="#">MaturityDay</a></del>
200	<a href="#">MaturityMonthYear</a>
1303	<a href="#">MaturityMonthYearFormat</a>
1229	<a href="#">MaturityMonthYearIncrement</a>
1302	<a href="#">MaturityMonthYearIncrementUnits</a>
890	<a href="#">MaturityNetMoney</a>
1222	<a href="#">MaturityRuleID</a>
1079	<a href="#">MaturityTime</a>
111	<a href="#">MaxFloor</a>
383	<a href="#">MaxMessageSize</a>
1090	<a href="#">MaxPriceLevels</a>
1143	<a href="#">MaxPriceVariation</a>
210	<a href="#">MaxShow</a>

1140	<a href="#">MaxTradeVol</a>
1021	<a href="#">MDBookType</a>
288	<a href="#">MDEntryBuyer</a>
272	<a href="#">MDEntryDate</a>
1027	<a href="#">MDEntryForwardPoints</a>
278	<a href="#">MDEntryID</a>
282	<a href="#">MDEntryOriginator</a>
290	<a href="#">MDEntryPositionNo</a>
270	<a href="#">MDEntryPx</a>
280	<a href="#">MDEntryRefID</a>
289	<a href="#">MDEntrySeller</a>
271	<a href="#">MDEntrySize</a>
1026	<a href="#">MDEntrySpotRate</a>
273	<a href="#">MDEntryTime</a>
269	<a href="#">MDEntryType</a>
1022	<a href="#">MDFeedType</a>
547	<a href="#">MDImplicitDelete</a>
275	<a href="#">MDMkt</a>
1024	<a href="#">MDOriginType</a>
1023	<a href="#">MDPriceLevel</a>
1070	<a href="#">MDQuoteType</a>
963	<a href="#">MDReportID</a>
262	<a href="#">MDReqID</a>
281	<a href="#">MDReqRejReason</a>
1179	<a href="#">MDSecSize</a>

1178	<a href="#">MDSecSizeType</a>
1500	<a href="#">MDStreamID</a>
1173	<a href="#">MDSubBookType</a>
279	<a href="#">MDUpdateAction</a>
265	<a href="#">MDUpdateType</a>
347	<a href="#">MessageEncoding</a>
1011	<a href="#">MessageEventSource</a>
631	<a href="#">MidPx</a>
633	<a href="#">MidYield</a>
647	<a href="#">MinBidSize</a>
1231	<a href="#">MinLotSize</a>
648	<a href="#">MinOfferSize</a>
969	<a href="#">MinPriceIncrement</a>
1146	<a href="#">MinPriceIncrementAmount</a>
110	<a href="#">MinQty</a>
562	<a href="#">MinTradeVol</a>
137	<a href="#">MiscFeeAmt</a>
891	<a href="#">MiscFeeBasis</a>
138	<a href="#">MiscFeeCurr</a>
139	<a href="#">MiscFeeType</a>
645	<a href="#">MktBidPx</a>
646	<a href="#">MktOfferPx</a>
1434	<a href="#">ModelType</a>
481	<a href="#">MoneyLaunderingStatus</a>
385	<a href="#">MsgDirection</a>

34	<a href="#">MsgSeqNum</a>
35	<a href="#">MsgType</a>
1377	<a href="#">MultilegModel</a>
1378	<a href="#">MultilegPriceMethod</a>
442	<a href="#">MultiLegReportingType</a>
563	<a href="#">MultiLegRptTypeReq</a>
757	<a href="#">Nested2PartyID</a>
758	<a href="#">Nested2PartyIDSource</a>
759	<a href="#">Nested2PartyRole</a>
760	<a href="#">Nested2PartySubID</a>
807	<a href="#">Nested2PartySubIDType</a>
949	<a href="#">Nested3PartyID</a>
950	<a href="#">Nested3PartyIDSource</a>
951	<a href="#">Nested3PartyRole</a>
953	<a href="#">Nested3PartySubID</a>
954	<a href="#">Nested3PartySubIDType</a>
1415	<a href="#">Nested4PartyID</a>
1416	<a href="#">Nested4PartyIDSource</a>
1417	<a href="#">Nested4PartyRole</a>
1412	<a href="#">Nested4PartySubID</a>
1411	<a href="#">Nested4PartySubIDType</a>
1210	<a href="#">NestedInstrAttribType</a>
1211	<a href="#">NestedInstrAttribValue</a>
524	<a href="#">NestedPartyID</a>
525	<a href="#">NestedPartyIDSource</a>

538	<a href="#">NestedPartyRole</a>
545	<a href="#">NestedPartySubID</a>
805	<a href="#">NestedPartySubIDType</a>
451	<a href="#">NetChgPrevDay</a>
430	<a href="#">NetGrossInd</a>
118	<a href="#">NetMoney</a>
933	<a href="#">NetworkRequestID</a>
935	<a href="#">NetworkRequestType</a>
932	<a href="#">NetworkResponseID</a>
937	<a href="#">NetworkStatusResponseType</a>
925	<a href="#">NewPassword</a>
1473	<a href="#">NewsCategory</a>
36	<a href="#">NewSeqNo</a>
1472	<a href="#">NewsID</a>
1476	<a href="#">NewsRefID</a>
1477	<a href="#">NewsRefType</a>
789	<a href="#">NextExpectedMsgSeqNum</a>
534	<a href="#">NoAffectedOrders</a>
78	<a href="#">NoAllocs</a>
816	<a href="#">NoAltMDSource</a>
1351	<a href="#">NoAppIDs</a>
1499	<a href="#">NoAsgnReqs</a>
420	<a href="#">NoBidComponents</a>
398	<a href="#">NoBidDescriptors</a>
862	<a href="#">NoCapacities</a>

576	<a href="#">NoClearingInstructions</a>
938	<a href="#">NoCollInquiryQualifier</a>
936	<a href="#">NoCompIDs</a>
1491	<a href="#">NoComplexEventDates</a>
1483	<a href="#">NoComplexEvents</a>
1494	<a href="#">NoComplexEventTimes</a>
518	<a href="#">NoContAmts</a>
<del>1522</del>	<del><a href="#">NoContextPartyIDs</a></del>
<del>1526</del>	<del><a href="#">NoContextPartySubIDs</a></del>
382	<a href="#">NoContraBrokers</a>
580	<a href="#">NoDates</a>
1286	<a href="#">NoDerivativeEvents</a>
1311	<a href="#">NoDerivativeInstrAttrib</a>
1292	<a href="#">NoDerivativeInstrumentParties</a>
1296	<a href="#">NoDerivativeInstrumentPartySubIDs</a>
1218	<a href="#">NoDerivativeSecurityAltID</a>
510	<a href="#">NoDistribInsts</a>
85	<a href="#">NoDlvyInst</a>
864	<a href="#">NoEvents</a>
1232	<a href="#">NoExecInstRules</a>
124	<a href="#">NoExecs</a>
981	<a href="#">NoExpiration</a>
1362	<a href="#">NoFills</a>

627	<a href="#"><u>NoHops</u></a>
870	<a href="#"><u>NoInstrAttrib</u></a>
1018	<a href="#"><u>NoInstrumentParties</u></a>
1052	<a href="#"><u>NoInstrumentPartySubIDs</u></a>
199	<a href="#"><u>NoIOIQualifiers</u></a>
670	<a href="#"><u>NoLegAllocs</u></a>
555	<a href="#"><u>NoLegs</u></a>
604	<a href="#"><u>NoLegSecurityAltID</u></a>
683	<a href="#"><u>NoLegStipulations</u></a>
33	<a href="#"><u>NoLinesOfText</u></a>
1234	<a href="#"><u>NoLotTypeRules</u></a>
1310	<a href="#"><u>NoMarketSegments</u></a>
1235	<a href="#"><u>NoMatchRules</u></a>
1236	<a href="#"><u>NoMaturityRules</u></a>
268	<a href="#"><u>NoMDEntries</u></a>
267	<a href="#"><u>NoMDEntryTypes</u></a>
1141	<a href="#"><u>NoMDFeedTypes</u></a>
136	<a href="#"><u>NoMiscFees</u></a>
384	<a href="#"><u>NoMsgTypes</u></a>
756	<a href="#"><u>NoNested2PartyIDs</u></a>
806	<a href="#"><u>NoNested2PartySubIDs</u></a>
948	<a href="#"><u>NoNested3PartyIDs</u></a>
952	<a href="#"><u>NoNested3PartySubIDs</u></a>
1414	<a href="#"><u>NoNested4PartyIDs</u></a>
1413	<a href="#"><u>NoNested4PartySubIDs</u></a>

1312	<a href="#"><u>NoNestedInstrAttrib</u></a>
539	<a href="#"><u>NoNestedPartyIDs</u></a>
804	<a href="#"><u>NoNestedPartySubIDs</u></a>
1475	<a href="#"><u>NoNewsRefIDs</u></a>
1370	<a href="#"><u>NoNotAffectedOrders</u></a>
1342	<a href="#"><u>NoOfLegUnderlyings</u></a>
1177	<a href="#"><u>NoOfSecSizes</u></a>
73	<a href="#"><u>NoOrders</u></a>
1237	<a href="#"><u>NoOrdTypeRules</u></a>
<del>1516</del>	<del><a href="#"><u>NoPartyAltIDs</u></a></del>
<del>1519</del>	<del><a href="#"><u>NoPartyAltSubIDs</u></a></del>
453	<a href="#"><u>NoPartyIDs</u></a>
<del>1513</del>	<del><a href="#"><u>NoPartyList</u></a></del>
<del>1506</del>	<del><a href="#"><u>NoPartyListResponseTypes</u></a></del>
<del>1514</del>	<del><a href="#"><u>NoPartyRelationships</u></a></del>
802	<a href="#"><u>NoPartySubIDs</u></a>
753	<a href="#"><u>NoPosAmt</u></a>
702	<a href="#"><u>NoPositions</u></a>
295	<a href="#"><u>NoQuoteEntries</u></a>
735	<a href="#"><u>NoQuoteQualifiers</u></a>
296	<a href="#"><u>NoQuoteSets</u></a>
1445	<a href="#"><u>NoRateSources</u></a>
473	<a href="#"><u>NoRegistDtls</u></a>
<del>1575</del>	<del><a href="#"><u>NoRelatedContextPartyIDs</u></a></del>
<del>1579</del>	<del><a href="#"><u>NoRelatedContextPartySubI</u></a></del>

	<del><a href="#"><u>Ds</u></a></del>
<del>1569</del>	<del><a href="#"><u>NoRelatedPartyAltIDs</u></a></del>
<del>1572</del>	<del><a href="#"><u>NoRelatedPartyAltSubIDs</u></a></del>
<del>1562</del>	<del><a href="#"><u>NoRelatedPartyIDs</u></a></del>
<del>1566</del>	<del><a href="#"><u>NoRelatedPartySubIDs</u></a></del>
146	<a href="#"><u>NoRelatedSym</u></a>
<del>1587</del>	<del><a href="#"><u>NoRelationshipRiskInstrume nts</u></a></del>
<del>1582</del>	<del><a href="#"><u>NoRelationshipRiskLimits</u></a></del>
<del>1593</del>	<del><a href="#"><u>NoRelationshipRiskSecurityA ltID</u></a></del>
<del>1613</del>	<del><a href="#"><u>NoRelationshipRiskWarning Levels</u></a></del>
<del>1508</del>	<del><a href="#"><u>NoRequestedPartyRoles</u></a></del>
<del>1534</del>	<del><a href="#"><u>NoRiskInstruments</u></a></del>
<del>1529</del>	<del><a href="#"><u>NoRiskLimits</u></a></del>
<del>1540</del>	<del><a href="#"><u>NoRiskSecurityAltID</u></a></del>
<del>1559</del>	<del><a href="#"><u>NoRiskWarningLevels</u></a></del>
1116	<a href="#"><u>NoRootPartyIDs</u></a>
1120	<a href="#"><u>NoRootPartySubIDs</u></a>
215	<a href="#"><u>NoRoutingIDs</u></a>
82	<a href="#"><u>NoRpts</u></a>
454	<a href="#"><u>NoSecurityAltID</u></a>
558	<a href="#"><u>NoSecurityTypes</u></a>
1158	<a href="#"><u>NoSettlDetails</u></a>
778	<a href="#"><u>NoSettlInst</u></a>

1165	<a href="#"><u>NoSettlOblig</u></a>
781	<a href="#"><u>NoSettlPartyIDs</u></a>
801	<a href="#"><u>NoSettlPartySubIDs</u></a>
552	<a href="#"><u>NoSides</u></a>
1016	<a href="#"><u>NoSideTrdRegTS</u></a>
1175	<a href="#"><u>NoStatsIndicators</u></a>
232	<a href="#"><u>NoStipulations</u></a>
957	<a href="#"><u>NoStrategyParameters</u></a>
1201	<a href="#"><u>NoStrikeRules</u></a>
428	<a href="#"><u>NoStrikes</u></a>
1371	<a href="#"><u>NotAffectedOrderID</u></a>
1372	<a href="#"><u>NotAffOrigClOrdID</u></a>
1461	<a href="#"><u>NoTargetPartyIDs</u></a>
1205	<a href="#"><u>NoTickRules</u></a>
208	<a href="#"><u>NotifyBrokerOfCredit</u></a>
1239	<a href="#"><u>NoTimeInForceRules</u></a>
1451	<a href="#"><u>NotionalPercentageOutstanding</u></a>
897	<a href="#"><u>NoTrades</u></a>
1309	<a href="#"><u>NoTradingSessionRules</u></a>
386	<a href="#"><u>NoTradingSessions</u></a>
768	<a href="#"><u>NoTrdRegTimestamps</u></a>
1387	<a href="#"><u>NoTrdRepIndicators</u></a>
984	<a href="#"><u>NoUnderlyingAmounts</u></a>
1334	<a href="#"><u>NoUnderlyingLegSecurityAltID</u></a>

	<a href="#"><u>D</u></a>
711	<a href="#"><u>NoUnderlyings</u></a>
457	<a href="#"><u>NoUnderlyingSecurityAltID</u></a>
887	<a href="#"><u>NoUnderlyingStips</u></a>
1058	<a href="#"><u>NoUndlyInstrumentParties</u></a>
1062	<a href="#"><u>NoUndlyInstrumentPartySubIDs</u></a>
809	<a href="#"><u>NoUsernames</u></a>
971	<a href="#"><u>NTPositionLimit</u></a>
346	<a href="#"><u>NumberOfOrders</u></a>
417	<a href="#"><u>NumBidders</u></a>
157	<a href="#"><u>NumDaysInterest</u></a>
395	<a href="#"><u>NumTickets</u></a>
575	<a href="#"><u>OddLot</u></a>
191	<a href="#"><u>OfferForwardPoints</u></a>
643	<a href="#"><u>OfferForwardPoints2</u></a>
133	<a href="#"><u>OfferPx</u></a>
135	<a href="#"><u>OfferSize</u></a>
190	<a href="#"><u>OfferSpotRate</u></a>
1066	<a href="#"><u>OfferSwapPoints</u></a>
634	<a href="#"><u>OfferYield</u></a>
115	<a href="#"><u>OnBehalfOfCompID</u></a>
144	<a href="#"><u>OnBehalfOfLocationID</u></a>
370	<a href="#"><u>OnBehalfOfSendingTime</u></a>
116	<a href="#"><u>OnBehalfOfSubID</u></a>

286	<a href="#"><u>OpenCloseSettlFlag</u></a>
746	<a href="#"><u>OpenInterest</u></a>
206	<a href="#"><u>OptAttribute</u></a>
1195	<a href="#"><u>OptPayoutAmount</u></a>
1482	<a href="#"><u>OptPayoutType</u></a>
799	<a href="#"><u>OrderAvgPx</u></a>
800	<a href="#"><u>OrderBookingQty</u></a>
528	<a href="#"><u>OrderCapacity</u></a>
863	<a href="#"><u>OrderCapacityQty</u></a>
1115	<a href="#"><u>OrderCategory</u></a>
1428	<a href="#"><u>OrderDelay</u></a>
1429	<a href="#"><u>OrderDelayUnit</u></a>
1032	<a href="#"><u>OrderHandlingInstSource</u></a>
37	<a href="#"><u>OrderID</u></a>
821	<a href="#"><u>OrderInputDevice</u></a>
516	<a href="#"><u>OrderPercent</u></a>
38	<a href="#"><u>OrderQty</u></a>
192	<a href="#"><u>OrderQty2</u></a>
529	<a href="#"><u>OrderRestrictions</u></a>
103	<a href="#"><u>OrdRejReason</u></a>
39	<a href="#"><u>OrdStatus</u></a>
790	<a href="#"><u>OrdStatusReqID</u></a>
40	<a href="#"><u>OrdType</u></a>
41	<a href="#"><u>OrigClOrdID</u></a>
551	<a href="#"><u>OrigCrossID</u></a>

1432	<a href="#"><u>OrigCustOrderCapacity</u></a>
1452	<a href="#"><u>OriginalNotionalPercentageOutstanding</u></a>
586	<a href="#"><u>OrigOrdModTime</u></a>
713	<a href="#"><u>OrigPosReqRefID</u></a>
1127	<a href="#"><u>OrigSecondaryTradeID</u></a>
122	<a href="#"><u>OrigSendingTime</u></a>
42	<a href="#"><u>OrigTime</u></a>
1125	<a href="#"><u>OrigTradeDate</u></a>
1124	<a href="#"><u>OrigTradeHandlingInstr</u></a>
1126	<a href="#"><u>OrigTradeID</u></a>
412	<a href="#"><u>OutMainCntryUIndex</u></a>
407	<a href="#"><u>OutsideIndexPct</u></a>
517	<a href="#"><u>OwnershipType</u></a>
522	<a href="#"><u>OwnerType</u></a>
1325	<a href="#"><u>ParentMktSegmID</u></a>
849	<a href="#"><u>ParticipationRate</u></a>
<del>1517</del>	<del><a href="#"><u>PartyAltID</u></a></del>
<del>1518</del>	<del><a href="#"><u>PartyAltIDSource</u></a></del>
<del>1520</del>	<del><a href="#"><u>PartyAltSubID</u></a></del>
<del>1521</del>	<del><a href="#"><u>PartyAltSubIDType</u></a></del>
<del>1510</del>	<del><a href="#"><u>PartyDetailsListReportID</u></a></del>
<del>1505</del>	<del><a href="#"><u>PartyDetailsListRequestID</u></a></del>
<del>1511</del>	<del><a href="#"><u>PartyDetailsRequestResult</u></a></del>
448	<a href="#"><u>PartyID</u></a>

447	<a href="#"><u>PartyIDSource</u></a>
<del>1507</del>	<del><a href="#"><u>PartyListResponseType</u></a></del>
<del>1515</del>	<del><a href="#"><u>PartyRelationship</u></a></del>
452	<a href="#"><u>PartyRole</u></a>
523	<a href="#"><u>PartySubID</u></a>
803	<a href="#"><u>PartySubIDType</u></a>
554	<a href="#"><u>Password</u></a>
504	<a href="#"><u>PaymentDate</u></a>
492	<a href="#"><u>PaymentMethod</u></a>
476	<a href="#"><u>PaymentRef</u></a>
505	<a href="#"><u>PaymentRemitterID</u></a>
869	<a href="#"><u>PctAtRisk</u></a>
839	<a href="#"><u>PeggedPrice</u></a>
1095	<a href="#"><u>PeggedRefPrice</u></a>
837	<a href="#"><u>PegLimitType</u></a>
835	<a href="#"><u>PegMoveType</u></a>
836	<a href="#"><u>PegOffsetType</u></a>
211	<a href="#"><u>PegOffsetValue</u></a>
1094	<a href="#"><u>PegPriceType</u></a>
838	<a href="#"><u>PegRoundDirection</u></a>
840	<a href="#"><u>PegScope</u></a>
1099	<a href="#"><u>PegSecurityDesc</u></a>
1097	<a href="#"><u>PegSecurityID</u></a>
1096	<a href="#"><u>PegSecurityIDSource</u></a>
1098	<a href="#"><u>PegSymbol</u></a>

691	<a href="#"><u>Pool</u></a>
708	<a href="#"><u>PosAmt</u></a>
707	<a href="#"><u>PosAmtType</u></a>
1055	<a href="#"><u>PositionCurrency</u></a>
77	<a href="#"><u>PositionEffect</u></a>
970	<a href="#"><u>PositionLimit</u></a>
712	<a href="#"><u>PosMaintAction</u></a>
723	<a href="#"><u>PosMaintResult</u></a>
721	<a href="#"><u>PosMaintRptID</u></a>
714	<a href="#"><u>PosMaintRptRefID</u></a>
722	<a href="#"><u>PosMaintStatus</u></a>
706	<a href="#"><u>PosQtyStatus</u></a>
710	<a href="#"><u>PosReqID</u></a>
728	<a href="#"><u>PosReqResult</u></a>
729	<a href="#"><u>PosReqStatus</u></a>
724	<a href="#"><u>PosReqType</u></a>
43	<a href="#"><u>PossDupFlag</u></a>
97	<a href="#"><u>PossResend</u></a>
709	<a href="#"><u>PosTransType</u></a>
703	<a href="#"><u>PosType</u></a>
591	<a href="#"><u>PreallocMethod</u></a>
1091	<a href="#"><u>PreTradeAnonymity</u></a>
140	<a href="#"><u>PrevClosePx</u></a>
570	<a href="#"><u>PreviouslyReported</u></a>
44	<a href="#"><u>Price</u></a>

640	<a href="#"><u>Price2</u></a>
811	<a href="#"><u>PriceDelta</u></a>
639	<a href="#"><u>PriceImprovement</u></a>
1306	<a href="#"><u>PriceLimitType</u></a>
1092	<a href="#"><u>PriceProtectionScope</u></a>
1196	<a href="#"><u>PriceQuoteMethod</u></a>
423	<a href="#"><u>PriceType</u></a>
1191	<a href="#"><u>PriceUnitOfMeasure</u></a>
1192	<a href="#"><u>PriceUnitOfMeasureQty</u></a>
638	<a href="#"><u>PriorityIndicator</u></a>
734	<a href="#"><u>PriorSettlPrice</u></a>
720	<a href="#"><u>PriorSpreadIndicator</u></a>
1171	<a href="#"><u>PrivateQuote</u></a>
81	<a href="#"><u>ProcessCode</u></a>
460	<a href="#"><u>Product</u></a>
1227	<a href="#"><u>ProductComplex</u></a>
415	<a href="#"><u>ProgPeriodInterval</u></a>
414	<a href="#"><u>ProgRptReqs</u></a>
852	<a href="#"><u>PublishTrdIndicator</u></a>
201	<a href="#"><u>PutOrCall</u></a>
854	<a href="#"><u>QtyType</u></a>
53	<a href="#"><u>Quantity</u></a>
976	<a href="#"><u>QuantityDate</u></a>
<del>465</del>	<del><a href="#"><u>QuantityType</u></a></del>
298	<a href="#"><u>QuoteCancelType</u></a>

276	<a href="#"><u>QuoteCondition</u></a>
299	<a href="#"><u>QuoteEntryID</u></a>
368	<a href="#"><u>QuoteEntryRejectReason</u></a>
1167	<a href="#"><u>QuoteEntryStatus</u></a>
117	<a href="#"><u>QuoteID</u></a>
1166	<a href="#"><u>QuoteMsgID</u></a>
692	<a href="#"><u>QuotePriceType</u></a>
695	<a href="#"><u>QuoteQualifier</u></a>
300	<a href="#"><u>QuoteRejectReason</u></a>
131	<a href="#"><u>QuoteReqID</u></a>
658	<a href="#"><u>QuoteRequestRejectReason</u></a>
303	<a href="#"><u>QuoteRequestType</u></a>
693	<a href="#"><u>QuoteRespID</u></a>
301	<a href="#"><u>QuoteResponseLevel</u></a>
694	<a href="#"><u>QuoteRespType</u></a>
302	<a href="#"><u>QuoteSetID</u></a>
367	<a href="#"><u>QuoteSetValidUntilTime</u></a>
297	<a href="#"><u>QuoteStatus</u></a>
649	<a href="#"><u>QuoteStatusReqID</u></a>
537	<a href="#"><u>QuoteType</u></a>
1446	<a href="#"><u>RateSource</u></a>
1447	<a href="#"><u>RateSourceType</u></a>
<del>349</del>	<del><a href="#"><u>RatioQty</u></a></del>
96	<a href="#"><u>RawData</u></a>
95	<a href="#"><u>RawDataLength</u></a>

1030	<a href="#"><u>ReceivedDeptID</u></a>
240	<a href="#"><u>RedemptionDate</u></a>
72	<a href="#"><u>RefAllocID</u></a>
1406	<a href="#"><u>RefAppExtID</u></a>
1355	<a href="#"><u>RefAppID</u></a>
1357	<a href="#"><u>RefAppLastSeqNum</u></a>
1433	<a href="#"><u>RefAppReqID</u></a>
1130	<a href="#"><u>RefAppVerID</u></a>
930	<a href="#"><u>RefCompID</u></a>
1131	<a href="#"><u>RefCstmAppVerID</u></a>
1448	<a href="#"><u>ReferencePage</u></a>
372	<a href="#"><u>RefMsgType</u></a>
1080	<a href="#"><u>RefOrderID</u></a>
1081	<a href="#"><u>RefOrderIDSource</u></a>
1431	<a href="#"><u>RefOrdIDReason</u></a>
1187	<a href="#"><u>RefreshIndicator</u></a>
1088	<a href="#"><u>RefreshQty</u></a>
45	<a href="#"><u>RefSeqNum</u></a>
931	<a href="#"><u>RefSubID</u></a>
371	<a href="#"><u>RefTagID</u></a>
493	<a href="#"><u>RegistAcctType</u></a>
509	<a href="#"><u>RegistDtls</u></a>
511	<a href="#"><u>RegistEmail</u></a>
513	<a href="#"><u>RegistID</u></a>
508	<a href="#"><u>RegistRefID</u></a>

507	<a href="#"><u>RegistRejReasonCode</u></a>
496	<a href="#"><u>RegistRejReasonText</u></a>
506	<a href="#"><u>RegistStatus</u></a>
514	<a href="#"><u>RegistTransType</u></a>
1328	<a href="#"><u>RejectText</u></a>
46	<del><a href="#"><u>RelatdSym</u></a> (no longer used)</del>
1576	<del><a href="#"><u>RelatedContextPartyID</u></a></del>
1577	<del><a href="#"><u>RelatedContextPartyIDSource</u></a></del>
1578	<del><a href="#"><u>RelatedContextPartyRole</u></a></del>
1580	<del><a href="#"><u>RelatedContextPartySubID</u></a></del>
1581	<del><a href="#"><u>RelatedContextPartySubIDType</u></a></del>
1570	<del><a href="#"><u>RelatedPartyAltID</u></a></del>
1571	<del><a href="#"><u>RelatedPartyAltIDSource</u></a></del>
1573	<del><a href="#"><u>RelatedPartyAltSubID</u></a></del>
1574	<del><a href="#"><u>RelatedPartyAltSubIDType</u></a></del>
1563	<del><a href="#"><u>RelatedPartyID</u></a></del>
1564	<del><a href="#"><u>RelatedPartyIDSource</u></a></del>
1565	<del><a href="#"><u>RelatedPartyRole</u></a></del>
1567	<del><a href="#"><u>RelatedPartySubID</u></a></del>
1568	<del><a href="#"><u>RelatedPartySubIDType</u></a></del>
1599	<del><a href="#"><u>RelationshipRiskCFICode</u></a></del>
1608	<del><a href="#"><u>RelationshipRiskCouponRate</u></a></del>
1619	<del><a href="#"><u>RelationshipRiskEncodedSecurityDesc</u></a></del>

1618	<del><a href="#"><u>RelationshipRiskEncodedSecurityDescLen</u></a></del>
1607	<del><a href="#"><u>RelationshipRiskFlexibleIndicator</u></a></del>
1612	<del><a href="#"><u>RelationshipRiskInstrumentMultiplier</u></a></del>
1588	<del><a href="#"><u>RelationshipRiskInstrumentOperator</u></a></del>
1611	<del><a href="#"><u>RelationshipRiskInstrumentSettlementType</u></a></del>
1584	<del><a href="#"><u>RelationshipRiskLimitAmount</u></a></del>
1585	<del><a href="#"><u>RelationshipRiskLimitCurrency</u></a></del>
1586	<del><a href="#"><u>RelationshipRiskLimitPlatform</u></a></del>
1583	<del><a href="#"><u>RelationshipRiskLimitType</u></a></del>
1602	<del><a href="#"><u>RelationshipRiskMaturityMonthYear</u></a></del>
1603	<del><a href="#"><u>RelationshipRiskMaturityTime</u></a></del>
1596	<del><a href="#"><u>RelationshipRiskProduct</u></a></del>
1597	<del><a href="#"><u>RelationshipRiskProductComplex</u></a></del>
1606	<del><a href="#"><u>RelationshipRiskPutOrCall</u></a></del>
1604	<del><a href="#"><u>RelationshipRiskRestructuringType</u></a></del>
1594	<del><a href="#"><u>RelationshipRiskSecurityAltID</u></a></del>

1595	<del><a href="#"><u>RelationshipRiskSecurityAltIDSource</u></a></del>
1610	<del><a href="#"><u>RelationshipRiskSecurityDesc</u></a></del>
1609	<del><a href="#"><u>RelationshipRiskSecurityExchange</u></a></del>
1598	<del><a href="#"><u>RelationshipRiskSecurityGroup</u></a></del>
1591	<del><a href="#"><u>RelationshipRiskSecurityID</u></a></del>
1592	<del><a href="#"><u>RelationshipRiskSecurityIDSource</u></a></del>
1601	<del><a href="#"><u>RelationshipRiskSecuritySubType</u></a></del>
1600	<del><a href="#"><u>RelationshipRiskSecurityType</u></a></del>
1605	<del><a href="#"><u>RelationshipRiskSeniority</u></a></del>
1589	<del><a href="#"><u>RelationshipRiskSymbol</u></a></del>
1590	<del><a href="#"><u>RelationshipRiskSymbolSfx</u></a></del>
1615	<del><a href="#"><u>RelationshipRiskWarningLevelName</u></a></del>
1614	<del><a href="#"><u>RelationshipRiskWarningLevelPercent</u></a></del>
1504	<a href="#"><u>RelSymTransactTime</u></a>
239	<a href="#"><u>RepoCollateralSecurityType</u></a>
861	<a href="#"><u>ReportedPx</u></a>
1134	<a href="#"><u>ReportedPxDiff</u></a>
113	<a href="#"><u>ReportToExch</u></a>
227	<a href="#"><u>RepurchaseRate</u></a>
226	<a href="#"><u>RepurchaseTerm</u></a>

1509	<u><a href="#">RequestedPartyRole</a></u>
261	<del>Reserved/Allocated to the Fixed Income proposal</del>
141	<u><a href="#">ResetSeqNumFlag</a></u>
1172	<u><a href="#">RespondentType</a></u>
726	<u><a href="#">ResponseDestination</a></u>
725	<u><a href="#">ResponseTransportType</a></u>
1449	<u><a href="#">RestructuringType</a></u>
700	<u><a href="#">ReversalIndicator</a></u>
644	<u><a href="#">RFQReqID</a></u>
1546	<u><a href="#">RiskCFICode</a></u>
1555	<u><a href="#">RiskCouponRate</a></u>
1621	<u><a href="#">RiskEncodedSecurityDesc</a></u>
1620	<u><a href="#">RiskEncodedSecurityDescLen</a></u>
1554	<u><a href="#">RiskFlexibleIndicator</a></u>
1190	<u><a href="#">RiskFreeRate</a></u>
1558	<u><a href="#">RiskInstrumentMultiplier</a></u>
1535	<u><a href="#">RiskInstrumentOperator</a></u>
1557	<u><a href="#">RiskInstrumentSettlType</a></u>
1531	<u><a href="#">RiskLimitAmount</a></u>
1532	<u><a href="#">RiskLimitCurrency</a></u>
1533	<u><a href="#">RiskLimitPlatform</a></u>
1530	<u><a href="#">RiskLimitType</a></u>
1549	<u><a href="#">RiskMaturityMonthYear</a></u>
1550	<u><a href="#">RiskMaturityTime</a></u>

1543	<u><a href="#">RiskProduct</a></u>
1544	<u><a href="#">RiskProductComplex</a></u>
1553	<u><a href="#">RiskPutOrCall</a></u>
1551	<u><a href="#">RiskRestructuringType</a></u>
1541	<u><a href="#">RiskSecurityAltID</a></u>
1542	<u><a href="#">RiskSecurityAltIDSource</a></u>
1556	<u><a href="#">RiskSecurityDesc</a></u>
1616	<u><a href="#">RiskSecurityExchange</a></u>
1545	<u><a href="#">RiskSecurityGroup</a></u>
1538	<u><a href="#">RiskSecurityID</a></u>
1539	<u><a href="#">RiskSecurityIDSource</a></u>
1548	<u><a href="#">RiskSecuritySubType</a></u>
1547	<u><a href="#">RiskSecurityType</a></u>
1552	<u><a href="#">RiskSeniority</a></u>
1536	<u><a href="#">RiskSymbol</a></u>
1537	<u><a href="#">RiskSymbolSfx</a></u>
1561	<u><a href="#">RiskWarningLevelName</a></u>
1560	<u><a href="#">RiskWarningLevelPercent</a></u>
991	<u><a href="#">RndPx</a></u>
1117	<u><a href="#">RootPartyID</a></u>
1118	<u><a href="#">RootPartyIDSource</a></u>
1119	<u><a href="#">RootPartyRole</a></u>
1121	<u><a href="#">RootPartySubID</a></u>
1122	<u><a href="#">RootPartySubIDType</a></u>
468	<u><a href="#">RoundingDirection</a></u>

469	<u><a href="#">RoundingModulus</a></u>
561	<u><a href="#">RoundLot</a></u>
217	<u><a href="#">RoutingID</a></u>
216	<u><a href="#">RoutingType</a></u>
83	<u><a href="#">RptSeq</a></u>
1135	<u><a href="#">RptSys</a></u>
47	<del>Rule80A (No Longer Used)</del>
546	<u><a href="#">Scope</a></u>
653	<del>SecDefStatus</del>
793	<u><a href="#">SecondaryAllocID</a></u>
526	<u><a href="#">SecondaryClOrdID</a></u>
1082	<u><a href="#">SecondaryDisplayQty</a></u>
527	<u><a href="#">SecondaryExecID</a></u>
1042	<u><a href="#">SecondaryFirmTradeID</a></u>
1230	<u><a href="#">SecondaryHighLimitPrice</a></u>
989	<u><a href="#">SecondaryIndividualAllocID</a></u>
1221	<u><a href="#">SecondaryLowLimitPrice</a></u>
198	<u><a href="#">SecondaryOrderID</a></u>
1305	<u><a href="#">SecondaryPriceLimitType</a></u>
1040	<u><a href="#">SecondaryTradeID</a></u>
818	<u><a href="#">SecondaryTradeReportID</a></u>
881	<u><a href="#">SecondaryTradeReportRefID</a></u>
1240	<u><a href="#">SecondaryTradingReferencePrice</a></u>
855	<u><a href="#">SecondaryTrdType</a></u>

91	<a href="#">SecureData</a>
90	<a href="#">SecureDataLen</a>
455	<a href="#">SecurityAltID</a>
456	<a href="#">SecurityAltIDSource</a>
107	<a href="#">SecurityDesc</a>
207	<a href="#">SecurityExchange</a>
1151	<a href="#">SecurityGroup</a>
48	<a href="#">SecurityID</a>
22	<a href="#">SecurityIDSource</a>
1467	<a href="#">SecurityListDesc</a>
1465	<a href="#">SecurityListID</a>
1466	<a href="#">SecurityListRefID</a>
559	<a href="#">SecurityListRequestType</a>
1470	<a href="#">SecurityListType</a>
1471	<a href="#">SecurityListTypeSource</a>
964	<a href="#">SecurityReportID</a>
320	<a href="#">SecurityReqID</a>
560	<a href="#">SecurityRequestResult</a>
321	<a href="#">SecurityRequestType</a>
322	<a href="#">SecurityResponseID</a>
323	<a href="#">SecurityResponseType</a>
179	<del><a href="#">SecuritySettlAgentAcctName</a></del>
178	<del><a href="#">SecuritySettlAgentAcctNum</a></del>
177	<del><a href="#">SecuritySettlAgentCode</a></del>
180	<del><a href="#">SecuritySettlAgentContactNa</a></del>

	<del><a href="#">me</a></del>
181	<del><a href="#">SecuritySettlAgentContactPh one</a></del>
176	<del><a href="#">SecuritySettlAgentName</a></del>
965	<a href="#">SecurityStatus</a>
324	<a href="#">SecurityStatusReqID</a>
762	<a href="#">SecuritySubType</a>
1174	<a href="#">SecurityTradingEvent</a>
326	<a href="#">SecurityTradingStatus</a>
167	<a href="#">SecurityType</a>
980	<a href="#">SecurityUpdateAction</a>
1185	<a href="#">SecurityXML</a>
1184	<a href="#">SecurityXMLLen</a>
1186	<a href="#">SecurityXMLSchema</a>
287	<a href="#">SellerDays</a>
331	<a href="#">SellVolume</a>
49	<a href="#">SenderCompID</a>
142	<a href="#">SenderLocationID</a>
50	<a href="#">SenderSubID</a>
51	<del><a href="#">SendingDate</a> (no longer used)</del>
52	<a href="#">SendingTime</a>
1450	<a href="#">Seniority</a>
373	<a href="#">SessionRejectReason</a>
1409	<a href="#">SessionStatus</a>
174	<del><a href="#">SettlBrkrCode</a></del>

119	<a href="#">SettlCurrAmt</a>
656	<a href="#">SettlCurrBidFxRate</a>
120	<a href="#">SettlCurrency</a>
155	<a href="#">SettlCurrFxRate</a>
156	<a href="#">SettlCurrFxRateCalc</a>
657	<a href="#">SettlCurrOfferFxRate</a>
64	<a href="#">SettlDate</a>
193	<a href="#">SettlDate2</a>
172	<a href="#">SettlDeliveryType</a>
173	<del><a href="#">SettlDepositoryCode</a></del>
1153	<a href="#">SettlementCycleNo</a>
966	<a href="#">SettleOnOpenFlag</a>
175	<del><a href="#">SettlInstCode</a></del>
162	<a href="#">SettlInstID</a>
160	<a href="#">SettlInstMode</a>
777	<a href="#">SettlInstMsgID</a>
214	<a href="#">SettlInstRefID</a>
791	<a href="#">SettlInstReqID</a>
792	<a href="#">SettlInstReqRejCode</a>
165	<a href="#">SettlInstSource</a>
163	<a href="#">SettlInstTransType</a>
166	<del><a href="#">SettlLocation</a></del>
1193	<a href="#">SettlMethod</a>
1161	<a href="#">SettlObligID</a>
1159	<a href="#">SettlObligMode</a>

1160	<a href="#">SettlObligMsgID</a>
1163	<a href="#">SettlObligRefID</a>
1164	<a href="#">SettlObligSource</a>
1162	<a href="#">SettlObligTransType</a>
782	<a href="#">SettlPartyID</a>
783	<a href="#">SettlPartyIDSource</a>
784	<a href="#">SettlPartyRole</a>
785	<a href="#">SettlPartySubID</a>
786	<a href="#">SettlPartySubIDType</a>
730	<a href="#">SettlPrice</a>
731	<a href="#">SettlPriceType</a>
716	<a href="#">SettlSessID</a>
717	<a href="#">SettlSessSubID</a>
63	<a href="#">SettlType</a>
858	<a href="#">SharedCommission</a>
705	<a href="#">ShortQty</a>
853	<a href="#">ShortSaleReason</a>
54	<a href="#">Side</a>
659	<a href="#">SideComplianceID</a>
1154	<a href="#">SideCurrency</a>
1427	<a href="#">SideExecID</a>
1006	<a href="#">SideFillStationCd</a>
1072	<a href="#">SideGrossTradeAmt</a>
1009	<a href="#">SideLastQty</a>
1444	<a href="#">SideLiquidityInd</a>

752	<a href="#">SideMultiLegReportingType</a>
1007	<a href="#">SideReasonCd</a>
1155	<a href="#">SideSettlCurrency</a>
962	<a href="#">SideTimeInForce</a>
1005	<a href="#">SideTradeReportID</a>
1012	<a href="#">SideTrdRegTimestamp</a>
1014	<a href="#">SideTrdRegTimestampSrc</a>
1013	<a href="#">SideTrdRegTimestampType</a>
1008	<a href="#">SideTrdSubTyp</a>
396	<a href="#">SideValue1</a>
397	<a href="#">SideValue2</a>
401	<a href="#">SideValueInd</a>
89	<a href="#">Signature</a>
93	<a href="#">SignatureLength</a>
377	<a href="#">SolicitedFlag</a>
218	<a href="#">Spread</a>
171	<a href="#">StandInstDbID</a>
170	<a href="#">StandInstDbName</a>
169	<a href="#">StandInstDbType</a>
921	<a href="#">StartCash</a>
916	<a href="#">StartDate</a>
1241	<a href="#">StartMaturityMonthYear</a>
1202	<a href="#">StartStrikePxRange</a>
1206	<a href="#">StartTickPriceRange</a>
471	<a href="#">StateOrProvinceOfIssue</a>

1176	<a href="#">StatsType</a>
929	<a href="#">StatusText</a>
928	<a href="#">StatusValue</a>
233	<a href="#">StipulationType</a>
234	<a href="#">StipulationValue</a>
99	<a href="#">StopPx</a>
958	<a href="#">StrategyParameterName</a>
959	<a href="#">StrategyParameterType</a>
960	<a href="#">StrategyParameterValue</a>
1503	<a href="#">StreamAsgnAckType</a>
1502	<a href="#">StreamAsgnRejReason</a>
1497	<a href="#">StreamAsgnReqID</a>
1498	<a href="#">StreamAsgnReqType</a>
1501	<a href="#">StreamAsgnRptID</a>
1617	<a href="#">StreamAsgnType</a>
947	<a href="#">StrikeCurrency</a>
1304	<a href="#">StrikeExerciseStyle</a>
1204	<a href="#">StrikeIncrement</a>
967	<a href="#">StrikeMultiplier</a>
202	<a href="#">StrikePrice</a>
1479	<a href="#">StrikePriceBoundaryMethod</a>
1480	<a href="#">StrikePriceBoundaryPrecision</a>
1478	<a href="#">StrikePriceDeterminationMethod</a>

1223	<a href="#">StrikeRuleID</a>
443	<a href="#">StrikeTime</a>
968	<a href="#">StrikeValue</a>
147	<a href="#">Subject</a>
263	<a href="#">SubscriptionRequestType</a>
1069	<a href="#">SwapPoints</a>
55	<a href="#">Symbol</a>
65	<a href="#">SymbolSfx</a>
56	<a href="#">TargetCompID</a>
143	<a href="#">TargetLocationID</a>
1462	<a href="#">TargetPartyID</a>
1463	<a href="#">TargetPartyIDSource</a>
1464	<a href="#">TargetPartyRole</a>
847	<a href="#">TargetStrategy</a>
848	<a href="#">TargetStrategyParameters</a>
850	<a href="#">TargetStrategyPerformance</a>
57	<a href="#">TargetSubID</a>
495	<a href="#">TaxAdvantageType</a>
788	<a href="#">TerminationType</a>
464	<a href="#">TestMessageIndicator</a>
112	<a href="#">TestReqID</a>
58	<a href="#">Text</a>
834	<a href="#">ThresholdAmount</a>
274	<a href="#">TickDirection</a>
1208	<a href="#">TickIncrement</a>

1209	<a href="#">TickRuleType</a>
994	<a href="#">TierCode</a>
943	<a href="#">TimeBracket</a>
59	<a href="#">TimeInForce</a>
1189	<a href="#">TimeToExpiration</a>
997	<a href="#">TimeUnit</a>
540	<a href="#">TotalAccruedInterestAmt</a>
533	<a href="#">TotalAffectedOrders</a>
900	<a href="#">TotalNetValue</a>
727	<a href="#">TotalNumPosReports</a>
237	<a href="#">TotalTakedown</a>
387	<a href="#">TotalVolumeTraded</a>
450	<del><a href="#">TotalVolumeTradedTime</a></del>
449	<del><a href="#">TotalVolumeTradedDate</a></del>
1169	<a href="#">TotNoAccQuotes</a>
892	<a href="#">TotNoAllocs</a>
1168	<a href="#">TotNoCxlQuotes</a>
1361	<a href="#">TotNoFills</a>
68	<a href="#">TotNoOrders</a>
4512	<del><a href="#">TotNoPartyList</a></del>
304	<a href="#">TotNoQuoteEntries</a>
1170	<a href="#">TotNoRejQuotes</a>
393	<a href="#">TotNoRelatedSym</a>
557	<a href="#">TotNoSecurityTypes</a>
422	<a href="#">TotNoStrikes</a>

832	<a href="#">TotNumAssignmentReports</a>
911	<a href="#">TotNumReports</a>
748	<a href="#">TotNumTradeReports</a>
826	<a href="#">TradeAllocIndicator</a>
277	<a href="#">TradeCondition</a>
75	<a href="#">TradeDate</a>
258	<a href="#">TradedFlatSwitch</a>
1123	<a href="#">TradeHandlingInstr</a>
1003	<a href="#">TradeID</a>
579	<a href="#">TradeInputDevice</a>
578	<a href="#">TradeInputSource</a>
824	<a href="#">TradeLegRefID</a>
820	<a href="#">TradeLinkID</a>
229	<a href="#">TradeOriginationDate</a>
1390	<a href="#">TradePublishIndicator</a>
571	<a href="#">TradeReportID</a>
572	<a href="#">TradeReportRefID</a>
751	<a href="#">TradeReportRejectReason</a>
487	<a href="#">TradeReportTransType</a>
856	<a href="#">TradeReportType</a>
568	<a href="#">TradeRequestID</a>
749	<a href="#">TradeRequestResult</a>
750	<a href="#">TradeRequestStatus</a>
569	<a href="#">TradeRequestType</a>
1020	<a href="#">TradeVolume</a>

1245	<a href="#">TradingCurrency</a>
1150	<a href="#">TradingReferencePrice</a>
1326	<a href="#">TradingSessionDesc</a>
336	<a href="#">TradingSessionID</a>
625	<a href="#">TradingSessionSubID</a>
344	<a href="#">TradSesCloseTime</a>
345	<a href="#">TradSesEndTime</a>
1368	<a href="#">TradSesEvent</a>
338	<a href="#">TradSesMethod</a>
339	<a href="#">TradSesMode</a>
342	<a href="#">TradSesOpenTime</a>
343	<a href="#">TradSesPreCloseTime</a>
335	<a href="#">TradSesReqID</a>
341	<a href="#">TradSesStartTime</a>
340	<a href="#">TradSesStatus</a>
567	<a href="#">TradSesStatusRejReason</a>
1327	<a href="#">TradSesUpdateAction</a>
60	<a href="#">TransactTime</a>
483	<a href="#">TransBkdTime</a>
830	<a href="#">TransferReason</a>
880	<a href="#">TrdMatchID</a>
769	<a href="#">TrdRegTimestamp</a>
771	<a href="#">TrdRegTimestampOrigin</a>
770	<a href="#">TrdRegTimestampType</a>
1389	<a href="#">TrdRepIndicator</a>

1388	<a href="#">TrdRepPartyRole</a>
939	<a href="#">TrdRptStatus</a>
829	<a href="#">TrdSubType</a>
828	<a href="#">TrdType</a>
1101	<a href="#">TriggerAction</a>
1110	<a href="#">TriggerNewPrice</a>
1112	<a href="#">TriggerNewQty</a>
1111	<a href="#">TriggerOrderType</a>
1102	<a href="#">TriggerPrice</a>
1109	<a href="#">TriggerPriceDirection</a>
1107	<a href="#">TriggerPriceType</a>
1108	<a href="#">TriggerPriceTypeScope</a>
1106	<a href="#">TriggerSecurityDesc</a>
1104	<a href="#">TriggerSecurityID</a>
1105	<a href="#">TriggerSecurityIDSource</a>
1103	<a href="#">TriggerSymbol</a>
1113	<a href="#">TriggerTradingSessionID</a>
1114	<a href="#">TriggerTradingSessionSubID</a>
1100	<a href="#">TriggerType</a>
1132	<a href="#">TZTransactTime</a>
1044	<a href="#">UnderlyingAdjustedQuantity</a>
972	<a href="#">UnderlyingAllocationPercent</a>
1459	<a href="#">UnderlyingAttachmentPoint</a>
1038	<a href="#">UnderlyingCapValue</a>
973	<a href="#">UnderlyingCashAmount</a>

974	<a href="#">UnderlyingCashType</a>
463	<a href="#">UnderlyingCFICode</a>
986	<a href="#">UnderlyingCollectAmount</a>
436	<a href="#">UnderlyingContractMultiplier</a>
1437	<a href="#">UnderlyingContractMultiplierUnit</a>
592	<a href="#">UnderlyingCountryOfIssue</a>
241	<a href="#">UnderlyingCouponPaymentDate</a>
435	<a href="#">UnderlyingCouponRate</a>
877	<a href="#">UnderlyingCPPProgram</a>
878	<a href="#">UnderlyingCPRegType</a>
256	<a href="#">UnderlyingCreditRating</a>
318	<a href="#">UnderlyingCurrency</a>
885	<a href="#">UnderlyingCurrentValue</a>
1037	<a href="#">UnderlyingDeliveryAmount</a>
1460	<a href="#">UnderlyingDetachmentPoint</a>
882	<a href="#">UnderlyingDirtyPrice</a>
883	<a href="#">UnderlyingEndPrice</a>
886	<a href="#">UnderlyingEndValue</a>
1419	<a href="#">UnderlyingExerciseStyle</a>
246	<a href="#">UnderlyingFactor</a>
1441	<a href="#">UnderlyingFlowScheduleType</a>
1045	<a href="#">UnderlyingFXRate</a>
1046	<a href="#">UnderlyingFXRateCalc</a>

595	<a href="#">UnderlyingInstrRegistry</a>
1059	<a href="#">UnderlyingInstrumentPartyID</a>
1060	<a href="#">UnderlyingInstrumentPartyIDSource</a>
1061	<a href="#">UnderlyingInstrumentPartyRole</a>
1063	<a href="#">UnderlyingInstrumentPartySubID</a>
1064	<a href="#">UnderlyingInstrumentPartySubIDType</a>
242	<a href="#">UnderlyingIssueDate</a>
306	<a href="#">UnderlyingIssuer</a>
651	<a href="#">UnderlyingLastPx</a>
652	<a href="#">UnderlyingLastQty</a>
1344	<a href="#">UnderlyingLegCFICode</a>
1345	<a href="#">UnderlyingLegMaturityDate</a>
1339	<a href="#">UnderlyingLegMaturityMonthYear</a>
1405	<a href="#">UnderlyingLegMaturityTime</a>
1391	<a href="#">UnderlyingLegOptAttribute</a>
1343	<a href="#">UnderlyingLegPutOrCall</a>
1335	<a href="#">UnderlyingLegSecurityAltID</a>
1336	<a href="#">UnderlyingLegSecurityAltIDSource</a>
1392	<a href="#">UnderlyingLegSecurityDesc</a>
1341	<a href="#">UnderlyingLegSecurityExchange</a>

1332	<a href="#">UnderlyingLegSecurityID</a>
1333	<a href="#">UnderlyingLegSecurityIDSource</a>
1338	<a href="#">UnderlyingLegSecuritySubType</a>
1337	<a href="#">UnderlyingLegSecurityType</a>
1340	<a href="#">UnderlyingLegStrikePrice</a>
1330	<a href="#">UnderlyingLegSymbol</a>
1331	<a href="#">UnderlyingLegSymbolSfx</a>
594	<a href="#">UnderlyingLocaleOfIssue</a>
542	<a href="#">UnderlyingMaturityDate</a>
314	<a href="#">UnderlyingMaturityDay</a>
313	<a href="#">UnderlyingMaturityMonthYear</a>
1213	<a href="#">UnderlyingMaturityTime</a>
1455	<a href="#">UnderlyingNotionalPercentageOutstanding</a>
317	<a href="#">UnderlyingOptAttribute</a>
1456	<a href="#">UnderlyingOriginalNotionalPercentageOutstanding</a>
985	<a href="#">UnderlyingPayAmount</a>
1481	<a href="#">UnderlyingPriceDeterminationMethod</a>
1424	<a href="#">UnderlyingPriceUnitOfMeasure</a>
1425	<a href="#">UnderlyingPriceUnitOfMeasureQty</a>
462	<a href="#">UnderlyingProduct</a>

315	<a href="#">UnderlyingPutOrCall</a>
810	<a href="#">UnderlyingPx</a>
879	<a href="#">UnderlyingQty</a>
247	<a href="#">UnderlyingRedemptionDate</a>
243	<a href="#">UnderlyingRepoCollateralSecurityType</a>
245	<a href="#">UnderlyingRepurchaseRate</a>
244	<a href="#">UnderlyingRepurchaseTerm</a>
1453	<a href="#">UnderlyingRestructuringType</a>
458	<a href="#">UnderlyingSecurityAltID</a>
459	<a href="#">UnderlyingSecurityAltIDSource</a>
307	<a href="#">UnderlyingSecurityDesc</a>
308	<a href="#">UnderlyingSecurityExchange</a>
309	<a href="#">UnderlyingSecurityID</a>
305	<a href="#">UnderlyingSecurityIDSource</a>
763	<a href="#">UnderlyingSecuritySubType</a>
310	<a href="#">UnderlyingSecurityType</a>
1454	<a href="#">UnderlyingSeniority</a>
987	<a href="#">UnderlyingSettlementDate</a>
988	<a href="#">UnderlyingSettlementStatus</a>
975	<a href="#">UnderlyingSettlementType</a>
1039	<a href="#">UnderlyingSettlMethod</a>
732	<a href="#">UnderlyingSettlPrice</a>
733	<a href="#">UnderlyingSettlPriceType</a>

884	<a href="#"><u>UnderlyingStartValue</u></a>
593	<a href="#"><u>UnderlyingStateOrProvinceOfIssue</u></a>
888	<a href="#"><u>UnderlyingStipType</u></a>
889	<a href="#"><u>UnderlyingStipValue</u></a>
941	<a href="#"><u>UnderlyingStrikeCurrency</u></a>
316	<a href="#"><u>UnderlyingStrikePrice</u></a>
311	<a href="#"><u>UnderlyingSymbol</u></a>
312	<a href="#"><u>UnderlyingSymbolSfx</u></a>
1000	<a href="#"><u>UnderlyingTimeUnit</u></a>
822	<a href="#"><u>UnderlyingTradingSessionID</u></a>
823	<a href="#"><u>UnderlyingTradingSessionSubID</u></a>
998	<a href="#"><u>UnderlyingUnitOfMeasure</u></a>
1423	<a href="#"><u>UnderlyingUnitOfMeasureQty</u></a>
996	<a href="#"><u>UnitOfMeasure</u></a>
1147	<a href="#"><u>UnitOfMeasureQty</u></a>
325	<a href="#"><u>UnsolicitedIndicator</u></a>
61	<a href="#"><u>Urgency</u></a>
149	<a href="#"><u>URLLink</u></a>
553	<a href="#"><u>Username</u></a>
923	<a href="#"><u>UserRequestID</u></a>
924	<a href="#"><u>UserRequestType</u></a>
926	<a href="#"><u>UserStatus</u></a>
927	<a href="#"><u>UserStatusText</u></a>

62	<a href="#"><u>ValidUntilTime</u></a>
1197	<a href="#"><u>ValuationMethod</u></a>
408	<a href="#"><u>ValueOfFutures</u></a>
1430	<a href="#"><u>VenueType</u></a>
1188	<a href="#"><u>Volatility</u></a>
<del>405</del>	<del><a href="#"><u>WaveNo</u></a></del>
636	<a href="#"><u>WorkingIndicator</u></a>
410	<a href="#"><u>WtAverageLiquidity</u></a>
213	<a href="#"><u>XmlData</u></a>
212	<a href="#"><u>XmlDataLen</u></a>
236	<a href="#"><u>Yield</u></a>
701	<a href="#"><u>YieldCalcDate</u></a>
696	<a href="#"><u>YieldRedemptionDate</u></a>
697	<a href="#"><u>YieldRedemptionPrice</u></a>
698	<a href="#"><u>YieldRedemptionPriceType</u></a>
235	<a href="#"><u>YieldType</u></a>

## Appendix 6-A

### Valid Currency Codes

Currency codes used in FIX are those defined in ISO 4217 standard. To obtain the current valid list please contact the ISO 4217 secretariat at +44-181-996-9000 or on World Wide Web at:

<http://www.bsi.org.uk/bsi/products/standards/products/currency.xhtml>

Another online reference at the time of this writing is: <http://www.xe.com/iso4217.htm>

*Note: Prices defined in FIX messages should be made consistent with the currency code used. In some markets, prices are quoted as multiples or fractions of the currency, FIX messages should normalize the amount to coincide with the indicated code (e.g. UK securities are quoted in pence but must be represented in FIX messages as pounds).*

## Appendix 6-B

### FIX Fields Based Upon Other Standards

Values for many of the fields within the FIX Protocol specification are based upon several ISO standards. See <http://www.iso.ch> for the official ISO website.

#### ISO Standards used by the FIX Protocol Specification

Description	FIX Fields	ISO Standard
Bank Identification Code	SettlBrkrCode SettlInstCode SecuritySettlAgentCode CashSettlAgentCode	<p><b>ISO 9362:1994</b></p> <p><i>Banking–Banking telecommunication messages – Bank identifier codes</i></p> <p><b>Registration Authority</b></p> <p><i>Bank Identifier Code Register</i></p> <p><i>c/o S.W.I.F.T.</i></p> <p><i>Avenue Adèle 1</i></p> <p><i>B-1310 La Hulpe</i></p> <p><i>Belgium</i></p> <p><i>Tel. + 32 2 655 31 11</i></p> <p><i>Fax + 32 2 655 32 26</i></p> <p><a href="http://www.swift.com">www.swift.com</a></p>
Country	SecurityIDSource + SecurityID UnderlyingSecurityIDSource + UnderlyingSecurityID	<p><b>ISO3166-1:1997</b></p> <p><i>ISO 3166-2:1998</i></p> <p><i>Codes for the representation of names of countries and their subdivisions –</i></p>

	SettlLocation BidDescriptor Country CountryOfIssue	<p><b>Part 1: Country codes</b></p> <p><i>Part 2: Country subdivision code</i></p> <p><i>Bilingual edition</i></p> <p><b>Maintenance Agency</b></p> <p><i>C/o DIN Deutsches Institut für Normung</i></p> <p><i>Burggrafenstrasse 6</i></p> <p><i>D-10787 Berlin Germany</i></p> <p><i>Postal address:</i></p> <p><i>D-10772 Berlin</i></p> <p><i>Tel. + 49 30 2601 2791</i></p> <p><i>Fax + 49 30 2601 1231</i></p> <p><i>E-mail lechner@nabd.din.de</i></p> <p><a href="http://www.din.de/gremien/nas/nabd/iso3166ma/index.html">http://www.din.de/gremien/nas/nabd/iso3166ma/index.html</a></p>
Currency	Currency SecurityIDSource + SecurityID UnderlyingSecurityIDSource + UnderlyingSecurityID SettlCurrency MiscFeeCurr Underlying Currency	<p><b>ISO 4217:1995</b></p> <p><i>Codes for the representation of currencies and funds</i></p> <p><i>Bilingual edition</i></p> <p><b>Maintenance Agency</b></p> <p><i>c/o British Standards Institution</i></p> <p><i>389 Chiswick High Road</i></p> <p><i>London W4 4AL</i></p> <p><i>United Kingdom</i></p> <p><i>Tel. + 44 181 996 9000</i></p> <p><i>Fax + 44 181 996 7400</i></p>

		<p><i>Telex 82 57 77 bsi mk g</i></p> <p><i>E-mail <a href="mailto:Anna_Wadsworth@BSI.ORG.UK">Anna_Wadsworth@BSI.ORG.UK</a></i></p> <p><a href="http://www.bsi.org.uk">http://www.bsi.org.uk</a></p>
Exchange/Market Code	<p>LastMkt</p> <p>ExDestination</p> <p>SecurityExchange</p> <p>MDMkt</p> <p>UnderlyingSecurityExchange</p>	<p><b>ISO 10383:1992</b></p> <p><i>Codes for exchanges and regulated markets - Market identifier codes (MIC)</i></p> <p><b>Registration Authority</b></p> <p><i>Market Identifier Code Register</i></p> <p><i>c/o S.W.I.F.T.</i></p> <p><i>Avenue Adèle 1</i></p> <p><i>B-1310 La Hulpe</i></p> <p><i>Belgium</i></p> <p><i>Tel. + 32 2 655 31 11</i></p> <p><i>Fax + 32 2 655 32 26</i></p> <p><i>Telex 26 532 swbru b</i></p> <p><a href="http://www.swift.com">www.swift.com</a></p> <p><i>As of the time of this publication the current list of MIC values as well as the ability to request a MIC value online is:</i></p> <p><a href="http://www.iso15022.org/MIC/homepageMIC.htm">http://www.iso15022.org/MIC/homepageMIC.htm</a></p>
Security Identification	<p>SecurityIDSource + SecurityID</p> <p>UnderlyingSecurityIDSource + UnderlyingSecurityID</p>	<p><b>ISO 6166:2001</b></p> <p><i>Securities - International Securities Identification Numbering System (ISIN)</i></p> <p><b>Registration Authority</b></p> <p>ANNA</p>

		<p><i>c/o SICOVAM SA</i></p> <p><i>115, rue Réaumur</i></p> <p><i>F-75081 Paris Cedex 02</i></p> <p><i>France</i></p> <p><i>Tel. + 33 1 55 34 55 86</i></p> <p><i>Fax + 33 1 55 34 57 71</i></p> <p><a href="http://www.anna-nna.com">http://www.anna-nna.com</a>)</p>
Security Type/Classification	CFICode	<p><b>ISO 10962:2001</b></p> <p><i>Securities-Classification of Financial Instruments (CFI code)</i></p> <p><b>Registration Authority</b></p> <p>ANNA</p> <p><i>c/o SICOVAM SA</i></p> <p><i>115, rue Réaumur</i></p> <p><i>F-75081 Paris Cedex 02</i></p> <p><i>France</i></p> <p><i>Tel. + 33 1 55 34 55 86</i></p> <p><i>Fax + 33 1 55 34 57 71</i></p> <p><a href="http://www.anna-nna.com">http://www.anna-nna.com</a></p>
URI (Uniform Resource Identifier)	URLLink ResponseDestination	<p><b>W3C Web Resource Naming and Addressing</b></p> <p>Note that "URL" (Uniform Resource Locator), commonly referred to by web browsers, is a subset of the URI standard. The W3C</p>

		<p>standards body considers URL an "informal term (no longer used in technical specifications)".</p> <p>Discussion: <a href="mailto:uri@w3c.org">uri@w3c.org</a></p> <p>Owner:  <a href="http://www.w3c.org/People/Connolly/">http://www.w3c.org/People/Connolly/</a>  <a href="http://www.w3c.org/Addressing/">http://www.w3c.org/Addressing/</a></p>
Language	LanguageCode	<p><b>ISO 639-1</b></p> <p><b>Codes for the representation of names of languages -- Part 1: Alpha-2 code</b></p> <p><b>Registration Authority</b></p> <p>c/o International Information Centre for Terminology (Infoterm)</p> <p>Zentrum für Translationswissenschaft, Universität Wien</p> <p>Gymnasiumstrasse 50</p> <p><b>AT-1190 Wien</b></p> <p>Austria</p> <p>Tel: +43 664 3446181</p> <p>Fax: +43 1 524 06 06 99</p> <p>E-mail: <a href="mailto:infopoint@infoterm.org">infopoint@infoterm.org</a></p>

## Appendix 6-C

### Exchange Codes - ISO 10383 Market Identifier Code (MIC)

As of FIX 4.3, Exchange Codes used in FIX are those defined in ISO 10383 standard: Market Identifier Code (MIC). The cross-reference list below is a subset of ISO 10383 values as of the time of this publication. It is provided to facilitate the transition from the Reuters exchange suffix codes which versions of FIX prior to FIX 4.2 were based upon. The official standard and set of values are maintained by the ISO 10383 standard and any discrepancies below should be considered typographical errors using the ISO 10383 standard as the correct set of values. These values are maintained by ISO 10383 secretariat (see "Appendix 6-B") and as of the time of this publication the website link to view current list of MIC values is: <http://www.iso15022.org/MIC/homepageMIC.htm>

Note that "Old FIX 4.2" values which are underlined represent "numeric codes" assigned by the FIX organization in lieu of a valid Reuters exchange suffix. Such values which have a valid MIC value should use the MIC value. Markets without a MIC value should apply to the ISO 10383 Registration Authority (SWIFT) for an appropriate value. The FIX organization will maintain numeric values for required market identifiers which are unable to establish a MIC value for some reason.

**Disclaimer:** Please refer to the current ISO 10383 standard for the complete list. The following list is a **subset** and designed primarily to support cross-referencing mapping from FIX versions <= 4.2 to FIX versions >= 4.3 (when the FIX specification standard changed from Reuters exchange suffix to ISO 10383 MIC code).

#### MIC STANDARD CROSS\_REF TO FIX 4.2 20010501 Errata:

MIC Value	BIC	Institution	Old FIX 4.2 Exchange Name	Old FIX 4.2 Value
<b>DSMD</b>		DOHA SECURITIES MARKET	Doha Securities Market	QA
<b>IEPA</b>		INTERCONTINENTAL EXCHANGE LTD.	<u>Intercontinental Exchange</u>	<u>48</u>
<b>PINX</b>		PINK SHEETS LLC (NQB)	Pink Sheets (National Quotation Bureau)	PNK
<b>THRD</b>		THE THIRD MARKET CORPORATION	Third Market	TH
<b>TRWB</b>		TRADEWEB LLC	<u>TradeWeb</u>	<u>30</u>
<b>XABJ</b>	XABJCIA1XXX	BOURSE DES VALEURS ABIDJAN	Abidjan Stock Exchange	CI

<b>XACE</b>	XACENL21XXX	AMSTERDAM COMMODITY EXCHANGE		
<b>XADE</b>	XADEGRA1XXX	ATHENS DERIVATIVES EXCHANGE S.A. (ADEX), THE		
<b>XAEX</b>	XAEXNL21XXX	AEX-AGRICULTURAL FUTURES EXCHANGE	<i>AEX Options and Futures Exchange</i>	<i>E</i>
<b>XALB</b>	XALBCA61XXX	ALBERTA STOCK EXCHANGE, THE	<< defunct exchange >>	
<b>XAMM</b>	XAMMJOA1XXX	AMMAN STOCK EXCHANGE	Amman Stock Exchange	AM
<b>XAMS</b>	XAMSNL21XXX	AMSTERDAMSE EFFECTENBEURS	<i>AEX Stock Exchange</i>	AS
<b>XANT</b>	XANTBE21XXX	BEURS VAN ANTWERPEN (ANTWERP STOCK EXCHANGE)		
<b>XAOM</b>	XAOMAU21XXX	AUSTRALIAN OPTIONS MARKET		
<b>XAPI</b>	XAPIRU81XXX	ASIA-PACIFIC INTERBANK CURRENCY EXCHANGE THE, JOINT STOCK COMPANY		
<b>XASE</b>	XASEUS31XXX	AMERICAN STOCK EXCHANGE	American Stock Exchange	A
		AMERICAN STOCK EXCHANGE (ASE) BONDS		
		AMERICAN STOCK OPTIONS EXCHANGE	<u>American Stock Exchange Options</u>	1
<b>XASX</b>	XASXAU2SXXX	ASX OPERATIONS PTY LIMITED	Australian Stock Exchange	AX
<b>XATH</b>	XATHGRA1XXX	ATHENS STOCK EXCHANGE		
<b>XAUK</b>	XAUKNZ21XXX	NEW ZEALAND STOCK EXCHANGE - AUCKLAND		
<b>XAVB</b>	XAVBESM1XXX	CMB, AGENCIA DE VALORES Y BOLSA		
<b>XBAH</b>	XBAHBHB1XXX	BAHRAIN STOCK EXCHANGE	Bahrain Stock Exchange	BH
<b>XBAN</b>	XBANIN51XXX	BANGALORE STOCK EXCHANGE LTD		
<b>XBAR</b>	XBARES1XXX	BARCELONA STOCK EXCHANGE	Barcelona Stock Exchange - Floor Trading	BC

<b>XBAV</b>	XBAVESB1XXX	MERCHBOLSA AGENCIA DE VALORES, S.A.		
<b>XBCE</b>	XBCEHUH1XXX	BUDAPEST COMMODITY EXCHANGE		
<b>XBCN</b>	XBCNESB1XXX	SOCIEDAD RECTORA DE LA BOLSA DE VALORES DE BARCELONA S.A.		
<b>XBDA</b>	XBDABMH1XXX	BERMUDA STOCK EXCHANGE LTD, THE		
<b>XBDP</b>	XBDPPTPPXXX	BOLSA DE DERIVADOS DO PORTO		
<b>XBER</b>	XBERDEB1XXX	BERLINER WERTPAPIERBOERSE	Berlin Stock Exchange	BE
<b>XBEY</b>	XBEYLB1XXX	BOURSE DE BEYROUTH	Beirut Stock Exchange	BY
<b>XBFO</b>	XBFOEB1XXX	BELFOX (BELGIAN FUTURES AND OPTIONS EXCHANGE)	Belfox	B
<b>XBIL</b>	XBILES21XXX	BOLSA DE VALORES DE BILBAO	Bilbao Stock Exchange	BI
<b>XBKK</b>	XBKKTHB1XXX	STOCK EXCHANGE OF THAILAND BANGKOK FOREIGN	Thailand Stock Exchange	BK
<b>XBMF</b>	XBMFBRSPXXX	BOLSA DE MERCADORIAS E FUTUROS - BM E F		
<b>XBNV</b>	XBNVCRS1XXX	BOLSA NACIONAL DE VALORES, S.A.		
<b>XBOG</b>	XBOGCOB1XXX	BOLSA DE BOGOTA S.A.		
<b>XBOL</b>	XBOLBOL1XXX	BOLSA BOLIVIANA DE VALORES S.A.		
<b>XBOM</b>	XBOMINB1XXX	BOMBAY STOCK EXCHANGE	Bombay Stock Exchange	BO
<b>XBOR</b>	XBORFR21XXX	BORDEAUX STOCK EXCHANGE		
<b>XBOS</b>	XBOSUS31XXX	BOSTON STOCK EXCHANGE	Boston Stock Exchange	B
<b>XBOT</b>	XBOTBWG1XXX	BOTSWANA SHARE MARKET	Botswana Share Market	BT
<b>XBOX</b>		BOSTON OPTIONS EXCHANGE (BOX)		
<b>XBPR</b>	XBPRDEF1XXX	DEUTSCHE BOERSE (BOX-PRODUCT)		

<b>XBRA</b>	XBRASKB1XXX	BRATISLAVA STOCK EXCHANGE, THE		
<b>XBRE</b>	XBREDE21XXX	BREMER WERTPAPIERBOERSE	Bremen Stock Exchange	BM
<b>XBRN</b>	XBRNCH21XXX	BERNE STOCK EXCHANGE	Berne Stock Exchange	BN
<b>XBRU</b>	XBRUBEB1XXX	BRUSSELS STOCK EXCHANGE	Brussels Stock Exchange	BR
<b>XBSE</b>	XBSEROB1XXX	BUCHAREST STOCK EXCHANGE		
<b>XBSL</b>	XBSLCHB1XXX	BASLE STOCK EXCHANGE	<< defunct exchange >>	
<b>XBSP</b>	XBSPBRS1XXX	BOLSA DE VALORES DE SAO PAULO	Sao Paulo Stock Exchange	SA
<b>XBUD</b>	XBUDHUH1XXX	BUDAPEST STOCK EXCHANGE		
<b>XBUE</b>	XBUEARB1XXX	BUENOS AIRES STOCK EXCHANGE		
<b>XBUL</b>	XBULBGS1XXX	FIRST BULGARIAN STOCK EXCHANGE		
<b>XCAI</b>	XCAIEGC1XXX	CAIRO STOCK EXCHANGE		
<b>XCAL</b>	XCALINC1XXX	CALCUTTA STOCK EXCHANGE	Calcutta Stock Exchange	CL
<b>XCAR</b>	XCARVEC1XXX	CARACAS STOCK EXCHANGE		
<b>XCAS</b>	XCASMAM1XXX	CASABLANCA STOCK EXCHANGE		
<b>XCBO</b>	XCBOUS41XXX	CHICAGO BOARD OPTIONS EXCHANGE	Chicago Board Options Exchange	W
<b>XCBT</b>	XCBTUS41XXX	CHICAGO BOARD OF TRADE		
<b>XCCE</b>	XCCEJPJ1XXX	CHUBU COMMODITY EXCHANGE		
<b>XCEC</b>	XCECUS31XXX	COMMODITIES EXCHANGE CENTER		
<b>XCEL</b>	XCELSI21XXX	COMMODITY EXCHANGE OF LJUBLJANA		
<b>XCET</b>	XCETUZ21XXX	COMMODITY EXCHANGE 'TASHKENT'		
<b>XCFE</b>	XCFECNS1XXX	CHINA FOREIGN EXCHANGE TRADE SYSTEM		
<b>XCFE</b>	XCFEUS31XXX	CANTOR FINANCIAL FUTURES EXCHANGE		

<b>XCFV</b>	XCFVVEC1XXX	CAMARA DE COMPENSACION DE OPCIONES Y FUTUROS DE VENEZUELA	<i>Electronic Stock Exchange of Venezuela</i>	<i>EB</i>
<b>XCHI</b>	XCHIUS41XXX	CHICAGO STOCK EXCHANGE, INC.	Chicago Stock Exchange	MW
<b>XCIE</b>		THE CHANNEL ISLANDS STOCK EXCHANGE	Channel Islands	CH
<b>XCIS</b>	XCISUS41XXX	CINCINNATI STOCK EXCHANGE	Cincinnati Stock Exchange	C
<b>XCME</b>	XCMEUS4CXXX	CHICAGO MERCANTILE EXCHANGE GLOBEX CHICAGO MERCANTILE EXCHANGE	<u>Chicago Mercantile Exchange (CME)</u>	<u>2</u>
<b>XCMO</b>	XCMOMYK1XXX	COMMODITY AND MONETARY EXCHANGE OF MALAYSIA		
<b>XCOL</b>	XCOLLKL1XXX	COLOMBO STOCK EXCHANGE	Colombo Stock Exchange	CM
<b>XCOR</b>	XCORGB21XXX	COREDEAL		
<b>XCRC</b>	XCRCUS41XXX	CHICAGO RICE AND COTTON EXCHANGE		
<b>XCSC</b>	XCSCUS31XXX	NEW YORK COCOA, COFFEE AND SUGAR EXCHANGE		
<b>XCSE</b>	XCSEDKK1XXX	COPENHAGEN STOCK EXCHANGE	Copenhagen Stock Exchange	CO
<b>XCUE</b>	XCUEUZ21XXX	CURRENCY EXCHANGE		
<b>XCVM</b>	XCVMPTPPXXX	INTERBOLSA, SOC. GESTORA DE SISTEMAS DE LIQUIDACAO E DE SISTEMAS CENTRALIZADOS DE VALORES MOBILIARIOS, SA	Interbolsa (Portugal)	IN
<b>XCYS</b>	XCYSY21XXX	CYPRUS STOCK EXCHANGE INSTITUTION		
<b>XDES</b>	XDESIND1XXX	DELHI STOCK EXCHANGE	Dehli Stock Exchange	DL
<b>XDFM</b>		DUBAI FINANCIAL MARKET	Dubai Financial Market	DU
<b>XDHA</b>	XDHABDD1XXX	DHAKA STOCK EXCHANGE LTD		

<b>XDMI</b>	XDMIITM1XXX	ITALIAN DERIVATIVES MARKET (IDEM)		
<b>XDTB</b>	XDTBDEF1XXX	DTB DEUTSCHE TERMINBOERSE GMBH		
<b>XDUB</b>	XDUBIE21XXX	IRISH STOCK EXCHANGE	Irish Stock Exchange	I
<b>XDUS</b>	XDUSDED1XXX	RHEINISCHE-WESTFAELISCHE BOERSE ZU DUESSELDORF	Dusseldorf Stock Exchange	D
<b>XDWZ</b>	XDWZDEF1XXX	DEUTSCHE BOERSE AG, FRANKFURT AM MAIN		
		XETRA		
		EURO MTS, Frankfurt		
		NEW MARKET XETRA		
		NEW MARKET FRANKFURT		
<b>XEAS</b>	XEASBEB1XXX	EASDAQ S.A.		
<b>XEEE</b>	XEEEDDEF1XXX	EUROPEAN ENERGY EXCHANGE AG		
<b>XEMD</b>	XEMDMXM1XXX	MERCADO MEXICANO DE DERIVADOS		
<b>XETR</b>	XETRDEF1XXX	DEUTSCHER KASSENVEREIN AG GRUPPE DEUTSCHE BOERSE		
<b>XEUB</b>	XEUBDEF1XXX	EUREX BONDS		
<b>XEUC</b>	XEUCNL21XXX	EURONEXT COM, COMMODITIES FUTURES & OPTIONS		
<b>XEUE</b>	XEUENL21XXX	EURONEXT EQF, EQUITIES & INDICES DERIVATIVES		
<b>XEUI</b>	XEUINL21XXX	EURONEXT IRF, INTEREST RATE FUTURE& OPTIONS		
<b>XEUM</b>	XEUMFRP1XXX	EURONEXT MONEP		
<b>XEUN</b>	XEUNFRP1XXX	EURONEXT PARIS		
<b>XEUR</b>	XEURCHZ1XXX	EUREX AG	Eurex Germany (DTB)	d
	XEURDEF1XXX	EUREX DEUTSCHLAND		

<b>XFIR</b>	XFIRIT31XXX	BORSA VALORI DI FIRENZE (STOCK EXCHANGE)	<< defunct exchange >>	
<b>XFKA</b>	XFKAJPJ1XXX	FUKUOKA STOCK EXCHANGE	Fukuoka Stock Exchange	FU
<b>XFMN</b>	XFMNFRP1XXX	SOCIETE DU NOUVEAU MARCHE	Le Nouveau Marche	LN
<b>XFNX</b>	XFNXIE21XXX	FINEX		
	XFNXUS31XXX	FINEX		
<b>XFOM</b>	XFOMFIH1XXX	FINNISH OPTIONS MARKET		
<b>XFRA</b>	XFRADEF1XXX	FRANKFURTER WERTPAPIERBOERSE	Frankfurt Stock Exchange	F
<b>XFTA</b>	XFTANL21XXX	FINANCIELE TERMIJNMARKET AMSTERDAM		
<b>XGAL</b>	XGALCH21XXX	ST. GALLEN STOCK EXCHANGE		
<b>XGEN</b>	XGENITG1XXX	BORSA VALORI DI GENOVA (STOCK EXCHANGE)	<< defunct exchange >>	
<b>XGTG</b>	XGTGGTG1XXX	BOLSA DE VALORES NACIONAL SA		
<b>XGHA</b>	XGHAGHA1XXX	GHANA STOCK EXCHANGE	Ghana Stock Exchange	GH
<b>XGUA</b>	XGUAECE1XXX	GUAYAQUIL STOCK EXCHANGE		
<b>XGVA</b>	XGVACHG1XXX	GENEVA STOCK EXCHANGE	<< defunct exchange >>	
<b>XHAM</b>	XHAMDEH1XXX	HANSEATISCHE WERTPAPIERBOERSE HAMBURG	Hamburg Stock Exchange	H
<b>XHAN</b>	XHANDE21XXX	NIEDERSAECHSISCHE BOERSE ZU HANNOVER	Hannover Stock Exchange	HA
<b>XHCE</b>	XHCEDE21XXX	WARENTERMINBOERSE HANNOVER		
<b>XHEL</b>	XHELFIH1XXX	THE HELSINKI STOCK EXCHANGE	Helsinki Stock Exchange	HE
<b>XHIR</b>	XHIRJPJ1XXX	HIROSHIMA STOCK EXCHANGE	<< defunct exchange >>	
<b>XHKC</b>	XHKCHKHHXXX	HONG KONG SECURITIES CLEARING COMPANY, LIMITED		

<b>XHKF</b>	XHKFHKHHTRE	HONG KONG FUTURES EXCHANGE LTD.		
	XHKFHKHHXXX	HONG KONG FUTURES EXCHANGE LTD.		
<b>XHKG</b>	XHKGHKH1XXX	STOCK EXCHANGE OF HONG KONG LTD, THE	Hong Kong Stock Exchange	HK
		HONG KONG STOCK EXCHANGE OPTIONS		
<b>XIBE</b>	XIBEAZ21XXX	BAKU INTERBANK CURRENCY EXCHANGE		
<b>XIBR</b>	XIBRDEF1XXX	IBIS-R	<< defunct exchange >>	
<b>XICE</b>	XICEISR1XXX	ICELAND STOCK EXCHANGE	Iceland Stock Exchange	IC
<b>XIFO</b>	XIFOIE21XXX	IRISH FUTURES AND OPTIONS EXCHANGE (DUBLIN)		
<b>XIME</b>	XIMETWT1XXX	TAIWAN INTERNATIONAL MERCANTILE EXCHANGE		
<b>XIMM</b>	XIMMUS41XXX	INTERNATIONAL MONETARY MARKET		
<b>XIOM</b>	XIOMUS41XXX	INDEX AND OPTIONS MARKET		
<b>XIPE</b>	XIPEGB21XXX	INTERNATIONAL PETROLEUM EXCHANGE		
<b>XISM</b>	XISMGB21XXX	I.S.M.A. - THE INTERNATIONAL SECURITIES MARKETS ASSOCIATION	International Securities Market Association (ISMA)	15
<b>XIST</b>	XISTTRI1XXX	I.M.K.B. (ISTANBUL STOCK EXCHANGE)	Istanbul Stock Exchange	IS
<b>XISX</b>	XISXUS31XXX	INTERNATIONAL SECURITIES EXCHANGE, LLC.	International Securities Exchange (ISE)	Y
<b>XJAM</b>	XJAMJMK1XXX	JAMAICA STOCK EXCHANGE, THE		
<b>XJAS</b>		JASDAQ	Japanese Securities Dealers Association (JASDAQ)	Q
			NASDAQ Japan	OJ

<b>XJNB</b>	XJNBIDJ1XXX	JAKARTA NEGOTIATED BOARD		
<b>XJKT</b>	XJKTIDJ1XXX	JAKARTA STOCK EXCHANGE	Jakarta Stock Exchange	JK
<b>XJSE</b>	XJSEZAJJXXX	JOHANNESBURG STOCK EXCHANGE, THE	Johannesburg Stock Exchange	J
	XJSEZAJJMRG	JOHANNESBURG STOCK EXCHANGE, THE		
	XJSEZAJJSLB	JOHANNESBURG STOCK EXCHANGE, THE		
<b>XJWY</b>	XJWYGB21XXX	JIWAY EXCHANGE LTD	<a href="#">Jiway</a>	<a href="#">14</a>
<b>XKAC</b>	XKACJPJ1XXX	KANSAI AGRICULTURAL COMMODITIES EXCHANGE		
<b>XKAR</b>	XKARPKK1XXX	KARACHI STOCK EXCHANGE (GUARANTEE) LIMITED, THE	Karachi Stock Exchange	KA
<b>XKAZ</b>	XKAZKZK1XXX	CENTRAL ASIAN STOCK EXCHANGE	Kazakhstan Stock Exchange	KZ
<b>XKBT</b>	XKBTUS41XXX	KANSAS CITY BOARD OF TRADE		
<b>XKCE</b>	XKCEUZ31XXX	KHOREZM INTERREGION COMMODITY EXCHANGE		
<b>XKFE</b>	XKFEKR21XXX	KOREA FUTURES EXCHANGE		
<b>XKGT</b>	XKGTJJP1XXX	KOBE GOMU TORIHIKIJO (RUBBER EXCHANGE)		
<b>XKHR</b>	XKHRUA21XXX	KHARKOV COMMODITY EXCHANGE		
<b>XKIE</b>	XKIEUAU1XXX	KIEV UNIVERSAL EXCHANGE		
<b>XKKT</b>	XKKTJJP1XXX	KOBE KIITO TORIHIKIJO (RAW SILK EXCHANGE)		
<b>XKLS</b>	XKLSMYK1XXX	KUALA LUMPUR STOCK EXCHANGE, THE	Kuala Lumpur Stock Exchange	KL
		KUALA LUMPUR FOREIGN		
<b>XKOR</b>	XKORKRS1XXX	KOREA STOCK EXCHANGE	Korea Stock Exchange	KS

		KOSDAQ, KOREA	KOSDAQ (Korea)	KQ
<b>XKST</b>	XKSTJPJ1XXX	KANMON SHOHIN TORIHIKIJO (COMMODITY EXCHANGE)		
<b>XKUW</b>	XKUWKWK1XXX	KUWAIT STOCK EXCHANGE	Kuwait Stock Exchange	KW
<b>XKYO</b>	XKYOJPJ1XXX	KYOTO STOCK EXCHANGE	Kyoto Stock Exchange	KY
<b>XLAU</b>	XLAUCH21XXX	LAUSANNE STOCK EXCHANGE	<< defunct exchange >>	
<b>XLIC</b>	XLICFR21XXX	LILLE COMMODITY EXCHANGE		
<b>XLIF</b>	XLIFGB21XXX	LONDON INTERNATIONAL FINANCIAL FUTURES AND OPTIONS EXCHANGE	London International Financial Futures Exchange (LIFFE)	<u>3</u>
<b>XLIL</b>	XLILFR21XXX	LILLE STOCK EXCHANGE	<< defunct exchange >>	
<b>XLIM</b>		CAVALI ICLV S.A.	Lima Stock Exchange	LM
<b>XLIS</b>	XLISPTP1XXX	BOLSA DE VALORES DE LISBOA	Lisbon Stock Exchange (Portugal)	LS
<b>XLIT</b>	XLITLT21XXX	NATIONAL STOCK EXCHANGE OF LITHUANIA	Vilnius Stock Exchange	VL
<b>XLJU</b>	XLJUSI21XXX	LJUBLJANA STOCK EXCHANGE, INC.		
<b>XLME</b>	XLMEGB21XXX	LONDON METAL EXCHANGE		
<b>XLOF</b>	XLOFMYK1XXX	KUALA LUMPUR OPTIONS AND FINANCIAL FUTURES EXCHANGE		
<b>XLON</b>	XLONGB21XXX	LONDON STOCK EXCHANGE, THE LONDON STOCK EXCHANGE (LSE), TRADED IN FOREIGN CURRENCIES SEATS LONDON LONDON STOCK EXCHANGE SETS LONDON STOCK EXCHANGE EURO	London Stock Exchange	L
<b>XLTO</b>	XLTOGB21XXX	LONDON TRADE OPTIONS MARKET	London Traded Options Market	<u>5</u>

<b>XLUS</b>	XLUSZML1XXX	LUSAKA STOCK EXCHANGE	Lusaka Stock Exchange	LZ
<b>XLUX</b>	XLUXLUL1XXX	LUXEMBOURG STOCK EXCHANGE	Luxembourg Stock Exchange	LU
<b>XLYO</b>	XLYOFR21XXX	LYON STOCK EXCHANGE		
<b>XMAC</b>	XMACUS41XXX	MID AMERICA COMMODITY EXCHANGE		
<b>XMAD</b>	XMADESMXXX	BOLSA DE MADRID	<i>Madrid Stock Exchange - Floor Trading</i>	MA
<b>XMAE</b>	XMAEMK21XXX	MAZEDONIAN STOCK EXCHANGE		
	XMAEMWM1XXX	MALAWI STOCK EXCHANGE		
<b>XMAL</b>	XMALMTM1XXX	MALTA STOCK EXCHANGE	Malta Stock Exchange	MT
<b>XMAR</b>	XMARFR21XXX	MARSEILLE STOCK EXCHANGE	<< defunct exchange >>	
<b>XMAT</b>	XMATFRPPCRI	PARISBOURSE S.A. (FORMERLY MATIF S.A.)		
	XMATFRPPXXX	PARISBOURSE S.A. (FORMERLY MATIF S.A.)		
<b>XMAU</b>	XMAUMUM1XXX	STOCK EXCHANGE OF MAURITIUS LTD, THE	Mauritius Stock Exchange	MZ
<b>XMCE</b>	XMCEESB1XXX	MERCATO CONTINUO ESPANOL		
<b>XMDG</b>	XMDGMGM1XXX	MARCHE INTERBANCAIRE DES DEVISES M.I.D.		
<b>XMDS</b>	XMDSIN51XXX	MADRAS STOCK EXCHANGE	Madras Stock Exchange	MD
<b>XMED</b>	XMEDCOB1XXX	BOLSA DE MEDELLIN S.A.	Medellin Stock Exchange	ML
<b>XMEF</b>	XMEFESBBXXX	MEFF RENTA FIJA		
<b>XMEV</b>	XMEVARB1XXX	MERCADO DE VALORES DE BUENOS AIRES S.A. - Merval		
<b>XMEX</b>	XMEXMXM1XXX	BOLSA MEXICANA DE VALORES (MEXICAN STOCK EXCHANGE)	Mexican Stock Exchange	MX
<b>XMGE</b>	XMGEUS41XXX	MINNEAPOLIS GRAIN EXCHANGE		

<b>XMIC</b>	XMICRUMMXXX	MOSCOW INTERBANK CURRENCY EXCHANGE (MICEX)	Moscow Inter Bank Currency Exchange	MM
<b>XMID</b>	XMIDUS41XXX	MIDWEST STOCK EXCHANGE	<< now called Chicago Stock Exchange, already documented >>	
<b>XMIF</b>	XMIFITM1XXX	MERCATO ITALIANO FUTURES EXCHANGE		
<b>XMIL</b>	XMILITMMXXX	BORSA ITALIANA S.P.A.	Milan Stock Exchange	MI
		MERCATO REDDITO FISSO		
		MERCATO DEI DERIVATI		
		EURO MOT MARKET, Milano		
		NUOVO MERCATO MILANO		
<b>XMKT</b>	XMKTJJPJ1XXX	MAEBASHI KANKEN TORIHIKIJO (DRIED COCOON EXCHANGE)		
<b>XMLX</b>	XMLXGB21XXX	OMLX, THE LONDON SECURITIES AND DERIVATIVES EXCHANGE LIMITED		
<b>XMNT</b>	XMNTUYM1XXX	BOLSA DE VALORES DE MONTEVIDEO		
<b>XMON</b>	XMONFRP1XXX	MARCHE DES OPTIONS NEGOCIABLES DE PARIS (MONEP)	MONEP Paris Stock Options	p
<b>XMOO</b>	XMOOCAM1ODP	MONTREAL EXCHANGE THE / BOURSE DE MONTREAL	<i>Montreal Exchange Options (MOE)</i>	<u>6</u>
	XMOOCAM1XXX	MONTREAL EXCHANGE THE / BOURSE DE MONTREAL	Montreal Exchange	M
<b>XMOS</b>	XMOSRUM1XXX	MOSCOW CENTRAL STOCK EXCHANGE	Moscow Stock Exchange	MO
<b>XMRV</b>	XMRVESM1XXX	MEFF RENTA VARIABLE	<u>MEFF Renta Variable</u>	<u>16</u>
<b>XMSW</b>	XMSWMM1XXX	MALAWI STOCK EXCHANGE		
<b>XMUN</b>	XMUNDEM1XXX	BAYERISCHE BOERSE	Munich Stock Exchange	MU
<b>XMUS</b>	XMUSOMM1XXX	MUSCAT SECURITIES MARKET	Muscat Stock Exchange	OM

<b>XNAI</b>	XNAIKEN1XXX	NAIROBI STOCK EXCHANGE	Nairobi Stock Exchange	NR
<b>XNAM</b>	XNAMNAN1XXX	NAMIBIAN STOCK EXCHANGE	Namibia Stock Exchange	NM
<b>XNAN</b>	XNANFR21XXX	NANTES STOCK EXCHANGE	<< defunct exchange >>	
<b>XNAP</b>	XNAPITN1XXX	BORSA VALORI DI NAPOLI (STOCK EXCHANGE)	<< defunct exchange >>	
<b>XNAS</b>	XNASUS31XXX	NASDAQ NASDAQ SMALL CAP	NASDAQ	O
<b>XNAY</b>	XNAYFR21XXX	NANCY STOCK EXCHANGE	<< defunct exchange >>	
<b>XNEE</b>	XNEENZ21XXX	NEW ZEALAND FUTURES AND OPTIONS EXCHANGE		
<b>XNEU</b>	XNEUCH21XXX	NEUCHATEL STOCK EXCHANGE		
<b>XNEW</b>	XNEWATW1XXX	NEWEX	NewEx (Austria)	NW
<b>XNGO</b>	XNGOJPJ1XXX	NAGOYA STOCK EXCHANGE	Nagoya Stock Exchange	NG
<b>XNII</b>	XNIIJPJ1XXX	NIIGATA STOCK EXCHANGE	<< defunct exchange >>	
<b>XNKS</b>	XNKSJPJ1XXX	NAGOYA KOKUMOTSU SATOU TORIHIKIJO (GRAIN AND SUGAR EXCHANGE)		
<b>XNMS</b>	XNMSUS31XXX	NASDAQ/NMS (NATIONAL MARKET SYSTEM)		
<b>XNSA</b>	XNSANGL1XXX	NIGERIAN STOCK EXCHANGE,THE	Lagos Stock Exchange	LG
<b>XNSE</b>	XNSEINB1XXX	NATIONAL STOCK EXCHANGE of INDIA	National Stock Exchange of India	NS
<b>XNST</b>	XNSTJPJ1XXX	NAGOYA SENI TORIHIKIJO (TEXTILE EXCHANGE)		
<b>XNYC</b>	XNYCUS31XXX	NEW YORK COTTON EXCHANGE		
<b>XNYF</b>	XNYFUS31XXX	NEW YORK FUTURES EXCHANGE		
<b>XNYM</b>	XNYMUS31XXX	NEW YORK MERCANTILE EXCHANGE	New York Mercantile Exchange (NYMEX)	<u>12</u>

<b>XNYS</b>	XNYSUS31XXX	NEW YORK STOCK EXCHANGE, INC.	New York Stock Exchange	N
		NEW YORK STOCK EXCHANGE BONDS		
<b>XNZE</b>	XNZENZ21XXX	NEW ZEALAND STOCK EXCHANGE	New Zealand Stock Exchange	NZ
<b>XODE</b>	XODEUA21XXX	ODESSA COMMODITY EXCHANGE		
<b>XOHS</b>	XOHSDEF1XXX	OPTIONSSCHEINE-HANDELSSYSTEM (OHS)+B233		
<b>XOME</b>	XOMESES1ECA	OM STOCKHOLM EXCHANGE		
	XOMESES1EMA	OM STOCKHOLM EXCHANGE		
	XOMESES1EMB	OM STOCKHOLM EXCHANGE		
	XOMESES1ERA	OM STOCKHOLM EXCHANGE		
	XOMESES1ESA	OM STOCKHOLM EXCHANGE		
	XOMESES1EWA	OM STOCKHOLM EXCHANGE		
	XOMESES1XXX	OM STOCKHOLM EXCHANGE		
<b>XOMF</b>	XOMFSES1BBA	OM FIXED INTEREST EXCHANGE		
	XOMFSES1BBB	OM FIXED INTEREST EXCHANGE		
	XOMFSES1BBC	OM FIXED INTEREST EXCHANGE		
	XOMFSES1BIA	OM FIXED INTEREST EXCHANGE		
	XOMFSES1BPA	OM FIXED INTEREST EXCHANGE		
	XOMFSES1BSA	OM FIXED INTEREST EXCHANGE		
	XOMFSES1BSB	OM FIXED INTEREST EXCHANGE		
	XOMFSES1DFA	OM FIXED INTEREST EXCHANGE		
	XOMFSES1XXX	OM FIXED INTEREST EXCHANGE		
<b>XOPO</b>	XOPOPTP1XXX	OPORTO STOCK EXCHANGE		
<b>XOSE</b>	XOSEJPJ1XXX	OSAKA SECURITIES EXCHANGE	Osaka Stock Exchange	OS
<b>XOSL</b>	XOSLNOK1XXX	OSLO BORS	Oslo Stock Exchange	OL

<b>XOSM</b>	XOSMJPJ1XXX	OSAKA MERCANTILE EXCHANGE		
<b>XOST</b>	XOSTJPJ1XXX	OSAKA SENI TORIHIKIJO (TEXTILE EXCHANGE)		
<b>XOTB</b>	XOTBATW1XXX	OESTERREICHISCHE TERMIN- UND OPTIONENBOERSE, CLEARING BANK AG		
<b>XOTC</b>	XOTCUS31XXX	OTC BULLETIN BOARD	NASDAQ Dealers - Bulletin Board	OB
<b>XPAE</b>	XPAEPS21XXX	PALESTINA STOCK EXCHANGE		
<b>XPAL</b>	XPALIT31XXX	BORSA VALORI DI PALERMO (STOCK EXCHANGE)	<< defunct exchange >>	
<b>XPAR</b>	XPARFRPP022	EURONEXT PARIS S.A.	<i>Paris Stock Exchange</i>	<i>PA</i>
	XPARFRPPINT	EURONEXT PARIS S.A.		
	XPARFRPPTRS	EURONEXT PARIS S.A.		
	XPARFRPPXXX	EURONEXT PARIS S.A.		
<b>XPBT</b>	XPBTUS31XXX	PHILADELPHIA BOARD OF TRADE		
<b>XPET</b>	XPETRU21XXX	ST. PETERSBURG STOCK EXCHANGE	St. Petersburg Stock Exchange	PE
<b>XPHL</b>	XPHLUS31XXX	PHILADELPHIA STOCK EXCHANGE	Philadelphia Stock Exchange	PH
		PHILADELPHIA STOCK EXCHANGE CURRENCY OPTION		
<b>XPHO</b>	XPHOUS31XXX	PHILADELPHIA OPTIONS EXCHANGE	Philadelphia Stock Exchange Options	X
<b>XPHS</b>	XPHSPHM1XXX	PHILIPPINE STOCK EXCHANGE, INC.	Philippine Stock Exchange	PS
<b>XPIC</b>	XPICRU2PXXX	SAINT-PETERSBURG CURRENCY EXCHANGE		
<b>XPOR</b>	XPORUS31XXX	PORTAL		
<b>XPRA</b>	XPRACZP1XXX	STOCK EXCHANGE PRAGUE CO. LTD, THE	Prague Stock Exchange	PR

		PRAG RMS (REGISTRACNI MISTO SYSTEM)		
		SPAD PRAG		
<b>XPRI</b>	XPRIUA21XXX	PRIDNEPROVSK COMMODITY EXCHANGE		
<b>XPSE</b>	XPSEUS61XXX	PACIFIC STOCK EXCHANGE INC.	Pacific Stock Exchange	P
		PACIFIC BONDS		
		PACIFIC STOCK EXCHANGE, OPTIONS	<u>Pacific Stock Exchange Options (PAO)</u>	<u>8</u>
<b>XPTY</b>	XPTYPA1XXX	BOLSA DE VALORES DE PANAMA, S.A.		
<b>XQTX</b>	XQTXDED1XXX	BOERSE DUESSELDORF		
<b>XQUI</b>	XQUIECE1XXX	QUITO STOCK EXCHANGE		
<b>XRAS</b>	XRASROB1XXX	RASDAQ	RASDAQ (Romania)	RQ
<b>XRIO</b>	XRIOBRR1XXX	BOLSA DE VALORES DO RIO DE JANEIRO	<< defunct exchange >>	
<b>XRIS</b>	XRISLV21XXX	RIGA STOCK EXCHANGE, THE	Riga Stock Exchange	RI
<b>XROM</b>	XROMITR1XXX	BORSA VALORI DI ROMA (STOCK EXCHANGE)	<< defunct exchange >>	
<b>XROS</b>	XROSARB1XXX	BOLSA DE COMERCIO ROSARIO		
<b>XROV</b>	XROVRU21XXX	ROSTOV CURRENCY AND STOCK EXCHANGE		
<b>XRTR</b>	XRTRDEF1XXX	RTR (REUTERS-REALTIME-DATEN)		
<b>XRUS</b>	XRUSRUM1XXX	RUSSIAN EXCHANGE, THE	<i>Russian Trading System</i>	<i>RTS</i>
<b>XSAF</b>	XSAFZAJ1XXX	SAFEX		
<b>XSAM</b>	XSAMRU31XXX	SAMARA INTERBANK CURRENCY EXCHANGE		
<b>XSAP</b>	XSAPJPJ1XXX	SAPPORO STOCK EXCHANGE	Sapporo Stock Exchange	SP

<b>XSAU</b>		SAUDI ARIBA STOCK EXCHANGE	Saudi Stock Exchange	SE
<b>XSCE</b>	XSCESGS1XXX	SINGAPORE COMMODITY EXCHANGE		
<b>XSES</b>	XSESSGS1XXX	STOCK EXCHANGE OF SINGAPORE LTD	Singapore Stock Exchange	SI
		SINGAPORE FOREIGN		
	XSESSGSGXXX	SINGAPORE EXCHANGE DERIVATIVES OPEN OUTCRY TRADING		
		SINGAPORE EXCHANGE DERIVATIVES ELECTRONIC TRADING		
<b>XSFA</b>	XSFZAJ1XXX	SOUTH AFRICAN FUTURES EXCHANGE - AGRICULTURAL MARKET DIVISION		
<b>XSFE</b>	XSFEAU21XXX	SYDNEY FUTURES EXCHANGE LIMITED		
<b>XSFX</b>	XSFXCHZ1XXX	EUREX ZURICH AG	Eurex Switzerland (SFF)	Z
<b>XSGE</b>	XSGECNC1XXX	SHANGHAI FUTURES EXCHANGE		
<b>XSGO</b>	XSGOCLR1XXX	SANTIAGO STOCK EXCHANGE	Santiago Stock Exchange	SN
<b>XSHE</b>	XSHECNB1XXX	SHENZHEN STOCK EXCHANGE	Shenzhen Stock Exchange	SZ
<b>XSHG</b>	XSHGCNS1XXX	SHANGHAI STOCK EXCHANGE	Shanghai Stock Exchange	SS
<b>XSIB</b>	XSIBRU51XXX	SIBERIAN STOCK EXCHANGE		
<b>XSIC</b>	XSICRU55XXX	SIBERIAN INTERBANK CURRENCY EXCHANGE		
<b>XSIM</b>	XSIMSGSGXXX	SINGAPORE EXCHANGE DERIVATIVES CLEARING LIMITED		
<b>XSME</b>	XSMECNB1XXX	SHENZHEN MERCANTILE EXCHANGE		
<b>XSOM</b>		SOCIEDADE OPERADORA DO MERCADO DE ATIVOS S.A.	Rio de Janeiro OTC Stock Exchange (SOMA)	SO
<b>XSSE</b>	XSSESES1XXX	STOCKHOLM STOCK EXCHANGE	Stockholm Stock Exchange	ST
<b>XSTE</b>	XSTEUZ21XXX	STOCK EXCHANGE		
<b>XSTU</b>	XSTUDES1XXX	BADEN-WUERTTEMBERGISCHE	Stuttgart Stock Exchange	SG

		WERTPAPIERBOERSE ZU STUTTGART		
<b>XSTX</b>	XSTXDEF1XXX	STOXX EUROPEAN INDICES		
<b>XSUR</b>	XSURIDJ1XXX	SURABAYA STOCK EXCHANGE	Surabaya Stock Exchange	SU
<b>XSWX</b>	XSWXCHZ1XXX	SWISS EXCHANGE	SWX Swiss Exchange	S
		SWX TIF (Fonds)		
<b>XTAE</b>	XTAEILI1XXX	TEL AVIV STOCK EXCHANGE	Tel Aviv Stock Exchange	TA
<b>XTAI</b>	XTAITWT1XXX	TAIWAN STOCK EXCHANGE	Taiwan Stock Exchange	TW
		TAIWAN OTC MARKET	Taiwan OTC Securities Exchange	TWO
<b>XTAL</b>	XTALEE21XXX	TALLINN STOCK EXCHANGE	Tallinn Stock Exchange	TL
<b>XTEH</b>	XTEHIRT1XXX	TEHRAN STOCK EXCHANGE		
<b>XTFE</b>	XTFECAT1XXX	TORONTO FUTURES EXCHANGE		
<b>XTFE</b>	XTFFJJP1XXX	TOKYO INTERNATIONAL FINANCIAL FUTURES EXCHANGE, THE		
<b>XTFN</b>	XTFNGB21XXX	TRADEPOINT FINANCIAL NETWORKS PLC	<< defunct exchange >> Tradepoint Stock Exchange	TP
<b>XTKA</b>	XTKAJPJ1XXX	TOYOHASHI KANKEN TORIHIKIJO (DRIED COCOON EXCHANGE)		
<b>XTKO</b>	XTKOJPJ1XXX	TOKYO KOKUMOTSU SHOHIN TORIHIKIJO (GRAIN EXCHANGE)		
<b>XTKS</b>	XTKSJPJ1XXX	TOKYO STOCK EXCHANGE	Tokyo Stock Exchange	T
<b>XTKT</b>	XTKTJPJ1XXX	TOKYO KOGYOIN TORIHIKIJO (COMMODITY EXCHANGE)		
<b>XTOE</b>	XTOECAT1XXX	TORONTO OPTIONS EXCHANGE	Toronto Options Exchange	K
<b>XTOR</b>	XTORITT1XXX	BORSA VALORI DI TORINO (STOCK EXCHANGE)	<< defunct exchange >>	
<b>XTRI</b>	XTRIIT21XXX	BORSA VALORI DI TRIESTE (STOCK EXCHANGE)	<< defunct exchange >>	

<b>XTRN</b>	XTRNTTP1XXX	TRINIDAD AND TOBAGO STOCK EXCHANGE		
<b>XTSE</b>	XTSECAT1XXX	TORONTO STOCK EXCHANGE	Toronto Stock Exchange	TO
		TORONTO OVER THE COUNTER		
<b>XTUN</b>	XTUNTNT1XXX	BOURSE DES VALEURS MOBILIERES	Tunis Stock Exchange	TN
<b>XUKC</b>	XUKCUAU1XXX	UKRAINIAN COMMODITY EXCHANGE		
<b>XUKR</b>	XUKRUAU1XXX	UKRAINIAN UNIVERSAL COMMODITY EXCHANGE	<i>Ukraine PFTS</i>	<i>PFT</i>
<b>XUNI</b>	XUNIUZ21XXX	UNIVERSAL BROKER'S EXCHANGE 'TASHKENT'		
<b>XURE</b>	XUREGB21XXX	GUARDIAN ROYAL EXCHANGE		
<b>XVAL</b>	XVALESV1XXX	BOLSA DE VALENCIA	Valencia Stock Exchange	VA
<b>XVEN</b>	XVENIT21XXX	BORSA VALORI DI VENEZIA (STOCK EXCHANGE)	<< <i>defunct exchange</i> >>	
<b>XVLA</b>	XVLARU81XXX	VLADIVOSTOK (RUSSIA) STOCK EXCHANGE		
<b>XVPA</b>	XVPAPYP1XXX	BOLSA DE VALORES Y PRODUCTOS DE ASUNCION S.A. (BVPASA)		
<b>XVSE</b>	XVSECA81XXX	VANCOUVER STOCK EXCHANGE	Canadian Ventures Exchange	V
<b>XVTX</b>	XVTXGB21XXX	VIRT-X	virt-x	VX
<b>XWAR</b>	XWARPLP1XXX	WARSAW STOCK EXCHANGE		
		WARSAW STOCK EXCHANGE, DERIVATE		
<b>XWBO</b>	XWBOATW1XXX	WIENER BOERSE AG		
<b>XWCE</b>	XWCECA41XXX	WINNIPEG COMMODITY EXCHANGE, THE		
<b>XYKT</b>	XYKTJJP1XXX	YOKOHAMA KIITO TORIHIKIJO (RAW SILK EXCHANGE)		

<b>XZAG</b>	XZAGHR21XXX	ZAGREB STOCK EXCHANGE, THE		
<b>XZIM</b>	XZIMZWH1XXX	ZIMBABWE STOCK EXCHANGE	Zimbabwe Stock Exchange	ZI
<b>XZRH</b>	XZRHCHZ1XXX	ZURICH STOCK EXCHANGE		

Note: XASE, XJAS, XKOR, XMOO, XPSE, and XTAI had more than one value in FIX 4.2, however, have a single MIC identifier.

### DEFINED IN FIX 4.2 20010501 Errata BUT UNIDENTIFIED IN MIC STANDARD:

--- Use the "old" or custom *FIX* value until the exchange/market is assigned a MIC identifier by ISO ---

MIC Value	BIC	Institution	Old FIX 4.2 Exchange Name	Old FIX 4.2 Value
			Athens Stock Exchange (Reuters mnemonic)	AT
			Athens Stock Exchange (market convention)	ASE
			Latin American Market In Spain (LATIBEX)	LA
			Madrid Stock Exchange - CATS Feed	MC
			Occidente Stock Exchange	OD
			SBI Stock Exchange (Sweden)	SBI
			<u>Bloomberg TradeBook</u>	<u>31</u>
			<u>BondBook</u>	<u>32</u>
			<u>BondClick</u>	<u>35</u>
			<u>BondHub</u>	<u>36</u>
			<u>LIMITrader</u>	<u>37</u>

			<u>MarketAxess</u>	<u>33</u>
			<u>MuniCenter</u>	<u>34</u>
			<u>None</u>	<u>0</u>
			<u>Non-exchange-based Over The Counter Market</u>	<u>11</u>
			<u>NYFIX Millennium</u>	<u>13</u>
			<u>NYSE BBSS (broker booth system)</u>	<u>10</u>
			<u>POSIT</u>	<u>4</u>
			<u>Stockholm Options Market</u>	<u>17</u>
			<u>Vancouver Options Exchange (VAO)</u>	<u>9</u>
			<u>Visible Markets</u>	<u>38</u>

**DEFINED POST-FIX 4.2 20010501 Errata BUT UNIDENTIFIED IN MIC STANDARD:**

*--- Use the "old" or custom FIX value until the exchange/market is assigned a MIC identifier by ISO ---*

<b>MIC Value</b>	<b>BIC</b>	<b>Institution</b>	<b>Exchange Name</b>	<b>FIX-assign ed Value</b>
			TradeWeb	30
			Archipelago ECN	39
			ATTAIN ECN	40
			BRUT ECN	41
			GlobeNet ECN	42
			Instinet ECN	43

		Island ECN	44
		MarketXT ECN	45
		NexTrade ECN	46
		REDIBook ECN	47
		NQLX	49
		OneChicago	50
		Track ECN (DATA)	51
		Track ECN (TRAC)	52
		Pipeline	53
		BATS	54
		BIDS	55
		Direct Edge X	56
		Direct Edge	57
		Level ATS	58
		Lava Trading	59
		Boston Options Exchange	60
		National Stock Exchange	61
		LiquidNet	62
		NYFIX Euro Millenium	63
		NASDAQ Options Market	64
		BlockCross ATS	66
		MATCH ATS - Canada	67
		Chi-X Canada	68
		BlockMatch	69

			NASDAQ OMX BX	70
			Chi-X Europe	71
			Aqua ATS	72
			GETCO Execution Services ATS	73
			Knight Match	74
			Knight Link	75
			VortEx ATS	76

## Appendix 6-D

### CFI Code Usage - ISO 10962 Classification of Financial Instruments (CFI code)

As of FIX 4.3, the CFI Code field was added to the FIX Protocol in an attempt to provide a standards-based source of security type values by using values defined in ISO 10962 standard: Classification of Financial Instruments (CFI code). Prior to FIX 4.3, the SecurityType field was used to identify security types and was based upon a set of values published by ISITC (International Securities Association for Institutional Trade Communication) which ISITC no longer maintains.

It is recommended that CFI Code be used instead of SecurityType for non-Fixed Income instruments as it is based upon an ISO standard and supports non-Fixed Income products in a manner consistent with the needs of FIX Protocol users. As of FIX 4.3, the SecurityType field was expanded and re-organized to support the requirements of Fixed Income products for FIX Protocol users, as the present ISO 10962 standard did not meet those needs.

ISO 10962 is maintained by ANNA (Association of National Numbering Agencies) acting as Registration Authority. [See "Appendix 6-B FIX Fields Based Upon Other Standards"](#). See also the Product (460) and SecurityType (167) fields.

A subset of ISO 10962 values applicable to FIX usage are identified below. The official standard and set of possible values are maintained by the ISO 10962 standard and any discrepancies below should be considered typographical errors using the ISO 10962 standard as the correct set of values. To obtain the ISO 10962 standard, please contact the ISO 10962 secretariat (see "Appendix 6-B") and/or visit the ISO website at <http://www.iso.ch>

The ISO 10962 standard defines a 6 character code in which each character's position value carries a special significance (attribute) and set of values. Note that "X" represents an unspecified or unknown attribute, thus it is not always necessary to specify every attribute (character position value).

#### High-level subset of possible values applicable to FIX usage:

*Note: Corresponding FIX 4.2 SecurityType field value is identified within [ ]*

- ESXXXX = Equity Common Shares [CS]
- EMXXXX = Equity Miscellaneous or Other (e.g. Exchange Traded Funds (ETFs), etc.) [n/a]
- EPXXXX = Equity Preferred Shares [PS]
- EUXXXX = Equity Units (unit trusts/mutual funds/OPCVM/OICVM) [MF]
- DXXXXX = Debt (Fixed Income) [various]
- DCXXXX = Debt Convertible Bond [CB]
- FXXXXX = Future [FUT]

MRCXXX = Misc, Referential Instrument, Currency [FOR]  
 MRIXXX = Misc, Referential Instrument, Index [n/a]  
 MRRXXX = Misc, Referential Instrument, Interest Rate [n/a]  
 OCXXXX = Option - Call [OPT]  
 OPXXXX = Option - Put [OPT]  
 RWXXXX = Right Warrant [WAR]  
 RWXCXX = Covered Warrant [n/a]  
 XXXXXX = [NONE and ?]

Note that "X" represents an unspecified or unknown attribute and many of the values above containing "X" can be further subdefined according to the CFI standard (e.g. Voting rights are the third character of Equity Common Shares).

### Detailed, granular subset of possible values applicable to FIX usage:

#### Options:

##### Definition for Options (code defined by character position):

Char 1 <i>Category</i>	Char 2 <i>Group</i>	Char 3 <i>Scheme</i>	Char 4 <i>Underlying Asset</i>	Char 5 <i>Delivery</i>	Char 6 <i>Stdized/Non-Std</i>
O=Options	C=Call P=Put M=Other X=Unknown (n/a)	A=American E=European X=Unknown (n/a)	B=Basket S=Stock-Equities D=Interest rate/notional debt sec T=Commodities C=Currencies I=Indices O=Options F=Futures W=Swaps M=Other X=Unknown(n/a)	P=Physical C=Cash X=Unknown (n/a)	S=Standardized terms (maturity date, strike price, contract size) N=Non-standardized terms X=Unknown(n/a)

-- See Volume 7: "PRODUCT: DERIVATIVES" - "Use of the CFICode for Derivatives"

**Examples:**

OCXXXS	Standardized Call Option
OPXXXS	Standardized Put Option
OCXFXS	Standardized Call Option on a Future
OPXFXS	Standardized Put Option on a Future
OCEFCN	Nonstandard (flex) call option on future with european style expiration and cash delivery
OPAFPN	Nonstandard (flex) put option on future with american style expiration and physical delivery
OPXSPN	Nonstandard (flex) put option on a stock with physical delivery (the expiration style is not specified – so is assumed to default to the market standard for flex options).
OCEICN	Nonstandard (flex) call option on an index with european style expiration and cash delivery

**Futures:****Definition for Futures (code defined by character position):**

Char 1	Char 2	Char 3	Char 4	Char 5	Char 6
<i>Category</i>	<i>Group</i>	<i>Underlying Asset</i>	<i>Delivery</i>	<i>Stdized/Non-Std</i>	<i>N/A Undefined</i>

F=Future s	F=Financial Futures  C=Commodity Futures  M=Others  X=Unknown (n/a)	A=Agriculture, forestry, and fishing  B=Basket  S=Stock-Equities (for financial future) or Services (for commodities futures)  D=Interest rate/notional debt sec  C=Currencies  I=Indices (for financial futures ) or Industrial Products (for commodities futures)  O=Options  F=Futures  W=Swaps  M=Other  X=Unknown(n/a)	P=Physical  C=Cash  X=Unknown (n/a)	S=Standardized terms (maturity date, strike price, contract size)  N=Non- standardized terms  X=Unknown(n/a)	X=Not applicable / undefined
---------------	--	---	--	---	------------------------------------

-- See Volume 7: "PRODUCT: DERIVATIVES" - "Use of the CFICode for Derivatives"

**Examples:**

FXXXS	Standardized Future
FFICN	Nonstandard (flex) Financial Future on an index with cash delivery
FCEPN	Nonstandard (flex) Commodity Future on an extraction resource with physical delivery

FXXXXN	Nonstandard (flex) future – contract type specified in symbology – not provided in CFICode
--------	--

## Appendix 6-E

### Deprecated (Phased-out) Features and Supported Approach

Certain features of the FIX Protocol that were implemented in earlier versions of the FIX Protocol specification, have been replaced by a different approach. Such features have been labeled as "Deprecated" throughout the FIX Specification document. This means that feature is being phased out, systems that implement the FIX Protocol should be adjusted to use the new, supported approach, and the next version of the FIX Specification will remove the feature altogether.

The rationale behind deprecating a feature is based upon either:

- Actual use and implementation of the feature identified major shortcomings necessitating a re-design.
- Additional business requirements have been identified which the feature is unable to expand and properly support in its present form.

**The new, supported approach for each deprecated feature is identified below:**

#### **1. Deprecated Field: TotalAccruedInterestAmt (tag 540) [deprecated in FIX 4.4]**

The TotalAccruedInterestAmt field introduced in FIX 4.3 has been replaced by the FIX 4.4-introduced AllocAccruedInterestAmt (742) field for the allocation-level value. Note that AccruedInterestAmt (tag 159) represents the block-level (total). Affects Allocation messaging.

#### **2. Deprecated the use of SettlCurrAmt (119) and SettlCurrency (120) fields within Allocation messaging NoAllocs repeating group [deprecated in FIX 4.4]**

AllocSettlCurrAmt (737) and AllocSettlCurrency (736) fields should be used instead of SettlCurrAmt (119) and SettlCurrency (120) within the NoAllocs repeating group. Affects Allocation messaging.

#### **3. Deprecated Instrument-affiliated "RedemptionDate" Fields: RedemptionDate (240), UnderlyingRedemptionDate (247), and LegRedemptionDate (254). [deprecated in FIX 4.4]**

Deprecated RedemptionDate (240) from <Instrument>, UnderlyingRedemptionDate (247) from <UnderlyingInstrument>, and LegRedemptionDate (254) from <InstrumentLeg>. YieldRedemptionDate (696) in <YieldData> component block should be used instead.

#### 4. **Deprecated usage of the Settlement Instruction message where used to refer to an allocation message [deprecated in FIX 4.4]**

The main body of the Settlement Instruction (now a component block) has been added to the allocation and confirmation messages (Allocation Instruction, Allocation Report and Confirmation).

#### 5. **Deprecated various FIX 4.3-introduced "Repo" Fields [deprecated in FIX 4.4]**

Deprecated the following fields from <Instrument>, <UnderlyingInstrument>, and <LegInstrument> component blocks: RepoCollateralSecurityType (239), RepurchaseTerm (226), RepurchaseRate (227), UnderlyingRepoCollateralSecurityType (243), UnderlyingRepurchaseTerm (244), UnderlyingRepurchaseRate (245), LegRepoCollateralSecurityType (250), LegRepurchaseTerm (251), LegRepurchaseRate (252). The RepoCollateralSecurityType (239) field is satisfied with UnderlyingSecurityType (310), RepurchaseTerm (226) by TerminationType (788), RepurchaseRate (227) by Price (44). The corresponding Underlying... and Leg... equivalents have no meaning. FIX 4.4 introduced significant enhancements to support Product="Financing" (e.g. Repos).

#### 6. **Deprecated "UST" and "USTB" values from the SecurityType (tag 167) field [deprecated in FIX 4.4]**

**Mapping of the deprecated SecurityType field's values is as follows:**

Deprecated Value within SecurityType (167) field		SecurityType (167)	
UST	US Treasury Note	TNOTE	US Treasury Note
USTB	US Treasury Bill	TBILL	US Treasury Bill

#### 7. **Deprecated LegQty (tag 687) from certain message types [deprecated in FIX 5.0]**

Deprecated LegQty (tag 687) from the following message types: QuoteRequest, QuoteResponse, QuoteRequestReject, Quote, QuoteStatusReport, New Order - Multileg, and Execution Report.

The LegOrderQty (tag 685) should be used instead to convey the order quantity at the leg level. In an Execution Report the LegOrderQty is used to echo back the order quantity from the order submission.

## **8. Deprecated TargetStrategyParameters (848) and ParticipationRate (849) [deprecated in FIX 5.0]**

Deprecated TargetStrategyParameters (848) and ParticipationRate (849) from the following message types: New Order - Single, New Order - Multileg, Order Cancel/Replace Request, Multileg Order Cancel/Replace Request, Execution Report, New Order - Cross, Cross Order Cancel/Replace Request, New Order - List

The NoStrategyParameters repeating group is used instead to convey target strategy parameters and values. See Equities section of Volume 7 for additional usage.

## **9. Deprecated SecondaryTradeReportID (818) and SecondaryTradeReportRefID (881) [deprecated in FIX 5.0]**

Deprecated SecondaryTradeReportID (818) and SecondaryTradeReportRefID (881) from the Trade Capture Report messages. These fields are no longer used.

## **10. Deprecated MaxFloor (111) and MaxShow (210) [deprecated in FIX 5.0]**

Deprecated MaxFloor (111) and MaxShow (210) from messages. They are replaced with DisplayQty and SecondaryDisplayQty, respectively, in the DisplayInstruction component block.

## **11. Deprecated OddLot (575) [deprecated in FIX 5.0]**

Deprecated OddLot (575) and replaced its usage with LotType (1093) which allows for identifying whether the lot size is an odd lot, round lot, or block lot.

## **12. Deprecated enum values from ExecInst (18) [deprecated in FIX 5.0]**

The following enum values are deprecated from ExecInst (18):

- L - Last Peg
- M - Mid price Peg
- O - Opening peg
- P - Market Peg
- R - Primary peg
- T - Fixed peg to local best bid/offer at time of order
- W - Peg to VWAP
- a - Trailing Stop Peg
- d - Peg to limit

Its usage is replaced by the field PegPriceType (1094) in the PegInstructions component block. The values are:

- 1 - Last peg
- 2 - mid-price peg
- 3 - opening peg
- 4 - market peg
- 5 - primary peg (primary market - buy at bid or sell at offer)
- 6 - Fixed peg to local best bid or offer at time of order
- 7 - Peg to VWAP
- 8 - Trailing Stop peg
- 9 - Peg to limit price

The following table shows the deprecated enumeration values from ExecInst and the mapping to PegPriceType (1094), the new supported functionality for identifying the type of pegging for the order.

<b>OrdType (retained)</b>	<b>ExecInst (deprecated values)</b>	<b>PegPriceType (added tag)</b>
P = Pegged	L = Last peg (last sale)	1 = Last peg (last sale)
P = Pegged	M = Mid-price peg (midprice of inside quote)	2 = Mid-price peg (midprice of inside quote)
P = Pegged	O = Opening peg	3 = Opening peg
P = Pegged	P = Market peg	4 = Market peg
P = Pegged	R = Primary peg (primary market - buy at bid/sell at offer)	5 = Primary peg (primary market - buy at bid/sell at offer)
P = Pegged	W = Peg to VWAP	7 = Peg to VWAP
P = Pegged	a = Trailing Stop Peg	8 = Trailing Stop Peg
P = Pegged	d = Peg to Limit Price	9 = Peg to Limit Price

### **13. Deprecated OrderQty2 (192), SettlDate2 (193), Price2 (640), LastForwardPoints2 (641), BidForwardPoints2 (642), and OfferForwardPoints2 (643) [deprecated in FIX 5.0]**

The following fields are being deprecated from use as FX support for FX Swaps will now use the New Order - Multileg and other existing multileg components: OrderQty2 (192), SettlDate2 (193), Price2 (640), LastForwardPoints2 (641), BidForwardPoints2 (642), and OfferForwardPoints2 (643)

**14. Deprecated QuoteType (537) from QuoteResponse message only [deprecated in FIX 5.0]**

The QuoteType (537) is only deprecated from the QuoteResponse message as it was a cut/paste error when the message was created in FIX 4.4 and does not make sense for this message.

**15. Deprecated MDEntryOriginator (282), MDMkt (275) [deprecated in FIX 5.0]**

The following fields are being deprecated from use: MDENtryOriginator (282) and MDMkt (275). Its usage is replaced by corresponding values in PartyRole (452).

**16. Deprecated LocationID (283) and DeskID (284) from Market Data messages only [deprecated in FIX 5.0]**

The following fields are being deprecated only from the Market Data messages: LocationID (283) and DeskID (284). Its usage is replaced by corresponding values in PartyRole (452).

**17. Deprecated LegQty (tag 687) from the specification [deprecated in FIX 5.0 SP1]**

Deprecated LegQty from other messages where it was not depreciated earlier in FIX 5.0 release. These include Execution Report, TradeCaptureReport and TradeCaptureReportAck. For these messages LegQty usage has been replaced by LegLastQty (1418).

**18. Deprecated PublishTrdIndicator (tag 852) from the specification [deprecated in FIX 5.0 SP1]**

Deprecated PublishTrdIndicator from TradeCaptureReport and TradeCaptureReportAck messages. This has been replaced by TradePublishIndicator (1390).

**19. Deprecated OrderID (tag 37) and SecondaryOrderID (tag 198) from OrderMassCancelReport message only [deprecated in FIX 5.0 SP1]**

Deprecated OrderID and SecondaryOrderID from OrderMassCancelReport. For this message the MassActionReportID (1369) is used to identify the message.

**20. Deprecated the fields Signature (89), SecureDataLen (90), SecureData (91), SignatureLength (93) [deprecated in FIXT.1.1]**

**21. Deprecated the following enumerations from SecurityRequestType (321)**

Request ListSecurity Types (2), Request List Security (3)

**22. Deprecated the following enumeration from SecurityResponseType (323)**

List of security types returned per request (3)

**23. Deprecated the following enumeration from UnitOfMeasure (996), UnderlyingUnitOfMeasure (998), LegUnitOfMeasure (999), PriceUnitOfMeasure (1191), DerivativeUnitOfMeasure (1269), DerivativePriceUnitOfMeasure (1315), LegPriceUnitOfMeasure (1421), UnderlyingPriceUnitOfMeasure (1424)**

MMbbl - million barrels

**24. Deprecated from SecurityType (167) the enumeration FOR [deprecated in FIX 5.0 SP2]**

The value FOR is deprecated from SecurityType. It is recommended that new values be used instead: FXSPOT, FXFWD, FXSWAP, FXNDF. The Global FX Committee also recommends that SecurityType be used instead of CFICode.

## Appendix 6-F

### Replaced Features and Supported Approach

Certain features of the FIX Protocol which were implemented in earlier versions of the FIX Protocol specification, have been removed and replaced by a different approach. Such features have been labeled as "Removed" or "Replaced" throughout the FIX Specification document. The removed or replaced feature is no longer supported by this version of the FIX Protocol specification.

These features may or may not have been "Deprecated" in a previous version. Deprecation implies that implementations must support both approaches during the deprecation period. Removing and replacing a features without a deprecation period is based upon:

- Supporting both approaches would result in a high degree of complexity and/or ambiguity.

The rationale behind removing a feature is based upon either:

- Actual use and implementation of the feature identified major shortcomings necessitating a re-design.
- Additional business requirements have been identified which the feature is unable to expand and properly support in its present form.

**The new, supported approach for each removed feature is identified below:**

#### 1. Replaced Field: ExecTransType (tag 20) and values in ExecType and OrdStatus fields [Replaced in FIX 4.3]

The ExecTransType field introduced in FIX 2.7 has been removed and its values have been incorporated within the ExecType field. The ExecType field introduced in FIX 4.1 has had several values removed and a new value to represent the combination of the removed values. The ExecTransType and ExecType fields have effectively been merged into the ExecType field thus the removal of ExecTransType. Each field attempted to designate the type of Execution Report message received in a slightly different way. Both fields were designated as required. This became confusing and should be **simplified by a single, merged field with the following mapping table:**

Removed Value within ExecTransType (20) field	Removed Value within OrdStatus (39) field	Removed Value within ExecType (150) field	ExecType (150)
0	New		(various)
1	Cancel		H Trade Cancel

2	Correct					G	Trade Correct
3	Status					H	Order Status
		5	Replaced			5	Replace
				1	Partial Fill	F	Trade
				2	Fill		

## 2. Replaced Fields: MaturityDay (tag 205) and UnderlyingMaturityDay (tag 314) [Replaced in FIX 4.3]

The MaturityDay field (tag 205) introduced in FIX 4.1 has been removed and replaced by the MaturityDate field (tag 541). The MaturityMonthYear field (tag 200) can still be used for standardized derivatives which are typically only referenced by month and year (e.g. S&P futures).

The UnderlyingMaturityDay field (tag 314) introduced in FIX 4.2 has been removed and replaced by the UnderlyingMaturityDate field (tag 542). The UnderlyingMaturityMonthYear field (tag 313) can still be used for standardized derivatives which are typically only referenced by month and year (e.g. S&P futures).

## 3. Replaced Fields: ExecBroker (tag 76), BrokerOfCredit (tag 92), ClientID (tag 109), ClearingFirm (tag 439), ClearingAccount (tag 440), and SettlLocation (tag 166) [Replaced in FIX 4.3]

The ExecBroker (tag 76), BrokerOfCredit (tag 92), ClientID (tag 109), ClearingFirm (tag 439), ClearingAccount (tag 440), and SettlLocation (tag 166) fields introduced prior to FIX 4.3 have been removed and the equivalent values can now be specified via PartyRole, PartyID, and PartyIDSource. In addition this <Parties> "component block" (see Volume 1: "Common Components of Application Messages") is flexible enough to allow new "roles" or types of firm identification to be specified without a corresponding increase in the number of FIX fields. **All of the old field values can be specified via the following mapping table:**

Removed Field	PartyRole (452) (also see Volume 1: "Glossary")		PartyID (448)	PartyIDSource (447)	PartySubID (523)
ExecBroker (tag 76)	1	Executing Broker	(value)	(various)	
BrokerOfCredit (tag 92)	2	Broker Of Credit	(value)	(various)	
ClientID (tag 109)	3	Client ID	(value)	(various)	
ClearingFirm (tag 439)	4	Clearing Firm	(value)	(various)	

ClearingAccount (tag 440)	4	Clearing Firm				(value)
SettlLocation (tag 166)	10	Settlement Location	CED = CEDEL  DTC = Depository Trust Company  EUR = Euroclear  FED = Federal Book Entry  PNY= Physical  PTC= Participant Trust Company	C	Generally accepted market participant id	
			ISO Country Code (Local Market Settle Location)	E		

**4. Replaced Field Enumerations for Futures and Options for SecurityType (tag 167) with CFICode (tag 461) [Replaced in FIX 4.3]**

The CFICode was introduced to improve granularity in specifying security type. The adoption of CFICode has made the values for futures and options in SecurityType (tag 167) redundant.

**The following Security Type values can be specified using CFICode via the following mapping table:**

Value Removed From SecurityType (tag 167)	CFICode (tag 461) value
---	-------------------------

“FUT”	Future	First position of CFICode = “F”
“OPT”	Option	First position of CFICode = “O”

### 5. Replaced Field: PutOrCall (tag 201) and UnderlyingPutOrCall (tag 315) with CFICode (tag 461) [Replaced in FIX 4.3]

The CFICode was introduced to improve granularity in specifying security type. The adoption of CFICode has made the PutOrCall (tag 201) redundant. The PutOrCall values are numeric and this has led to confusion on their usage as the data is not self describing. The CFICode uses a more readable format of “P” and “C” for put and call.

**PutOrCall values can be specified using CFICode via the following mapping table:**

Removed field PutOrCall (tag201) values		CFICode (tag 461) value
0	Put	First position of CFICode = “O” Second position of CFICode = “P”
1	Call	First position of CFICode = “O” Second position of CFICode = “C”

### 6. Replaced Field: CustomerOrFirm (tag 204) with OrderCapacity (tag 528) [Replaced in FIX 4.3]

The Rule80A (tag 47) and CustomerOrFirm (tag 204) values have been merged and generalized into the new OrderCapacity (tag 528) field. This was done to provide a more generalized approach to identifying order capacity across markets.

**CustomerOrFim values can be specified using OrderCapacity via the following mapping table:**

Removed Field CustomerOrFirm (tag 204) values		OrderCapacity (tag 528) value
0	Customer	A - Agency
1	Firm	P - Principal

### 7. Replaced values: OptAttribute (tag 206) with values in CFICode (tag 461) [Replaced in FIX 4.3]

The CFICode (tag 461) permits specification of the expiration style for options using more meaningful acronyms “A” for American and “E” for European. These values will replace the values currently used by some markets in the OptAttribute field. OptAttribute will still be used for versioning the option contract in the event of a corporate action, such as a split or merger, but will eliminate the problem when both the expiration style and a version number must be specified.

**Certain OptAttribute values can be specified using CFICode via the following mapping table:**

Values Removed From OptAttribute (tag 206)		CFICode (tag 461)
L	American	First Position “O” Second Position “C” or “P” Third Position “A” for American Style Expiration
S	European	First Position “O” Second Position “C” or “P” Third Position “E” for European Style Expiration

## 8. Replaced values: AllocTransType (tag 71) with values in AllocType (tag 626) [Replaced in FIX 4.3]

The AllocTransType (tag 71) field specified both the type of "transaction": new, cancel, replace and the type or purpose of the Allocation message. A new field AllocType was introduced in FIX 4.3 which specifies the type or purpose of the Allocation message. Three fields were removed from AllocTransType and are now part of AllocType. In addition, AllocType supports additional values which were not defined in AllocTransType.

**Certain AllocTransType values can be specified using AllocType via the following mapping table:**

Values Removed From AllocTransType (tag 71)	AllocType (tag 626)
--	---------------------

1	<p>New</p> <p><b>(Note: "New" was dual-purpose:</b></p> <p><b>1) a new transaction</b></p> <p><b>(this meaning remains)</b></p> <p><b>2) buyside calculated allocation</b></p> <p><b>The buyside calculated allocation meaning has been replaced by AllocType="Buyside Calculated")</b></p>	1	<p>Buyside Calculated (includes MiscFees and NetMoney)</p>
3	<p>Preliminary (without MiscFees and NetMoney)</p>	2	<p>Buyside Preliminary (without MiscFees and NetMoney)</p>
4	<p>Calculated (includes MiscFees and NetMoney)</p>	3	<p>Sellside Calculated Using Preliminary (includes MiscFees and NetMoney)</p>
5	<p>Calculated without Preliminary (sent unsolicited by broker, includes MiscFees and NetMoney)</p>	4	<p>Sellside Calculated Without Preliminary (sent unsolicited by sellside, includes MiscFees and NetMoney)</p>

### 9. Replaced Field: RelatdSym (tag 46) with Symbol (tag 55) [Replaced in FIX 4.3]

The RelatdSym (tag 46) field used in the News and Email messages prior to FIX 4.3 has been replaced by the Symbol (tag 55) field thus allowing the News and Email messages to use the same <Instrument> component block as other FIX application messages.

**10. Removed Deprecated Field: Benchmark (tag 219) [Deprecated in FIX 4.3, Removed in FIX 4.4]**

*Affected Volume 3: field removed from Indication of Interest message.*

The Benchmark field introduced in FIX 4.2 was deprecated in FIX 4.3 by the combined use of BenchmarkCurveCurrency, BenchmarkCurveName, and BenchmarkCurvePoint fields. (see Volume 1, SpreadOrBenchmarkCurveData component block) **The Benchmark field was removed in FIX 4.4. Mapping of the replaced Benchmark field's values is as follows:**

Replaced Field Benchmark (219) Value	BenchmarkCurveC urrency (220)	BenchmarkCurveName (221)	BenchmarkCurvePoint (222)
1 CURVE	USD	Treasury	INTERPOLATED
2 5-YR	USD	Treasury	5Y
3 OLD-5	USD	Treasury	5Y-OLD
4 10-YR	USD	Treasury	10Y
5 OLD-10	USD	Treasury	10Y-OLD
6 30-YR	USD	Treasury	30Y
7 OLD-30	USD	Treasury	30Y-OLD
8 3-MO-LIBOR	USD	LIBOR	3M
9 6-MO-LIBOR	USD	LIBOR	6M

**11. Removed Deprecated "On Close"-related Values for OrdType Field [Deprecated in FIX 4.3, Removed in FIX 4.4]**

*Affected Volume 1: Glossary, Business Terms.*

*Affected Volume 6: values removed from OnClose field in Field Definitions.*

Three "on close"-related values in the OrdType field were deprecated in FIX 4.3 by the combined use of a new TimeInForce "At the Close" value and OrdType values. **These OrdType values were removed in FIX 4.4.** This makes "On close" handling consistent with "On open" (as a TimeInForce vs. OrdType). Note that CMS (e.g. used by NYSE) uses a TimeInForce for On Open (OPG) and an OrdType for On Close. FIX 4.3 implemented a consistent handling of the two vs. a continuation of following CMS-based semantics. **Mapping of the deprecated OrdType field's values is as follows:**

Replaced Value within	TimeInForce (59)	OrdType (38)

OrdType field					
5	Market on close	7	"At the Close"	1	"Market"
A	On close	7	"At the Close"	1	"Market"
B	Limit on close	7	"At the Close"	2	"Limit"

## 12. Removed Deprecated Field: Rule80A (tag 47) [Deprecated and Replaced in FIX 4.3, Removed in FIX 4.4]

*Affected Volume 4: field removed from New Order – Single, Order Cancel/Replace Request (aka Order Modification Request), and New Order List messages.*

The Rule80A field (known prior to FIX 4.2 as "Rule80A" and in FIX 4.2 as "Rule80A (aka OrderCapacity)") was deprecated and replaced in FIX 4.3 by the combined use of the new to FIX 4.3 OrderCapacity and Order Restrictions fields. **The Rule80A field was removed in FIX 4.4.** The "(aka OrderCapacity)" designation has been removed from the Rule80A field. **Mapping of the replaced Rule80A field's values is as follows:**

Replaced Field Rule80A (47) Value		OrderCapacity (528)		OrderRestrictions (529) Note datatype: MultipleValueString		Side (54)	
A	Agency single order	A	Agency				
B	Short exempt transaction (refer to A type)	A	Agency			6 or A	Sell short exempt or Cross short exempt
C	Proprietary, Non-Algorithmic Program Trade (non-index arbitrage)	P	Principal	1 3 D	Program Trade		
					Non-Index Arbitrage		
					Non-algorithmic		
D	Program Order, index arb, for Member firm/org	P	Principal	1 2	Program Trade		
					Index Arbitrage		
E	Short Exempt Transaction for Principal (was incorrectly identified in the FIX spec as "Registered Equity Market	P	Principal			6 or A	Sell short exempt or Cross short exempt

	Maker trades")						
F	Short exempt transaction (refer to W type)	W	Agent for Other Member			6 or A	Sell short exempt or Cross short exempt
H	Short exempt transaction (refer to I type)	I	Individual			6 or A	Sell short exempt or Cross short exempt
I	Individual Investor, single order	I	Individual				
J	Proprietary, Algorithmic Program Trading (non-index arbitrage)	P	Principal	1 3 E	Program Trade		
					Non-Index Arbitrage		
					Algorithmic		
K	Agency, Algorithmic Program Trade (non-index arbitrage)	I or A or W	Individual or Agency or Agent for other member	1 3 E	Program Trade		
					Non-Index Arbitrage		
					Algorithmic		
L	Short exempt transaction for member competing market-maker affiliated with the firm clearing the trade (refer to P and O types)	P	Principal	4	Competing Market Maker	6 or A	Sell short exempt or Cross short exempt
M	Program Order, index arb, agent for other member	W	Agent for Other Member	1 2	Program Trade		
					Index Arbitrage		
N	Agent for other member, Non-algorithmic Program Trade (non-index arbitrage)	W	Agent for Other Member	1 3 D	Program Trade		
					Non-Index Arbitrage		
					Non-algorithmic		
O	Proprietary transactions for competing market-maker that	P	Principal	4	Competing Market Maker		

	is affiliated with the clearing member (was incorrectly identified in the FIX spec as "Competing dealer trades")						
P	Principal	P	Principal				
R	Transactions for the account of a non-member competing market maker (was incorrectly identified in the FIX spec as "Competing dealer trades")	A	Agency	4	Competing Market Maker		
S	Specialist trades	P	Principal	5	Acting as Market Maker or Specialist in the security		
T	Transactions for the account of an unaffiliated member's competing market maker (was incorrectly identified in the FIX spec as "Competing dealer trades")	W	Agent for Other Member	5	Acting as Market Maker or Specialist in the security		
U	Agency, Index Arbitrage	A or I	Agency or Individual	1 2	Program Trade Index Arbitrage		
W	All other orders as agent for other member	W	Agent for Other Member				
X	Short exempt transaction for member competing market-maker not affiliated with the firm clearing the trade (refer to W and T types)	W	Agent for Other Member	4	Competing Market Maker	6 or A	Sell short exempt or Cross short exempt
Y	Agency, Non-Algorithmic Program Trade (non-index arbitrage)	A or I	Agency or Individual	1 3 D	Program Trade Non-Index Arbitrage		

					Non-Algorithmic		
Z	Short exempt transaction for non-member competing market-maker (refer to A and R types)	A	Agency	4	Competing Market Maker	6 or A	Sell short exempt or Cross short exempt

### 13. Removed Deprecated Field: OnBehalfOfSendingTime (tag 370) [Deprecated and Replaced in FIX 4.3, Removed in FIX 4.4]

*Affected Volume 2: Message Routing Details – Third Party Message Routing, field removed from Standard Message Header.*

The OnBehalfOfSendingTime field introduced in FIX 4.2 was deprecated and replaced in FIX 4.3 by the use of HopSendingTime (tag 629) field which is part of the “Hops” repeating group. **The OnBehalfOfSendingTime field was removed in FIX 4.4.** See “Volume 2 – Standard Message Header” for HopSendingTime usage.

### 14. Removed three Deprecated "Forex - "-related Values for OrdType Field [Deprecated and Replaced in FIX 4.3, Removed in FIX 4.4]

*Affected Volume 1: Glossary, Business Terms.*

*Affected Volume 6: values removed from OrdType field in Field Definitions.*

Three "Forex - "-related values in the OrdType field were deprecated and replaced in FIX 4.3 by the combined use of a specifying Currency in the Product field and use of “regular” OrdType values. **These OrdType values were removed in FIX 4.4.** Mapping of the replaced OrdType field's values is as follows:

Replaced Value within OrdType field		Product (460)		OrdType (38)	
C	Forex - Market	4	"Currency"	1	"Market"
F	Forex – Limit	4	"Currency"	2	"Limit"
H	Forex – Previously Quoted	4	"Currency"	D	"Previously Quoted"

### 15. Replaced value: "A = T+1" with value with "2 = Next Day (T+1)" in SettlmntTyp (tag 63) field [Replaced in FIX 4.4]

The value "A = T+1" was inadvertently added to the SettlmntType (tag 63) field in FIX 4.3, however, the FIX specification already specified "2 = Next Day" which is synonymous. FIX 4.4 removed the "A=T+1" value and added "(T+1)" suffix to the "Next Day" value for clarification.

#### 16. Replaced "Fixed Peg to Local best bid or offer at time of order" value from ExecInst (tag 18) Field [Replaced in FIX 4.4]

See "Volume 4 - Order Handling Instructions – pegged orders". **Mapping of the removed ExecInst field's value is as follows:**

Replaced Value within ExecInst (18) field		PegMoveType (835)		PegScope (840)		ExecInst (18)	
T	Fixed Peg to Local best bid or offer at time of	1	Fixed	1	Local	R	Primary peg

#### 17. Removed unused field: RatioQty (tag 319) [Replaced in FIX 4.4]

RatioQty (tag 319) was no longer used by any FIX messages as of FIX version 4.3 designating it as "No longer used as of FIX 4.3". Note that FIX 4.3 replaced this field with LegRatioQty (tag 623).

#### 18. Removed unused field: SecDefStatus (tag 653) [Replaced in FIX 4.4]

SecDefStatus (653) was no longer used by any FIX messages as of FIX version 4.3 designating it as "No longer used as of FIX 4.3". Note that the FIX 4.3 draft process introduced this field, however, it was replaced with Security Definition messages prior to FIX 4.3 release.

#### 19. Removed TotalVolumeTradedDate (tag 449) and TotalVolumeTradedTime (tag 450) fields [Replaced in FIX 4.4]

Removed TotalVolumeTradedDate (449) and TotalVolumeTradedTime (450) fields as FIX 4.4 specifies that MEntryDate (272) and MEntryTime (273) fields should be used instead.

#### 20. Removed various Settlement Instructions-related fields [Replaced in FIX 4.4]

Removed the following Settlement Instructions-related fields: SecuritySettlAgentName, SecuritySettlAgentCode, SecuritySettlAgentAcctNum, SecuritySettlAgentAcctName, SecuritySettlAgentContactName, SecuritySettlAgentContactPhone, CashSettlAgentName, CashSettlAgentCode, CashSettlAgentAcctNum, CashSettlAgentAcctName, CashSettlAgentContactName, CashSettlAgentContactPhone replacing them with <SettlParties> (consistent with SI change made between ISO 7775 and ISO 15022). Removed SettlDepositoryCode (173), SettlBrkrCode (174), and SettlInstCode (175) fields. Refer to "Volume 5 - Settlement Instruction Fields Usage Matrix" for further details.

**21. Removed "Default", "Specific Allocation Account Overriding", and "Specific Allocation Account Standing" values from SettlInstMode (tag 160) field [Replaced in FIX 4.4]**

Refer to "Volume 5 - Settlement Instruction Fields Usage Matrix" for further details.

**22. Removed several values from AllocType (tag 626) field [Replaced in FIX 4.4]**

Removed values: "Sellside Calculated Using Preliminary (includes MiscFees and NetMoney)", "Sellside Calculated Without Preliminary (sent unsolicited by sellside, includes MiscFees and NetMoney)", and "Buyside Ready-To-Book - Combined Set of Orders". Renamed value "Buyside Ready-To-Book - Single Order" to "Buyside Ready-To-Book" in FIX 4.4.

**23. Removed several values from YieldType (tag 235) field [Replaced in FIX 4.4]**

Removing the following values from the YieldType field: "AVGLIFE = Yield To Average Life", "LONGEST = Yield to Longest Average (Sinking Fund Bonds)", and "SHORTEST = Yield to Shortest Average (Sinking Fund Bonds)" keeping "LONGAVGLIFE " and "SHORTAVGLIFE" values.

**24. Removed AsgnReqID (831) from Data Dictionary [Removed in FIX 5.0 SP2]**

Removed AsgnReqID (831) field from Data Dictionary. This field is not used anywhere and is obsolete.

**25. Removed ExecRefID (19) from TrdCapRptSideGrp component [Removed in FIX 5.0 SP2]**

The field ExecRefID (19) was removed from the TrdCapRptSideGrp component and replaced by the use of a new field called SideExecID (1427).

## Appendix 6-G

### Use of <Parties> Component Block: PartyRole, PartyIDSource, PartyID, and PartySubID

The <Parties> component block (see "Volume 1: Common Components of Application Messages") is a flexible structure that allows new party "roles" or types, party identification and identification schemes to be added without a corresponding increase in the number of FIX fields with the use of PartyRole, PartyID and PartyIDSource fields. Optionally, further information on a party identified in PartyID can be specified in the repeating group of PartySubID and PartySubIDType fields. The PartySubIDType field can be used to identify the type of PartySubID value (i.e. "Firm", "Phone number", "Contact name", "Full legal name of firm", etc.).

The matrix below identifies the various PartyRole values and the anticipated PartyIDSource values which may be associated with each PartyRole. It is important to note that **other combinations may exist**. In addition, see "Volume 7 – Products" for any documented product-specific anticipated PartyRole mapping and guidance.

PartyRole value		Common Identification and Considerations Reference
1	Executing Firm	See "Common PartyRole Identification for Firms"
2	Broker of Credit	See "Common PartyRole Identification for Brokers"
3	Client ID	See "Common PartyRole Identification for Firms"
4	Clearing Firm	See "Common PartyRole Identification for Firms"
5	Investor ID	See "Common PartyRole Identification for Investor ID"
6	Introducing Firm	See "Common PartyRole Identification for Firms"
7	Entering Firm	See "Common PartyRole Identification for Firms"
8	Locate/Lending Firm (for short-sales)	See "Common PartyRole Identification for Firms"
9	Fund manager Client ID (for CIV)	See "Common PartyRole Identification for Firms"
10	Settlement Location	See "Common PartyRole Identification for (Settlement) Locations"
11	Order Origination Trader (associated with Order)	See "Common PartyRole Identification for Traders"

	Origination Firm – e.g. trader who initiates/submits the order)	
12	Executing Trader (associated with Executing Firm - actually executes)	See “Common PartyRole Identification for Traders”
13	Order Origination Firm (e.g. buy-side firm)	See “Common PartyRole Identification for Firms”
14	Giveup Clearing Firm (firm to which trade is given up)	See “Common PartyRole Identification for Firms”
15	Correspondent Clearing Firm	See “Common PartyRole Identification for Firms”
16	Executing System	See “Common PartyRole Identification for Execution Systems”
17	Contra Firm	See “Common PartyRole Identification for Firms”
18	Contra Clearing Firm	See “Common PartyRole Identification for Firms”
19	Sponsoring Firm	See “Common PartyRole Identification for Firms”
20	Underlying Contra Firm	See “Common PartyRole Identification for Firms”
21	Clearing Organization	See “Common PartyRole Identification for Firms”
22	Exchange	See “Common PartyRole Identification for Execution Systems”
24	Customer Account	See “Common PartyRole Identification for Accounts”
25	Correspondent Clearing Organization	See “Common PartyRole Identification for Firms”
26	Correspondent Broker	See “Common PartyRole Identification for Firms”
27	Buyer/Seller (Receiver/Deliverer)	See "Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary"  Value intended to be used in SettlParties component block (note these values correspond to ISO15022 settlement party categories)
28	Custodian	See "Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary"

		Value intended to be used in SettlParties component block (note these values correspond to ISO15022 settlement party categories)
29	Intermediary	See "Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary"  Value intended to be used in SettlParties component block (note these values correspond to ISO15022 settlement party categories)  Note it is possible to have multiple parties with this role in a SettlParties component block (intermediary 1, intermediary 2 etc.) in which case the PartySubID is used to distinguish between them
30	Agent	See "Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary"  Value intended to be used in SettlParties component block (note these values correspond to ISO15022 settlement party categories)
31	Sub custodian	See "Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary"  Value intended to be used in SettlParties component block (note these values correspond to ISO15022 settlement party categories)
32	Beneficiary	See "Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary"  Value intended to be used in SettlParties component block (note these values correspond to ISO15022 settlement party categories)
33	Interested party	See "Common PartyRole Identification for Firms"
34	Regulatory body	See "Common PartyRole Identification for Firms"
35	Liquidity provider	See "Common PartyRole Identification for Firms"
36	Entering trader	See "Common PartyRole Identification for Traders"
37	Contra trader	See "Common PartyRole Identification for Traders"
38	Position account	See "Common PartyRole Identification for Accounts"
39	Contra Investor ID	See "Common PartyRole Identification for Investor ID"
40	Transfer to Firm	

41	Contra Position Account	See “Common PartyRole Identification for Accounts”
42	Contra Exchange	See “Common PartyRole Identification for Execution Systems”
43	Internal Carry Account	See “Common PartyRole Identification for Accounts”
44	Order Entry Operator ID	See “Common PartyRole Identification for Traders”
45	Secondary account number	See “Common PartyRole Identification for Accounts”
46	Foreign firm	See “Common PartyRole Identification for Firms”
47	Third party allocation firm	See “Common PartyRole Identification for Firms”
48	Claiming account	See “Common PartyRole Identification for Accounts”
49	Asset Manager	See “Common PartyRole Identification for Firms”
50	Pledgor account	See “Common PartyRole Identification for Accounts”
51	Pledgee account	See “Common PartyRole Identification for Accounts”
52	Large trader reportable account	See “Common PartyRole Identification for Accounts”
53	Trader mnemonic	See “Common PartyRole Identification for Traders”
54	Sender location	See “Common PartyRole Identification for (Settlement) Locations”
55	Session ID	
56	Acceptable counterparty	See “Common PartyRole Identification for Firms”
57	Unacceptable counterparty	See “Common PartyRole Identification for Firms”
58	Entering Unit	See “Common PartyRole Identification for Firms”
59	Executing unit	See “Common PartyRole Identification for Firms”
60	Introducing broker	See “Common PartyRole Identification for Brokers”
61	Quote originator	See “Common PartyRole Identification for Firms”
62	Report originator	See “Common PartyRole Identification for Firms”
63	Systematic internaliser (SI)	See “Common PartyRole Identification for Execution Systems”

64	Multilateral Trading Facility (MTF)	See “Common PartyRole Identification for Execution Systems”
65	Regulated Market (RM)	See “Common PartyRole Identification for Execution Systems”
66	Market maker	See “Common PartyRole Identification for Firms”
67	Investment firm	See “Common PartyRole Identification for Firms”
68	Host Competent Authority (Host CA)	See “Common PartyRole Identification for Firms”
69	Home Competent Authority (Home CA)	See “Common PartyRole Identification for Firms”
70	Competent Authority of the most relevant market in terms of liquidity (CAL)	See “Common PartyRole Identification for Firms”
71	Competent Authority of the Transaction (Execution) Venue (CATV)	See “Common PartyRole Identification for Firms”
72	Reporting intermediary	See “Common PartyRole Identification for Firms”
73	Execution Venue	See “Common PartyRole Identification for Execution Systems”
74	Market data entry originator	See “Common PartyRole Identification for Firms”
75	Location ID	See “Common PartyRole Identification for (Settlement) Locations”
76	Desk ID	See “Common PartyRole Identification for Firms”
77	Market data market	See “Common PartyRole Identification for Execution Systems”
78	Allocation Entity	See “Common PartyRole Identification for Firms”
79	Prime broker providing general trade services	See “Common PartyRole Identification for Brokers”
80	Step-out firm (prime broker)	See “Common PartyRole Identification for Brokers”
81	Broker clearing ID	See “Common PartyRole Identification for Brokers”

82	Central Registration Depository (CRD)	See "Common PartyRole Identification for (Settlement) Locations"
<a href="#">83</a>	<a href="#">Clearing account</a>	<a href="#">See "Common PartyRole Identification for Accounts"</a>
<a href="#">84</a>	<a href="#">Acceptable Settling Counterparty</a>	<a href="#">See "Common PartyRole Identification for Firms"</a>
<a href="#">85</a>	<a href="#">Unacceptable Settling Counterparty</a>	<a href="#">See "Common PartyRole Identification for Firms"</a>

**Common PartyRole Identification for Firms:**

PartyIDSource (447)	PartyID (448)	PartySubID (523)
B	BIC (Bank Identification Code)	<<BIC Value>> (optional)
C	Generally accepted market participant identifier	(various) (optional)
D	Proprietary/Custom code	(various) (optional)

**Common PartyRole Identification for Brokers:**

PartyIDSource (447)	PartyID (448)	PartySubID (523)
B	BIC (Bank Identification Code)	<<BIC Value>> (optional)
I	ISITC code for identifying directed brokers as per ETC Best Practices document (for use with PartyRole = Broker of Credit only)	<<ISITC-defined character code>> 3 (optional)
D	Proprietary/Custom code	(various) (optional)

**Common PartyRole Identification for Traders:**

PartyIDSource (447)	PartyID (448)	PartySubID (523)
C	Generally accepted market participant identifier	(various)
D	Proprietary/Custom code	(various)

**Common PartyRole Identification for Investor ID:**

*See Volume 4: "Example Usage of PartyRole="Investor ID" "*

**Common PartyRole Identification for Execution Systems:**

PartyIDSource (447)	PartyID (448)	PartySubID (523)
C	Generally accepted market participant identifier	(various)
D	Proprietary/Custom code	(various)
G	MIC (SIO 10383 Market Identifier Code)	(various)

**Common PartyRole Identification for (Settlement) Locations:**

PartyIDSource (447)	PartyID (448)	PartySubID (523)
B	BIC (Bank Identification Code)	<<BIC Value>>
C	Generally accepted market	CED = CEDEL

	participant identifier	DTC = Depository Trust Company EUR = Euroclear FED = Federal Book Entry HIC = Held In Custody ICSD = International Central Securities Depository NCSD = National Central Securities Depository PNY= Physical PTC= Participant Trust Company	
E	ISO Country Code <i>[for Local Market Settlement]</i>	<< ISO Country Code Value >>	(optional)

**Common PartyRole Identification for Buyer/Seller, Custodian, Intermediary, Agent or Beneficiary:**

PartyIDSource (447)	PartyID (448)	PartySubID (523)
B	BIC (Bank Identification Code)	<<BIC Value>> (optional)
H	CSD participant/member code (e.g. Euroclear, DTC, CREST or Kassenverein number)	<<CSD participant or member code>> (optional)

**Common PartyRole Identification for Accounts:**

PartyIDSource (447)		PartyID (448)	PartySubID (523)
D	Proprietary/Custom code	(various)	(optional)
H	CSD participant/member code (e.g. Euroclear, DTC, CREST or Kassenverein number)	<<CSD participant or member code>>	(optional)

## Appendix 6-H

### Use of <SettlInstructions> Component Block

#### Introduction

The SettlInstructions component block is used to transmit settlement instruction details on an Allocation Instruction, Allocation Report, Confirmation or Settlement Instruction message.

- When used on an Allocation Instruction, Allocation Report or Confirmation message, this represents the settlement instructions that apply to a particular trade or order.
- When used on a Settlement Instruction message, this represents either standing instructions (to be used on future trades) or the instructions for a specific order (this usage is intended for the retail CIV market).

This component block can be used either to contain full settlement instruction details (i.e. settlement agent identities and account numbers) or a reference to a standing instruction database.

- When used to refer to instructions held on a standing instructions database, the StandInstDbType, StandInstDbName and StandInstDbID fields are used to specify the identify and name of the standing instructions database, and the identifier of the standing instruction record within that database. The NoDlvyInst repeating group should not be populated when using these fields.
- When used to specify settlement instruction details, the NoDlvyInst repeating group is used. Each member of that group holds one party's instructions for cash or securities settlement (or both in the case of DVP). The SettlInstSource field identifies to whom the instructions belong, and the DlvyInstType field identifies whether the instructions are for securities or for cash.
- In both of these cases, the SettlDeliveryType field is used to identify the type of settlement being represented by these settlement instructions, i.e. DVP (delivery vs payment), FOP (free of payment), hold in custody etc.

Where the component block is used to describe specific settlement instructions (i.e. using the NoDlvyInst repeating group), the number of entries in the NoDlvyInst repeating group is determined by the contents of the SettlDeliveryType field and the context of the message block (i.e. which message it is in). When used in an Allocation Instruction, Allocation Report or Settlement Instruction message, only the settlement instructions for the party generating the message need be specified. On a Confirmation message, both parties to the trade will have their settlement instructions specified. The matrix of usage of the NoDlvyInst repeating group is therefore as follows:

#### Allocation Instruction, Allocation Report or Settlement Instruction

SettlDeliveryType	NoDlvyInst	SettlInstSource	DlvyInstType
0 – Versus Payment	1	1 (broker's), 2 (institution's) or 3 (investor's), depending on the identify of the originator of the message	S – securities

1 – Free	2	1 (broker's), 2 (institution's) or 3 (investor's), depending on the identify of the originator of the message	S – securities
		1 (broker's), 2 (institution's) or 3 (investor's), depending on the identify of the originator of the message	C – cash

**Confirmation**

SettlDeliveryType	NoDlvyInst	SettlInstSource	DlvyInstType
0 – Versus Payment	2	1 (broker's)	S – securities
		2 (institution's)	S – securities
1 – Free	4	1 (broker's)	S – securities
		1 (broker's)	C – cash
		2 (institution's)	S – securities
		2 (institution's)	C – cash

The actual instructions themselves are held within the SettlParties component block inside the NoDlvyInst repeating group. This contains a repeating group of party identifiers and sub ids which is used to hold the identifiers of all parties involved in settlement (e.g. agent, custodian, depository) together with any required account numbers, registration details or similar.

**Delivery Instruction Formatting & Structure****Parties & Party Sub-IDs**

FIX supports the concept of a “SettlParty”, this being an organisation or individual connected in some way to the settlement of a financial transaction. Every SettlParty has a role (defining what the SettlParty is doing), an identifier, SettlPartyID (with a SettlPartyIDSource to identify the type of SettlPartyID) and any number of sub-identifiers (SettlPartySubID), each with a SettlPartySubIDType to define the type of sub-identifier.

For the purposes of settlement instruction definition, the party sub-identifiers can be taken to represent one of three things:

- An alternative identifier for the SettlParty. For example, if the SettlParty's primary identifier is its BIC (expressed through its SettlPartyID with SettlPartyIDSource = B for BIC) then any other identifiers for the SettlParty (e.g. CSD participant number) can be expressed using a SettlPartySubID. For every SettlPartyIDSource that is commonly used to identify a SettlParty for settlement purposes, there is an equivalent SettlPartySubIDType.
- An identifier of an account held at the SettlParty. Note that the convention is to hold the account details under the SettlParty at which the account is held, rather than under the SettlParty on whose behalf the account is held. For example, the account number of a custodian at an agent is held as a SettlPartySubID under the SettlParty representing the agent, not the custodian.
- Additional information relating to the SettlParty, e.g. its full name, address, contact name, phone number etc.

When using the FIX SettlInstructions component block, it may be appropriate to provide a number of identifiers for the same SettlParty (e.g. both the BIC and CREST id for a CREST member agent bank). Only one of these can be held as a SettlPartyID – the other(s) must be held as SettlPartySubID(s). It does not matter which is held where.

### Mapping FIX to ISO15022

It is important to note that the ISO15022 standard has a consistent set of codes for what in FIX terms would be called the SettlPartyIDSource (or SettlPartySubIDType for sub-identifiers). Examples include:

- C – Country code
- P – Qualifier (BIC/BEI)
- R – Data Source Scheme/Proprietary Code
- Q – Name and address
- S – Alternate ID

In the interests of assuring STP, FIX fields and messages only map to ISO15022 options C, P or R (with a strong preference for P - BIC wherever possible). There is no equivalent of 'Q' in FIX at the SettlParty level, though this is supported at SettlPartySubID level.

The ISO 15022 standard uses a similar methodology to the component blocks in FIX. This means that the same ISO tag can be used many times in the same message but its meaning depends on which message 'sequence' it is in. This is equivalent to the FIX concept of SettlPartyRole. For example, a PSET BIC should be represented in FIX using these tags:

FIX Tag	Value
782 SettlPartyID	CEDELULL
783 SettlPartyIDSource	B
784 SettlPartyIDRole	10

The mapping to a SWIFT tag would work here as follows:

1. FIX tag 782 is a SettlPartyID and therefore maps to SWIFT tag 95 (Party)
2. FIX tag 783 shows that the SettlPartyIDSource is a BIC and therefore maps to SWIFT option P.

We can now derive the correct SWIFT tag as 95P, which takes the format **:Tag::Qualifier//BIC**, or in SWIFT shorthand **::4!c//4!a2!a2!c[3!c]** (where [3!c] represents the XXX characters at the end of an 8-character BIC). So, concatenating the values within, or implied by, the FIX tags the mapping is:

**782 & 783::& 784 & //& 782**, or in the final message, **:95P::PSET//CEDELULL**

### Notes on CSD Identifiers

ISO15022 allows a CSD identifier to be specified along with the type of identifier being used. For example:

**:95R::DEAG/CRST/636** - Tag(Option):: (Qualifier)/(Data Source Scheme)/(Proprietary Code)

Here, the various tags have the following meanings:

- 95 (Tag) = PARTY
- R (Option) = The party will be identified by a data source scheme/ proprietary code
- DEAG (Qualifier) = Deliverer's agent
- CRST (Data Source Scheme) = Crest
- 636 (Proprietary Code) = participant ID at Crest.

In order to avoid having the full set of CSD identifier types listed as separate enumerations of PartyIDSource/PartySubIDType, FIX treats all such identifiers simply as CSD participant/member codes (PartyIDSource = H, PartySubIDType = 17). The type of participant/member code (e.g. Euroclear vs. DTC vs. CREST etc.) can be derived simply by looking at the instruction's settlement location (PartyRole = 10 – equivalent to ISO15022 PSET). This is illustrated in the example below.

Settlement instructions for German domestic settlement with Citibank Frankfurt as local agent, into account 11921500:

<SettlParties>				
Tag	Field Name		Value	Comments
781	NoSettlPartyIDs		3	
à	782	SettlPartyID	DAKVDEFF	PSET for German domestic settlement
à	783	SettlPartyIDSource	B	BIC is used as the identifier in 782
à	784	SettlPartyRole	10	Settlement location (PSET)

à	782	<i>SettlPartyID</i>		7671	Broker's agent's Kassenverein number
à	783	<i>SettlPartyIDSource</i>		H	CSD participant/member code (e.g. Euroclear, DTC, CREST or Kassenverein number) As the settlement location here is 'German domestic', this identifier is therefore a Kassenverein number
à	784	<i>SettlPartyRole</i>		30	Agent – maps to SWIFT DEAG or REAG (depending on Side)
à	801	<i>NoSettlPartySubIDs</i>		1	
à	à	785	<i>SettlPartySubID</i>	CITIDEFF	This agent's BIC This is held here as a PartySubID, though could also have been held as the PartyID with the Kassenverein number held as PartySubID instead
à	à	786	<i>SettlPartySubID Type</i>	16	BIC
à	782	<i>SettlPartyID</i>		9427	Broker or broker's custodian's Kassenverein number
à	783	<i>SettlPartyIDSource</i>		H	CSD participant/member code (e.g. Euroclear, DTC, CREST or Kassenverein number) (KV no. in this case) As the settlement location here is 'German domestic', this identifier is therefore a Kassenverein number
à	784	<i>SettlPartyRole</i>		27 (client) or 28 (custodian)	Deliverer/receiver of securities (or custodian) – maps to SWIFT DECU or RECU (depending on Side)
à	801	<i>NoSettlPartySubIDs</i>		1	
à	à	785	<i>SettlPartySubID</i>	11921500	Securities account number
à	à	786	<i>SettlPartySubID Type</i>	10	Securities Account – maps to ISO15022 Tag 97 SAFE (Safekeeping account)
</SettlParties>					

SWIFT settlement instruction for an example trade, using settlement instructions derived from the above FIX data:

:16R:GENL :20C::SEME//011204000064001 :23G:NEWM :16S:GENL	
:16R:TRADDET :94B::TRAD//EXCH/XETR	

:98A::SETT//20011206 :98A::TRAD//20011204 :35B:ISIN DE0005557508 :16S:TRADDET	
:16R:FIAC :36B::SETT//UNIT/3000, :97A::SAFE//11921500 :16S:FIAC	Securities account number (taken from third SettlParty in the table above).
:16R:SETDET	
:22F::SETR//TRAD	
:16R:SETPRTY :95R::DEAG/DAKV/7671 :16S:SETPRTY	Agent – the second SettlParty in the table above. The DAKV identifies the number 7671 as being a Kassenverein number and is derived from a combination of this party's SettlPartyIDSource (H - CSD code) and the SettlPartyID of the settlement agent.
:16R:SETPRTY :95P:PSET//DAKVDEFF :16S:SETPRTY	Settlement location – the first SettlParty in the table above.
:16R:SETPRTY :95R::SELL/DAKV/9427 :16S:SETPRTY	Custodian/client – the third SettlParty in the table above.
:16R:AMT :19A::SETT//EUR50700, :16S:AMT	
:16S:SETDET	

### Registration Details & Investor IDs

Where registration details (e.g. a broker or agent's registration number or name) needs to be specified as part of a settlement instruction, this can be done as a SettlPartySubID with SettlPartySubIDType of 11 (registration number) or 14 (registration name) as appropriate. Investor IDs are represented by a completely separate SettlParty with a SettlPartyRole of 5 (investor id).

### Notes on use of Settlement Location (PSET) and Trade Matching

One of the strengths of the FIX 4.4 post-execution process is the ability to enrich messages with PSET or full settlement details. This will allow brokers to match the buy-side's PSET for "settlement channel compatibility" prior to the confirmation process. Brokers will compare the PSET on the buy-side's Allocation Instruction with their default PSET for the security in question and, if the match is not exact, they will use their own proprietary logic to determine whether or not to support a "bridge" between the 2 PSETs. All participants are strongly encouraged to use the BIC for sending PSET information. This matching logic closely mimics that proposed by the GSTPA model and has the advantage of alerting parties to potential settlement issues well before instructions are sent to the market. For similar reasons, buy-side firms are encouraged to include net money calculations on their allocations.

### Notes on Relational Integrity and Compatibility with ISO15022

The FIX 4.4 post-execution messages have been designed to be compatible with the ISO15022 standard. To ensure that all parties can translate a FIX message into a SWIFT message without ambiguity, it is essential that the information on Allocation Instructions and Confirmations conforms to certain relational integrity rules. This is particularly applicable to the data within the component blocks. The ability to use these blocks to define any number of parties gives considerable flexibility, but there are certain pitfalls. The same *SettlPartyIDRole* should never repeat within the same <SettlParties> block. For example, this slightly contrived combination would be allowed because even though the values in *SettlPartyID* and *SettlPartyIDSource* are identical, the values of tag 784 (784=30 and 783=27) are unique.

<SettlParties>				
Tag	Field Name		Value	Comments
781	NoSettlPartyIDs		2	
à	782	<i>SettlPartyID</i>	CITIGB21XXX	
à	783	<i>SettlPartyIDSource</i>	<b>B</b>	BIC
à	784	<i>SettlPartyRole</i>	<b>30</b>	Agent
à	782	<i>SettlPartyID</i>	CITIGB21XXX	
à	783	<i>SettlPartyIDSource</i>	<b>B</b>	BIC
à	784	<i>SettlPartyRole</i>	<b>27</b>	Buyer/Seller (receiver/deliverer)
</SettlParties>				

However, this equally contrived combination would not be allowed because the values in *SettlPartyRole* are identical (784= 4 and 784=4) even though the BICs are different.

<SettlParties>			

<i>Tag</i>	<i>Field Name</i>		<i>Value</i>	<i>Comments</i>
781	NoSettlPartyIDs		2	
à	782	SettlPartyID	DAKV1234	
à	783	SettlPartyIDSource	<b>C</b>	Generally accepted market code
à	784	SettlPartyRole	<b>4</b>	Clearing firm
à	782	SettlPartyID	DEUTFF2LXXX	
à	783	SettlPartyIDSource	<b>B</b>	BIC
à	784	SettlPartyRole	<b>4</b>	Clearing firm
</SettlParties>				